

Add-On Clinical Reference

Provider Source of Truth

Sexual Health · Hair Loss · Skin Care · KORB Health Group · Internal Use Only

This is the single source of truth for all KORB add-on products. It supersedes the individual Get Intimate Now, Hair Loss, and Skin Care documents dated 11/26/2025. Add-ons attach to any of the four main programs. The program references link here rather than repeating this content, so that a product is never described in two places.

How Add-Ons Work

Add-ons are not standalone programs. They attach to whichever program the patient is already enrolled in: **Weight Loss & Metabolic Health**, **Men's Health**, **Women's Health**, or **Functional Health & Longevity**. A patient in any of those four can be offered any appropriate add-on.

Add-on	Men	Women	Labs required	Follow-up
Sexual Health	KORB Rise or PERFORM; PT-141	KORB Electric; PT-141	None	None scheduled; async refill
Hair Loss	Finasteride and/or topical	Spironolactone and/or topical	None routine	90-day check
Skin Care	Tretinoin or Combo Cream	Tretinoin, Estriol, or Combo Cream	None	As needed
Anti-Aging	NAD+ and/or Metformin	NAD+ and/or Metformin	None routine	NAD+ every 28 days; Metformin every 90

Two products are sex-specific and must not be crossed. Finasteride is for men only. Spironolactone is the women's oral agent. The topical formulations also differ by sex and are not interchangeable. Use the Add-On Selector tool to confirm before prescribing.

Pharmacy and State Availability

Every add-on is sourced from **Premier** or **FarmaKeio**. Neither ships to California. Belmar and Empower, the two California pharmacies, do not source any add-on product.

PT-141 is the exception and IS available in California, since Belmar supplies it and ships to all 50 states and DC. Everything else below is unavailable there.

California patients cannot receive any other add-on. Not KORB Rise, not hair loss, not skin care. This is a sourcing limitation, not a preference, and there is no workaround. Confirm the patient's state before offering an add-on so you are not withdrawing something you have already raised.

Pharmacy	Ships to	Sources
Premier	Most states. Not California.	KORB Rise, KORB Electric, PT-141 injection, hair loss, all skin care
FarmaKeio	All states except AZ, CA, FL, NV, TX	PERFORM, KORB Electric, hair loss. No skin care.
Belmar	All 50 states and DC	PT-141 nasal spray. No other add-ons.
Empower	California only	Testosterone only. No add-ons.

Skin care is Premier only. It cannot be routed to FarmaKeio, so patients in Arizona, Florida, Nevada, and Texas can receive it through Premier, but patients in FarmaKeio-only states cannot.

Sexual Health

KORB Rise (men). Formulation updated September 2026.

Item	Detail
Formulation	Sildenafil 50 mg / Tadalafil 10 mg / L-Arginine 90 mg / Oxytocin 0.04 mg troche
Pharmacy	Premier
Dosing	Half to one troche 30 minutes before sex, increase by half as needed. Effect up to 36 hours.
Quantity	Pack of 20 troches, approximately 20 to 40 encounters
Price / code	\$99 · INTRISE001
Tebra drug	Viagra 50 mg tablet (from drop-down). Qty 20, Refill 0, Allow Substitution, Days 90.
Sig	KORB RISE Take ½ – 1 troche as needed for sex/erection
Pharmacy note	KORB RISE compound Sildenafil 50mg / Tadalafil 10mg / L-Arginine 90mg / Oxytocin 0.04mg troches. Bill to office/ship to patient, no FDA-approved or commercially available equivalent.

Absolute contraindication: nitrates. Patients taking nitrates for chest pain must not receive KORB Rise or KORB Electric. The combination can cause a life-threatening drop in blood pressure. Ask directly at every visit rather than relying on the medication list.

Why the combination. Sildenafil and tadalafil increase blood flow. L-Arginine is included to reduce headache, the most common side effect. Oxytocin was added to the formulation in September 2026. Side effects: headache, nasal congestion, blurred vision, nausea, upset stomach, prolonged erection.

Advise emergency care for an erection lasting more than 4 hours.

PERFORM (men) — FarmaKeio. The FarmaKeio counterpart to KORB Rise, for patients in states Premier does not serve. Same clinical purpose, different formulation and pharmacy.

Item	Detail
Formulation	Sildenafil 88 mg / Tadalafil 22 mg rapid ODT
Pharmacy	FarmaKeio
Dosing	One ODT 30 minutes before sex. Effect up to 36 hours.
Quantity	Pack of 20 ODTs
Tebra drug	Viagra 50 mg tablet (from drop-down). Qty 20, Refill 0, Allow Substitution, Days 90.
Sig	PERFORM Rapid ODT: Take one ODT 30 minutes before sex as needed for sex/erection
Note	Contains no L-Arginine, so headache may be more noticeable than with KORB Rise.

KORB Electric (women).

Item	Detail
Formulation	Sildenafil 1.5% / Theophylline 3% / L-Arginine 6% topical (Premier)
Alternate	Arginine HCl 6% / Sildenafil 2% / DHEA 1% topical (FarmaKeio)
Dosing	Apply 1 to 2 clicks to the clitoris 30 minutes before sexual activity
Quantity	One bottle, approximately 20 encounters
Price / code	\$99 · INTELEC001
Tebra drug	vaginal lubricant inserts (from drop-down). Qty 1, Refill 0, Allow Substitution, Days 90.

Workflow, both products. Do not schedule a follow-up. Advise the patient to request refills through the patient portal; the provider completes an async visit.

PT-141 (Bremelanotide) — both sexes. Moved here from Women's Health; available across all programs.

Item	Detail
What it is	A peptide that acts on the nervous system to increase desire and arousal, independent of hormone levels
Injection	10 mg/mL, 5 mL vial (Premier). Inject 1–2 mg SQ about 2 hours before anticipated activity.
Nasal spray	5 mg/mL, 15 mL bottle (Belmar). One spray in each nostril 1–2 hours before activity.
Supply	28-day supply
Price / code	\$119 as an add-on (WMN141add) · \$149 standalone (WMN141reg)
Side effects	Nausea, dizziness, fatigue, cough, skin darkening

PT-141 does not follow the 90-day cadence. The labelled beyond-use date is 45 days, but the 28-day-after-first-puncture rule governs, so it is dispensed as a 28-day supply. Do not schedule refills alongside quarterly visits. The patient contacts KORB when they need more.

Skin darkening is worth raising before starting rather than after. It is a known effect of the mechanism, not a reaction, and patients who are not warned tend to stop.

Hair Loss

Men and women, 18 and older. Oral and topical are priced separately.

Category	Price	Code	Supply
All oral products	\$99	AGEHairPLreg	90 days
All topical foams and sprays	\$149	AGEHairFOreg	Varies by product and use, see below

Do not label topicals as a 90-day supply. Neither product lasts 90 days at twice-daily use, and the FarmaKeio spray exceeds 90 days at once-daily use. Enter the conservative figure in the Days field so the patient is never left short, and tell them the realistic range.

Topical	Size	Per application	1x daily	2x daily	Days field
Premier foam	60 mL	1 pump = 0.7 mL	85 days	42 days	42
FarmaKeio spray	30 mL / 120 sprays	1 spray	120 days	60 days	60

Finasteride must never be prescribed to women. It is teratogenic and contraindicated in women who are or may become pregnant. Women use spironolactone as the oral agent.

Men

Product	Pharmacy	Dosing	Key side effects
Finasteride 1 mg tablet	Premier or FarmaKeio	One tablet daily. Qty 90, Days 90.	Reduced libido, mood changes, gynecomastia, orthostatic hypotension
Minoxidil 6% / Finasteride 0.3% / Tretinoin 0.025%	Premier (60 mL foam) or FarmaKeio (30 mL spray)	Apply 1 to 2 to dry hair once daily	Scalp redness and irritation, skin colour change; sexual effects far less common than oral

Women

Product	Pharmacy	Dosing	Key side effects
Spironolactone 50 mg tablet	Premier or FarmaKeio	50 mg daily. Increase to 100 mg at the 90-day follow-up if needed. Qty 90, Days 90.	Dizziness, low energy, raised potassium, breast enlargement and tenderness
Minoxidil 2% / Spironolactone 0.05% / Latanoprost 0.01%	Premier (60 mL foam) or FarmaKeio (30 mL spray)	Apply 1 to 2 to dry hair once daily	Odour from spironolactone, redness, scalp irritation

Counsel on timeline up front. Both oral agents take 3 to 6 months to show results. Patients who are not told this discontinue early and conclude the product failed. Spironolactone is also used for acne, hirsutism, and PCOS, which may be relevant for Women's Health patients.

Skin Care

Topical treatment for acne, oily skin, dry skin, wrinkles, loss of elasticity, and discolouration. Available to men and women. Most patients add this to an existing program.

Product	Strengths / composition	Price	Code
Tretinoin cream	0.025%, 0.05%, or 0.1% — 20 g tube	\$49	AGESkinCRTtoE
Estriol cream	0.3% — 30 mL	\$49	AGESkinCRTtoE
Combo cream	Estriol 0.3% / GHK-Cu 0.3% / Hyaluronic Acid 0.2% / Niacinamide 0.5% — 30 mL	\$99	AGESkinCRCmb

Skin care is Premier Pharmacy only. Do not route to FarmaKeio. Tretinoin is for acne, oily skin, scarring, and spots. Estriol is for dry skin, wrinkles, spots, and elasticity. All creams are applied **once daily**.

Cream	Size	Per application	Days supply
Tretinoin	20 g tube	pea-sized amount	approx. 80 days
Estriol 0.3%	30 mL	1 click = 0.25 mL	120 days
Combo cream	30 mL	1 click = 0.25 mL	120 days

The tretinoin figure assumes a pea-sized amount of roughly 0.25 g and is an estimate rather than a measured value. Estriol and Combo both run past 90 days at once-daily use.

Estriol contains a hormone. It can cause breast tenderness or bleeding. Consider this before adding it for a patient already on hormone therapy in Women's Health, and counsel accordingly.

Tretinoin sig: apply a pea-sized amount daily as needed. Qty 1, Days 90.

Estriol and Combo sig: apply 1 click (0.25 mL) to the affected area once daily. Qty 1, Days 90.

General side effects: dry skin and flaking, sun sensitivity, redness, itching. Counsel on sun protection.

Anti-Aging: NAD⁺ and Metformin

Longevity-focused add-on, available to patients in any program. NAD⁺ and Metformin are prescribed independently of each other; a patient may receive either or both.

NAD⁺

Route	Pharmacy	Dosing	Supply
SQ injection	Premier or FarmaKeio	Start 50 mg SQ twice weekly. Increase to 100 mg twice weekly if needed. 5 mL vial at 200 mg/mL.	28 days
Nasal spray	Belmar only	Start 1 spray per nostril once daily. Increase to 2 sprays per nostril once daily. 300 mg/mL, 15 mL bottle.	28 days
FastSL sublingual	Belmar only	Start ½ tablet under the tongue each morning, Monday to Friday, off at weekends. Increase to 1 tablet. 100 mg.	28 days

All NAD⁺ forms are a 28-day supply, driven by beyond-use dating on a compounded product. The injection vial holds 1000 mg, which outlasts 28 days at either dose, so the patient discards the remainder. Say so on the prescription. NAD⁺ follow-up is every 28 days, not on the 90-day cadence.

Counselling. NAD⁺ is a naturally occurring coenzyme involved in metabolism, DNA repair, and immune function. Levels decline with age. Injection is the fastest route, usually into the lower abdomen, and may also be given in the arm, buttock, or thigh. Side effects: nausea, fatigue, headache, indigestion.

Do not combine NAD⁺ with isotretinoin (Accutane). This is carried forward from the source protocol. Confirm the basis for this restriction with Dr. Rose before relying on it, as it is not a widely documented interaction.

Metformin ER 500 mg

Item	Detail
Pharmacy	Premier or FarmaKeio
Dosing	One 500 mg extended-release tablet daily
Supply	90 tablets, 90 days. Follows the standard 90-day cadence.
Rationale	On the WHO List of Essential Medicines. Evidence for lower rates of dementia and some cancers, reduced cardiovascular risk, reduced inflammation, reduced diabetes risk, and weight support in some patients.
Counselling	Patients will not feel noticeably different. Set that expectation up front.
Side effects	Nausea, upset stomach, headache, fatigue. May mildly lower blood sugar, causing dizziness, sweating, or headache.

Metformin is not contraindication-free. Do not prescribe without screening.

Metformin carries a boxed warning for lactic acidosis. Do not prescribe with:

- eGFR below 30 mL/min/1.73m² (use caution 30–45)
- Acute or unstable heart failure, or any state causing tissue hypoxia
- Severe hepatic impairment
- Heavy or binge alcohol use
- Metabolic acidosis of any cause

Hold before and after iodinated contrast imaging or surgery. Renal function should be known before starting and rechecked at least annually.

Anti-Aging: Pricing and Charge Codes

Product	Supply	Price	Code
NAD+ injection	28 days	\$179	AGENAV2001
NAD+ nasal spray	28 days	\$179	AGENAV2001
NAD+ FastSL sublingual	28 days	\$179	AGENAV2001
Metformin ER 500 mg	90 days	\$99	AGEMETF009

No laboratory testing is required to start either product.

Documentation

Record the add-on in the patient's chart and add it to the CC section so it carries forward.

Document that nitrate use was asked about and excluded before prescribing any sexual health product.

For hair loss and skin care, document the counselling on the 3 to 6 month timeline and on sun sensitivity.

Add-ons bill separately from the base program. Confirm the correct charge code above.

Open Items

Website correction. korbhealth.com lists KORB Rise as sildenafil and tadalafil only, omitting oxytocin, and shows hair loss starting at \$99 without noting that topicals are \$149.

Skin care is not yet listed publicly as a Men's Health add-on, though it is available to men on request. Decide when to surface it.

Metformin screening. The source protocol listed no contraindications. That is not correct for metformin, which carries a boxed warning for lactic acidosis. The screening criteria above were added from standard prescribing guidance and should be confirmed by Dr. Rose before this add-on goes live.

NAD+ and isotretinoin. Carried forward from the source protocol without independent verification.

Tretinoin days supply rests on an assumed pea-sized amount of 0.25 g. Worth confirming with Premier rather than leaving it as an estimate.

Pharmacy sourcing is under review. The routing in this document reflects current sourcing. Belmar pricing is the reason California has no add-on coverage. Update this document when sourcing changes.