

# Foundation

## Functional Health & Longevity • Provider Reference

KORB Health Medical Texas PA • korb-dosing-data.js v2.10 • built 2026-09-15

Everything needed to prescribe the Foundation Program, complete on its own. The provider tool covers the same ground; this document exists so it is not required. Values are copied literally into the Tebra Compound section.

### At a glance

|                         |                                                                                                                                                                                                                                                                          |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Program                 | Foundation Program                                                                                                                                                                                                                                                       |
| Structure               | Single agent, provider selects one. No stagger, no optional add-on.                                                                                                                                                                                                      |
| Cycle length            | 16 weeks                                                                                                                                                                                                                                                                 |
| Agents in this document | Sermorelin 200 mcg • Sermorelin 300 mcg • Sermorelin 400 mcg • CJC-1295 / Ipamorelin 100 mcg CJC-1295 / 100 mcg Ipamorelin • CJC-1295 / Ipamorelin 150 mcg CJC-1295 / 150 mcg Ipamorelin • CJC-1295 / Ipamorelin 200 mcg CJC-1295 / 200 mcg Ipamorelin • BPC-157 500 mcg |
| Pharmacies              | Premier Pharmacy and Greenwich Pharmacy — routed by patient state                                                                                                                                                                                                        |

### The 16-week cycle

| Agent                                                       | Role              | Active weeks | Timing                                        |
|-------------------------------------------------------------|-------------------|--------------|-----------------------------------------------|
| Sermorelin 200 mcg                                          | Standalone course | Weeks 1–12   | Bedtime • Empty stomach (2+ hrs after eating) |
| Sermorelin 300 mcg                                          | Standalone course | Weeks 1–12   | Bedtime • Empty stomach (2+ hrs after eating) |
| Sermorelin 400 mcg                                          | Standalone course | Weeks 1–12   | Bedtime • Empty stomach (2+ hrs after eating) |
| CJC-1295 / Ipamorelin 100 mcg CJC-1295 / 100 mcg Ipamorelin | Standalone course | Weeks 1–12   | Bedtime • Empty stomach (2+ hrs after eating) |

| Agent                                                       | Role              | Active weeks | Timing                                        |
|-------------------------------------------------------------|-------------------|--------------|-----------------------------------------------|
| CJC-1295 / Ipamorelin 150 mcg CJC-1295 / 150 mcg Ipamorelin | Standalone course | Weeks 1–12   | Bedtime · Empty stomach (2+ hrs after eating) |
| CJC-1295 / Ipamorelin 200 mcg CJC-1295 / 200 mcg Ipamorelin | Standalone course | Weeks 1–12   | Bedtime · Empty stomach (2+ hrs after eating) |
| BPC-157 500 mcg                                             | Standalone course | Weeks 1–8    | Any consistent time · No food restriction     |

Foundation is a single agent. The provider selects one of the three; there is no stagger and GHK-Cu is never a Foundation option.

## Dose ladder — Sermorelin

Escalation is lab-based. Increase to the next step only if IGF-1 remains below target at the 16-week recheck.

Titrate 200 → 300 → 400 mcg at 16-week visits, based on IGF-1. 500 mcg is NOT a Foundation dose - a patient who needs it moves to Gateway rather than being held at 400. See [programs.foundation.sermorelin500ExclusionReason](#).

### 500 mcg is not a Foundation dose

A correctly supplied 500 mcg is 45 ml a cycle against 36 ml at 400 mcg, which requires an additional vial each month. Foundation margin does not justify it. Gateway retains 500 mcg. This is a commercial ceiling, not a clinical one - escalate the patient to Gateway rather than holding at 400.

| Dose    | Premier — units | Greenwich — units | Active weeks | Schedule             |
|---------|-----------------|-------------------|--------------|----------------------|
| 200 mcg | 20 units        | 7 units           | Weeks 1–12   | 6 days on, 1 day off |
| 300 mcg | 30 units        | 10 units          | Weeks 1–12   | 6 days on, 1 day off |
| 400 mcg | 40 units        | 13 units          | Weeks 1–12   | 6 days on, 1 day off |

The milligram dose is what is prescribed. The unit count is what the patient draws, and it differs by pharmacy.

## Dose ladder — CJC-1295 / Ipamorelin

Escalation is lab-based. Increase to the next step only if IGF-1 remains below target at the 16-week recheck.

Titrate 100 → 150 → 200 mcg at 16-week visits. All three doses dispense the same quantity, so titration changes no vial and no cost.

| Dose                                  | Premier — units | Greenwich — units | Active weeks | Schedule             |
|---------------------------------------|-----------------|-------------------|--------------|----------------------|
| 100 mcg CJC-1295 / 100 mcg Ipamorelin | 5 units         | 5 units           | Weeks 1–12   | 6 days on, 1 day off |
| 150 mcg CJC-1295 / 150 mcg Ipamorelin | 7.5 units       | 7.5 units         | Weeks 1–12   | 6 days on, 1 day off |
| 200 mcg CJC-1295 / 200 mcg Ipamorelin | 10 units        | 10 units          | Weeks 1–12   | 6 days on, 1 day off |

The milligram dose is what is prescribed. The unit count is what the patient draws, and it differs by pharmacy.

## Directions given to the patient

| Agent                                                       | Pharmacy           | Direction                                                                              |
|-------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------|
| Sermorelin 200 mcg                                          | Premier Pharmacy   | Inject 20 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.  |
| Sermorelin 200 mcg                                          | Greenwich Pharmacy | Inject 7 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.   |
| Sermorelin 300 mcg                                          | Premier Pharmacy   | Inject 30 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.  |
| Sermorelin 300 mcg                                          | Greenwich Pharmacy | Inject 10 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.  |
| Sermorelin 400 mcg                                          | Premier Pharmacy   | Inject 40 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.  |
| Sermorelin 400 mcg                                          | Greenwich Pharmacy | Inject 13 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.  |
| CJC-1295 / Ipamorelin 100 mcg CJC-1295 / 100 mcg Ipamorelin | Premier Pharmacy   | Inject 5 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.   |
| CJC-1295 / Ipamorelin 100 mcg CJC-1295 / 100 mcg Ipamorelin | Greenwich Pharmacy | Inject 5 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.   |
| CJC-1295 / Ipamorelin 150 mcg CJC-1295 / 150 mcg Ipamorelin | Premier Pharmacy   | Inject 7.5 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach. |

| Agent                                                       | Pharmacy           | Direction                                                                              |
|-------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------|
| CJC-1295 / Ipamorelin 150 mcg CJC-1295 / 150 mcg Ipamorelin | Greenwich Pharmacy | Inject 7.5 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach. |
| CJC-1295 / Ipamorelin 200 mcg CJC-1295 / 200 mcg Ipamorelin | Premier Pharmacy   | Inject 10 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.  |
| CJC-1295 / Ipamorelin 200 mcg CJC-1295 / 200 mcg Ipamorelin | Greenwich Pharmacy | Inject 10 units subcutaneously at bedtime, 6 days on, 1 day off, on an empty stomach.  |
| BPC-157 500 mcg                                             | Premier Pharmacy   | Inject 13 units subcutaneously once daily.                                             |
| BPC-157 500 mcg                                             | Greenwich Pharmacy | Inject 17 units subcutaneously once daily.                                             |

### The rest day is not a fixed weekday

The protocol is 6 days on, 1 day off. The specific weekday is a recommendation for ease of patient recall, not a clinical requirement. The patient's tracker derives their rest day from their own start date, so a patient starting on a Wednesday rests Tuesday. Do not tell a patient their rest day is Sunday.

## Syringes

| Pharmacy           | Standard syringe | When a 100-unit syringe is required instead                                                                          |
|--------------------|------------------|----------------------------------------------------------------------------------------------------------------------|
| Premier Pharmacy   | 100-unit (1 mL)  | Not applicable — Premier ships 100-unit syringes across the board.                                                   |
| Greenwich Pharmacy | 50-unit (0.5 mL) | Any dose at or above 50 units. Currently Tesamorelin 1.5 mg, dosed at 50 units; Tesamorelin 2 mg, dosed at 67 units. |

## Which pharmacy, and where you can prescribe

|                                                                         |                                                                                                                            |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>Defaults to Premier</b>                                              | AZ, CO, CT, DE, FL, IL, KS, KY, LA, MD, ME, MI, MO, MT, NC, ND, NE, NM, NV, OH, OK, OR, PA, SD, TN, TX, UT, VA, VT, WI, WY |
| <b>Everywhere else</b>                                                  | Greenwich Pharmacy, for every state not listed as closed                                                                   |
| <b>Functional Health &amp; Longevity is not offered in these states</b> | <b>AL, AK, AR, CA, DC, GA, HI, IN, MA, MN, MS, NH, NJ, NY, RI, SC, WA, WV</b>                                              |

### Paused — no pharmacy can fill — AR, CA, IN, NH, WA

Greenwich stopped relying on central-fill arrangements on 11 September 2026 and now dispenses only into the 23 states where it is directly licensed. Premier is not licensed in any of these, so there is no peptide source while the restriction holds. No visit, no prescription, no shipment.

**This is a pause, not a withdrawal.** Greenwich expects to restore coverage in 30 to 60 days from 11 September 2026. Tell a patient the program is temporarily unavailable in their state and that coverage is expected back. Do not tell them it has been discontinued. Operations reviews this by 10 November 2026.

AL, MN, SC also lost Greenwich, but each was already out of the peptide program before this change and stays closed regardless of the restore. They are not listed here.

### Single-source states — IA, ID

These states are open and taking patients. Greenwich is the only pharmacy licensed to fill a peptide there and Premier cannot cover them, so there is no fallback if Greenwich restricts again. Greenwich is mid-restriction, so confirm the fill before promising a patient a start date.

### Excluded from the offering — AL, MS, SC

No peptide or other Functional Health & Longevity product may be shipped to these states. They are excluded from the offering, not pending launch. Confirm with Operations before any exception.

### Held for lab workflow — NY, NJ, RI

These are held for a distinct reason: a different lab workflow required by state-specific legislation, not provider coverage. Do not proceed until Operations confirms.

Unit counts differ between the pharmacies for the same milligram dose. Always read the units off the row for the patient's pharmacy, never from the other column.

## Tebra Compounded Drug Favorite — exact fields

Copy these values literally. Do not paraphrase, and do not adjust quantity, refill or days supply. Greenwich requires “as directed by provider” in Patient Instructions because KORB does not follow their protocols — the full direction still goes to the patient through their treatment schedule.

**Storage — all agents in this document:** Refrigerate (36–46 °F). Do not freeze. Protect from light. Discard 28 days after initial puncture.

## Sermorelin — 200 mcg

| Premier Pharmacy • Compounded Drug<br>Favorite Entry • PREMIER - Sermorelin 200 mcg SQ Injection |                                                                                                             | Greenwich Pharmacy • Compounded Drug<br>Favorite Entry • GREENWICH - Sermorelin 200 mcg SQ Injection |                                                                              |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Drug Formulation                                                                                 | Sermorelin 1 mg/ml inj                                                                                      | Drug Formulation                                                                                     | KBH Sermorelin 3mg/mL                                                        |
| Name                                                                                             | PREMIER - Sermorelin 200 mcg SQ Injection                                                                   | Name                                                                                                 | GREENWICH - Sermorelin 200 mcg SQ Injection                                  |
| Allow Substitution                                                                               | Yes - select Allow Substitution                                                                             | Allow Substitution                                                                                   | Yes - select Allow Substitution                                              |
| Quantity                                                                                         | 18                                                                                                          | Quantity                                                                                             | 15                                                                           |
| Unit                                                                                             | ml                                                                                                          | Unit                                                                                                 | ml                                                                           |
| Refill                                                                                           | 0                                                                                                           | Refill                                                                                               | 0                                                                            |
| Days Supply                                                                                      | 84                                                                                                          | Days Supply                                                                                          | 84                                                                           |
| Patient Instructions                                                                             | INJECT SERMORELIN 20 UNITS SUBCUTANEOUSLY AT BEDTIME, 6 DAYS ON 1 DAY OFF, ON AN EMPTY STOMACH              | Patient Instructions                                                                                 | Inject as directed by provider. Follow your KORB treatment schedule.         |
| Reason for Compounding                                                                           | Customized peptide dosing                                                                                   | Reason for Compounding                                                                               | Customized peptide dosing                                                    |
| Pharmacy Instructions                                                                            | Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 80 insulin syringes. | Pharmacy Instructions                                                                                | Bill to KORB Health Group and ship to the patient. Customized peptide dosing |

## Sermorelin 300mcg — 300 mcg

| Premier Pharmacy • Compounded Drug<br>Favorite Entry • PREMIER - Sermorelin 300 mcg SQ Injection |                                                                                                             | Greenwich Pharmacy • Compounded Drug<br>Favorite Entry • GREENWICH - Sermorelin 300 mcg SQ Injection |                                                                              |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Drug Formulation</b>                                                                          | Sermorelin 1 mg/ml inj                                                                                      | <b>Drug Formulation</b>                                                                              | KBH Sermorelin 3mg/mL                                                        |
| <b>Name</b>                                                                                      | PREMIER - Sermorelin 300 mcg SQ Injection                                                                   | <b>Name</b>                                                                                          | GREENWICH - Sermorelin 300 mcg SQ Injection                                  |
| <b>Allow Substitution</b>                                                                        | Yes - select Allow Substitution                                                                             | <b>Allow Substitution</b>                                                                            | Yes - select Allow Substitution                                              |
| <b>Quantity</b>                                                                                  | 27                                                                                                          | <b>Quantity</b>                                                                                      | 15                                                                           |
| <b>Unit</b>                                                                                      | ml                                                                                                          | <b>Unit</b>                                                                                          | ml                                                                           |
| <b>Refill</b>                                                                                    | 0                                                                                                           | <b>Refill</b>                                                                                        | 0                                                                            |
| <b>Days Supply</b>                                                                               | 84                                                                                                          | <b>Days Supply</b>                                                                                   | 84                                                                           |
| <b>Patient Instructions</b>                                                                      | INJECT SERMORELIN 30 UNITS SUBCUTANEOUSLY AT BEDTIME, 6 DAYS ON 1 DAY OFF, ON AN EMPTY STOMACH              | <b>Patient Instructions</b>                                                                          | Inject as directed by provider. Follow your KORB treatment schedule.         |
| <b>Reason for Compounding</b>                                                                    | Customized peptide dosing                                                                                   | <b>Reason for Compounding</b>                                                                        | Customized peptide dosing                                                    |
| <b>Pharmacy Instructions</b>                                                                     | Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 80 insulin syringes. | <b>Pharmacy Instructions</b>                                                                         | Bill to KORB Health Group and ship to the patient. Customized peptide dosing |

## Sermorelin 400mcg — 400 mcg

| Premier Pharmacy • Compounded Drug<br>Favorite Entry • PREMIER - Sermorelin 400 mcg SQ Injection |                                                                                                             | Greenwich Pharmacy • Compounded Drug<br>Favorite Entry • GREENWICH - Sermorelin 400 mcg SQ Injection |                                                                              |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Drug Formulation                                                                                 | Sermorelin 1 mg/ml inj                                                                                      | Drug Formulation                                                                                     | KBH Sermorelin 3mg/mL                                                        |
| Name                                                                                             | PREMIER - Sermorelin 400 mcg SQ Injection                                                                   | Name                                                                                                 | GREENWICH - Sermorelin 400 mcg SQ Injection                                  |
| Allow Substitution                                                                               | Yes - select Allow Substitution                                                                             | Allow Substitution                                                                                   | Yes - select Allow Substitution                                              |
| Quantity                                                                                         | 36                                                                                                          | Quantity                                                                                             | 15                                                                           |
| Unit                                                                                             | ml                                                                                                          | Unit                                                                                                 | ml                                                                           |
| Refill                                                                                           | 0                                                                                                           | Refill                                                                                               | 0                                                                            |
| Days Supply                                                                                      | 84                                                                                                          | Days Supply                                                                                          | 84                                                                           |
| Patient Instructions                                                                             | INJECT SERMORELIN 40 UNITS SUBCUTANEOUSLY AT BEDTIME, 6 DAYS ON 1 DAY OFF, ON AN EMPTY STOMACH              | Patient Instructions                                                                                 | Inject as directed by provider. Follow your KORB treatment schedule.         |
| Reason for Compounding                                                                           | Customized peptide dosing                                                                                   | Reason for Compounding                                                                               | Customized peptide dosing                                                    |
| Pharmacy Instructions                                                                            | Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 80 insulin syringes. | Pharmacy Instructions                                                                                | Bill to KORB Health Group and ship to the patient. Customized peptide dosing |

**CJC-1295 / Ipamorelin 100mcg/100mcg — 100 mcg CJC-1295 / 100 mcg Ipamorelin**

| Premier Pharmacy • Compounded Drug<br>Favorite Entry • PREMIER - CJC/Ipam 100 mcg/100 mcg SQ Inj |                                                                                                             | Greenwich Pharmacy • Compounded Drug<br>Favorite Entry • GREENWICH - CJC/Ipam 100 mcg/100 mcg SQ Inj |                                                                              |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Drug Formulation</b>                                                                          | CJC-1295 / Ipamorelin 2 mg/2 mg per 1mL inj                                                                 | <b>Drug Formulation</b>                                                                              | KBH CJC/Ipamorelin 2mg/2mg/mL                                                |
| <b>Name</b>                                                                                      | PREMIER - CJC/Ipam 100 mcg/100 mcg SQ Inj                                                                   | <b>Name</b>                                                                                          | GREENWICH - CJC/Ipam 100 mcg/100 mcg SQ Inj                                  |
| <b>Allow Substitution</b>                                                                        | Yes - select Allow Substitution                                                                             | <b>Allow Substitution</b>                                                                            | Yes - select Allow Substitution                                              |
| <b>Quantity</b>                                                                                  | 9                                                                                                           | <b>Quantity</b>                                                                                      | 15                                                                           |
| <b>Unit</b>                                                                                      | ml                                                                                                          | <b>Unit</b>                                                                                          | ml                                                                           |
| <b>Refill</b>                                                                                    | 0                                                                                                           | <b>Refill</b>                                                                                        | 0                                                                            |
| <b>Days Supply</b>                                                                               | 84                                                                                                          | <b>Days Supply</b>                                                                                   | 84                                                                           |
| <b>Patient Instructions</b>                                                                      | INJECT 5 UNITS SUBCUTANEOUSLY AT BEDTIME, 6 DAYS ON 1 DAY OFF, ON AN EMPTY STOMACH                          | <b>Patient Instructions</b>                                                                          | Inject as directed by provider. Follow your KORB treatment schedule.         |
| <b>Reason for Compounding</b>                                                                    | Customized peptide dosing                                                                                   | <b>Reason for Compounding</b>                                                                        | Customized peptide dosing                                                    |
| <b>Pharmacy Instructions</b>                                                                     | Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 80 insulin syringes. | <b>Pharmacy Instructions</b>                                                                         | Bill to KORB Health Group and ship to the patient. Customized peptide dosing |

### CJC-1295 / Ipamorelin 150mcg/150mcg — 150 mcg CJC-1295 / 150 mcg Ipamorelin

| Premier Pharmacy • Compounded Drug<br>Favorite Entry • PREMIER - CJC/Ipam 150 mcg/150 mcg SQ Inj |                                                                                                             | Greenwich Pharmacy • Compounded Drug<br>Favorite Entry • GREENWICH - CJC/Ipam 150 mcg/150 mcg SQ Inj |                                                                              |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Drug Formulation</b>                                                                          | CJC-1295 / Ipamorelin 2 mg/2 mg per 1mL inj                                                                 | <b>Drug Formulation</b>                                                                              | KBH CJC/Ipamorelin 2mg/2mg/mL                                                |
| <b>Name</b>                                                                                      | PREMIER - CJC/Ipam 150 mcg/150 mcg SQ Inj                                                                   | <b>Name</b>                                                                                          | GREENWICH - CJC/Ipam 150 mcg/150 mcg SQ Inj                                  |
| <b>Allow Substitution</b>                                                                        | Yes - select Allow Substitution                                                                             | <b>Allow Substitution</b>                                                                            | Yes - select Allow Substitution                                              |
| <b>Quantity</b>                                                                                  | 9                                                                                                           | <b>Quantity</b>                                                                                      | 15                                                                           |
| <b>Unit</b>                                                                                      | ml                                                                                                          | <b>Unit</b>                                                                                          | ml                                                                           |
| <b>Refill</b>                                                                                    | 0                                                                                                           | <b>Refill</b>                                                                                        | 0                                                                            |
| <b>Days Supply</b>                                                                               | 84                                                                                                          | <b>Days Supply</b>                                                                                   | 84                                                                           |
| <b>Patient Instructions</b>                                                                      | INJECT 7.5 UNITS SUBCUTANEOUSLY AT BEDTIME, 6 DAYS ON 1 DAY OFF, ON AN EMPTY STOMACH                        | <b>Patient Instructions</b>                                                                          | Inject as directed by provider. Follow your KORB treatment schedule.         |
| <b>Reason for Compounding</b>                                                                    | Customized peptide dosing                                                                                   | <b>Reason for Compounding</b>                                                                        | Customized peptide dosing                                                    |
| <b>Pharmacy Instructions</b>                                                                     | Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 80 insulin syringes. | <b>Pharmacy Instructions</b>                                                                         | Bill to KORB Health Group and ship to the patient. Customized peptide dosing |

**CJC-1295 / Ipamorelin 200mcg/200mcg — 200 mcg CJC-1295 / 200 mcg Ipamorelin**

| Premier Pharmacy • Compounded Drug<br>Favorite Entry • PREMIER - CJC/Ipam 200 mcg/200 mcg SQ Inj |                                                                                                             | Greenwich Pharmacy • Compounded Drug<br>Favorite Entry • GREENWICH - CJC/Ipam 200 mcg/200 mcg SQ Inj |                                                                              |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Drug Formulation</b>                                                                          | CJC-1295 / Ipamorelin 2 mg/2 mg per 1mL inj                                                                 | <b>Drug Formulation</b>                                                                              | KBH CJC/Ipamorelin 2mg/2mg/mL                                                |
| <b>Name</b>                                                                                      | PREMIER - CJC/Ipam 200 mcg/200 mcg SQ Inj                                                                   | <b>Name</b>                                                                                          | GREENWICH - CJC/Ipam 200 mcg/200 mcg SQ Inj                                  |
| <b>Allow Substitution</b>                                                                        | Yes - select Allow Substitution                                                                             | <b>Allow Substitution</b>                                                                            | Yes - select Allow Substitution                                              |
| <b>Quantity</b>                                                                                  | 9                                                                                                           | <b>Quantity</b>                                                                                      | 15                                                                           |
| <b>Unit</b>                                                                                      | ml                                                                                                          | <b>Unit</b>                                                                                          | ml                                                                           |
| <b>Refill</b>                                                                                    | 0                                                                                                           | <b>Refill</b>                                                                                        | 0                                                                            |
| <b>Days Supply</b>                                                                               | 84                                                                                                          | <b>Days Supply</b>                                                                                   | 84                                                                           |
| <b>Patient Instructions</b>                                                                      | INJECT 10 UNITS SUBCUTANEOUSLY AT BEDTIME, 6 DAYS ON 1 DAY OFF, ON AN EMPTY STOMACH                         | <b>Patient Instructions</b>                                                                          | Inject as directed by provider. Follow your KORB treatment schedule.         |
| <b>Reason for Compounding</b>                                                                    | Customized peptide dosing                                                                                   | <b>Reason for Compounding</b>                                                                        | Customized peptide dosing                                                    |
| <b>Pharmacy Instructions</b>                                                                     | Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 80 insulin syringes. | <b>Pharmacy Instructions</b>                                                                         | Bill to KORB Health Group and ship to the patient. Customized peptide dosing |

## BPC-157 — 500 mcg

| Premier Pharmacy • Compounded Drug<br>Favorite Entry • PREMIER - BPC-157 500 mcg<br>SQ Inj Daily |                                                                                                                      | Greenwich Pharmacy • Compounded Drug<br>Favorite Entry • GREENWICH - BPC-157 500<br>mcg SQ Inj |                                                                                    |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>                                                                          | BPC-157, 4mg/ml inj                                                                                                  | <b>Drug Formulation</b>                                                                        | KBH BPC-157 3mg/mL                                                                 |
| <b>Name</b>                                                                                      | PREMIER - BPC-157 500mcg<br>SQ Inj Daily                                                                             | <b>Name</b>                                                                                    | GREENWICH - BPC-157 500<br>mcg SQ Inj                                              |
| <b>Allow Substitution</b>                                                                        | Yes - select Allow<br>Substitution                                                                                   | <b>Allow Substitution</b>                                                                      | Yes - select Allow<br>Substitution                                                 |
| <b>Quantity</b>                                                                                  | 12                                                                                                                   | <b>Quantity</b>                                                                                | 10                                                                                 |
| <b>Unit</b>                                                                                      | ml                                                                                                                   | <b>Unit</b>                                                                                    | ml                                                                                 |
| <b>Refill</b>                                                                                    | 0                                                                                                                    | <b>Refill</b>                                                                                  | 0                                                                                  |
| <b>Days Supply</b>                                                                               | 56                                                                                                                   | <b>Days Supply</b>                                                                             | 56                                                                                 |
| <b>Patient<br/>Instructions</b>                                                                  | INJECT 13 UNITS<br>SUBCUTANEOUSLY ONCE<br>DAILY                                                                      | <b>Patient<br/>Instructions</b>                                                                | Inject as directed by<br>provider. Follow your KORB<br>treatment schedule.         |
| <b>Reason for<br/>Compounding</b>                                                                | Customized peptide dosing                                                                                            | <b>Reason for<br/>Compounding</b>                                                              | Customized peptide dosing                                                          |
| <b>Pharmacy<br/>Instructions</b>                                                                 | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing.<br>Dispense 60 insulin syringes. | <b>Pharmacy<br/>Instructions</b>                                                               | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing |

## Counseling and monitoring

### Sermorelin — counseling points

- Not GH replacement — stimulates body's own GH signaling pathway
- Lifestyle (nutrition, resistance training, sleep) remains critical — not a substitute
- Response varies between patients; benefit not guaranteed
- Do not combine with other GH-axis therapies without provider approval
- 6 days ON / 1 day OFF pattern must be followed — your rest day is shown in your KORB treatment schedule
- Take at bedtime on an empty stomach — timing is clinically relevant
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

### **Sermorelin — monitoring**

- Sleep quality and recovery quality
- Energy and wellness trend
- Body composition / waist circumference trend
- Exercise tolerance and lean mass preservation
- Edema / fluid retention
- Headache
- Joint discomfort
- Paresthesias / tingling
- Glucose-related changes (if at-risk)
- IGF-1 (per lab protocol)
- Injection site reactions
- Adherence to 6-on/1-off schedule

### **CJC-1295 / Ipamorelin — counseling points**

- Dual-peptide GH secretagogue combo — not GH replacement
- Lifestyle (nutrition, resistance training, sleep) remains critical — not a substitute
- Response varies between patients; benefit not guaranteed
- Do not combine with other GH-axis therapies without provider approval
- 6 days ON / 1 day OFF pattern must be followed — your rest day is shown in your KORB treatment schedule
- Take at bedtime on an empty stomach — timing is clinically relevant
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

### **CJC-1295 / Ipamorelin — monitoring**

- Sleep quality and recovery quality
- Energy and wellness trend
- Body composition / waist circumference trend
- Exercise tolerance and lean mass preservation
- Edema / fluid retention
- Headache
- Joint discomfort
- Paresthesias / tingling
- Glucose-related changes (if at-risk)
- IGF-1 (per lab protocol)
- Injection site reactions
- Adherence to 6-on/1-off schedule

### **BPC-157 — counseling points**

- Investigational recovery-support adjunct — not a cure or injury reversal

- Does not replace appropriate medical evaluation, imaging, or physical therapy when indicated
- Course-based cycling — do not continue indefinitely without provider reassessment
- Report injection site reactions, rash, swelling, or difficulty breathing immediately
- Lifestyle foundations (sleep, nutrition, structured rehab) remain critical
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

**BPC-157 — monitoring**

- Recovery progress toward documented goal
- Soft tissue / tendon / musculoskeletal symptom trend
- Exercise recovery quality
- Injection site reactions
- Any systemic symptoms (rash, swelling, breathing change)
- Need for specialist evaluation
- Course completion vs. discontinuation
- Lifestyle: sleep, nutrition, structured rehab adherence

## Lab protocol

Baseline before medication start, then every 16 weeks. Order in Tebra via the Quest integration with a future collection date set 12 weeks out. No STAT designation is used. Each side is the complete order — the only difference is the last row.

| Women, and men under 45 |       | Men 45 and older            |             |
|-------------------------|-------|-----------------------------|-------------|
| Test                    | Code  | Test                        | Code        |
| CBC w/ Differential     | 6399  | CBC w/ Differential         | 6399        |
| CMP                     | 10231 | CMP                         | 10231       |
| Lipid Panel             | 7600  | Lipid Panel                 | 7600        |
| HbA1c                   | 496   | HbA1c                       | 496         |
| Fasting Glucose         | 483   | Fasting Glucose             | 483         |
| Fasting Insulin         | 561   | Fasting Insulin             | 561         |
| IGF-1 (LC/MS)           | 16293 | IGF-1 (LC/MS)               | 16293       |
| TSH                     | 899   | TSH                         | 899         |
| Free T4                 | 866   | Free T4                     | 866         |
| T3, Free                | 34429 | T3, Free                    | 34429       |
| Copper, RBC             | 3481  | Copper, RBC                 | 3481        |
| Zinc, RBC               | 6354  | Zinc, RBC                   | 6354        |
| Ceruloplasmin           | 326   | Ceruloplasmin               | 326         |
|                         |       | <b>PSA, Total (Men 45+)</b> | <b>5363</b> |

## Pricing and charge codes

Provider and internal only. Never quote a price to a patient from this document without confirming with Operations. Every amount below is the recurring **monthly** payment unless the row says one-time, and each amount carries the charge code that belongs to it.

| Item                                                                                                                        | Amount                  | Charge code    |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------|
| Baseline Labs (one-time, before program selection)                                                                          | <b>\$99.00</b> one-time | BASEPeptideLab |
| Foundation Program — <b>\$199.00 / month partner</b> or <b>\$249.00 / month website</b> . Charge code depends on the agent: |                         |                |
| BPC-157 — partner                                                                                                           | <b>\$199.00</b> / month | FndnPeptideP01 |
| BPC-157 — website                                                                                                           | <b>\$249.00</b> / month | FndnPeptide001 |
| Sermorelin — partner                                                                                                        | <b>\$199.00</b> / month | FndnPeptideP02 |
| Sermorelin — website                                                                                                        | <b>\$249.00</b> / month | FndnPeptide002 |
| CJC-1295 / Ipamorelin — partner                                                                                             | <b>\$199.00</b> / month | FndnPeptideP03 |
| CJC-1295 / Ipamorelin — website                                                                                             | <b>\$249.00</b> / month | FndnPeptide003 |

Monthly payments run across the full 16-week cycle: \$796.00 partner in total, \$996.00 website in total.

### Questions and escalation

- Pharmacy or shipping issues — Operations
- Charge codes and billing — Operations
- Clinical protocol questions — Clinical Director
- Corrections to this document — Clinical Operations

### Do not improvise

- Do not alter quantity, refill or days supply
- Do not paraphrase patient instructions
- Do not prescribe into a state listed as closed
- Do not quote pricing to a patient without confirming with Operations

For KORB provider use only. Not for patient distribution. KORB Health Group LLC is a management services organisation. Clinical care is delivered by the affiliated medical practice and its licensed providers.