

Foundation Program Overview

Patient Guide

Functional Health & Longevity Program · KORB Health Group · For Patient Reference

This guide is for educational reference only. It is not medical advice. Your KORB provider determines which agent and dosing schedule are right for you. If you have questions, contact KORB by phone or email (see contact information below).

What Is the Foundation Program

Foundation is the single-agent tier of KORB's Functional Health & Longevity Program. At any given time, one peptide is active — your provider selects it based on your goals and clinical profile. You may switch to a different agent at each 16-week follow-up, but Foundation never combines two agents at once. If a staggered, multi-agent approach interests you, ask your provider about the Gateway or Peak Performance programs.

These peptides are used in an investigational capacity — most are not FDA-approved for this specific use, and much of the current evidence comes from earlier-stage research rather than large, completed human studies. Your provider will walk you through what this means for your specific agent before you begin.

Your Foundation Agent Options

Your provider selects one of the following three agents based on your goals. Each has its own active window within your 16-week cycle — your full Treatment Schedule will show exact dates.

Sermorelin

A growth hormone-releasing peptide. Possible support for sleep quality, recovery, and body composition goals. Injected most nights (6 on / 1 off). Active for the first 12 weeks of your 16-week cycle, followed by a 4-week washout before your next cycle begins.

CJC-1295 / Ipamorelin

A growth hormone-releasing peptide combination. Possible support for similar goals to Sermorelin, with a different release profile. Injected most nights (6 on / 1 off). Active for the first 12 weeks of your 16-week cycle, followed by a 4-week washout before your next cycle begins.

BPC-157

A peptide studied for possible support of soft tissue recovery and musculoskeletal health. Injected daily. Active for the first 8 weeks of your 16-week cycle, followed by an 8-week washout before your next cycle begins.

One agent at a time:

Foundation never combines two agents simultaneously. At each 16-week follow-up, you and your provider may continue your current agent or switch to a different one — see your Patient Education Handout for your specific agent for full dosing, timing, and storage instructions.

Pricing:

For current Foundation Program pricing, contact KORB Operations or ask your provider at your visit.

How Your 16-Week Cycle Works

- Baseline visit — labs only. No prescription is sent at your first visit.
- Once your baseline labs are back, KORB Operations schedules the visit that starts your 16-week cycle.
- When starting a 16-week cycle, your provider reviews your labs and starts your selected Foundation agent.
- A lab order is placed at the beginning of your cycle for a draw at Quest Diagnostics, to be completed between weeks 12 and 14 of your cycle — this ensures results are received before your 16-week follow-up visit.
- At your 16-week follow-up visit, your provider reviews your labs and response, then continues your current agent or switches you to a different one for the next cycle.
- Any time after your agent's active window (before your follow-up visit) is an off period for lab review and lifestyle focus.

What to Expect

Response to peptide therapy varies between patients. These are not guaranteed treatments, and results — if any — typically emerge gradually over the course of a cycle, not immediately. Your provider reassesses your agent and response at every 16-week follow-up visit.

Labs & Monitoring

Baseline labs are required before starting your Foundation agent. A lab order is placed at the beginning of each 16-week cycle for a draw at Quest Diagnostics.

Complete your lab draw between weeks 12 and 14 of your cycle — this gives enough time to receive results before your 16-week follow-up visit. Results can take about a week to come back, and your visit may need to be rescheduled if labs aren't in yet.

Safety Reminders

- Use your Foundation agent only as prescribed. Do not change your dose, course length, or schedule without provider direction.
- Do not add a second peptide or combine agents on your own — Foundation is single-agent only.
- This program is not appropriate during active malignancy or pregnancy.
- Tell your KORB provider about any new medical condition or medication, or if you become pregnant.
- Your prescription label is the authoritative source for your dose and directions.
- Use a new syringe for every injection — do not reuse syringes.
- Follow your state or local regulations for sharps disposal.

When to Contact KORB and When to Seek Emergency Care

Contact KORB — Phone or Email

- Questions about your program, pricing, or scheduling
- Questions about your medication instructions
- Mild side effects or concerns about your response
- General questions about the Foundation Program

Email: info@korbhealth.com

Phone: [+1 \(888\) 959-7299](tel:+18889597299)

Hours: Monday – Friday, 9 AM – 6 PM (Central Time)

Seek Emergency Care Immediately

- Trouble breathing or throat / face swelling
- Severe rash or widespread hives
- Chest pain or fainting
- Severe or rapidly worsening symptoms
- Confusion or severe weakness
- Any symptom that feels urgent or unsafe

Phone and email are not appropriate for emergencies. When in doubt, go to urgent care or the emergency room.

Key Reminders

- Your provider selects your Foundation agent — this guide is a general orientation, not personalized medical advice.
- Only one agent is active at a time. Foundation does not combine agents — you may switch to a different agent at your next follow-up if you and your provider agree.
- Baseline visit = labs only. No prescription is sent at your first visit.
- For current program pricing, contact KORB Operations or ask your provider.