

# Add-On Clinical Reference

Provider Source of Truth · Sexual Health · Hair Loss · Skin Care · Anti-Aging

KORB Health Medical Texas PA · Add-On Clinical Reference v2.0 · effective 2026-09-12 · built 2026-09-16

*This is the single source of truth for all KORB add-on products. Add-ons attach to any of the four main programs. The program references link here rather than repeating this content, so a product is never described in two places.*

**Supersedes.** The Add-On Clinical Reference generated 2026-09-10, and before it the individual Get Intimate Now, Hair Loss and Skin Care documents dated 11/26/2025.

## How add-ons work

Add-ons are not standalone programs. They attach to whichever program the patient is already enrolled in: Weight Loss and Metabolic Health, Men's Health, Women's Health, or Functional Health and Longevity. A patient in any of those four can be offered any appropriate add-on.

Two products are gender-specific and must not be crossed. Finasteride is for men only. Spironolactone is the women's oral agent. The topical formulations also differ by gender and are not interchangeable. Use the Add-On Selector to confirm before prescribing.

| Add-on               | Men                                                                 | Women                                                               | Follow-up                                                                                               |
|----------------------|---------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Sexual Health</b> | PERFORM, KORB Rise, PT-141 nasal spray, PT-141 injection            | KORB Electric, PT-141 nasal spray, PT-141 injection                 | No follow-up scheduled. Patient requests refills through the portal; provider completes an async visit. |
| <b>Hair Loss</b>     | Finasteride 1 mg, Topical spray, Topical foam                       | Spironolactone 50 mg, Topical spray, Topical foam                   | 90-day check. No routine labs.                                                                          |
| <b>Skin Care</b>     | Combo cream, Estriol cream 0.3%, Tretinoin cream                    | Combo cream, Estriol cream 0.3%, Tretinoin cream                    | As needed. No labs.                                                                                     |
| <b>Anti-Aging</b>    | Metformin ER 500 mg, NAD+, NAD+ nasal spray, NAD+ FastSL sublingual | Metformin ER 500 mg, NAD+, NAD+ nasal spray, NAD+ FastSL sublingual | NAD+ every 28 days. Metformin every 90 days.                                                            |

Not every formulation is available to every patient. Availability depends on the state the patient is in, the pharmacy, and what that pharmacy currently compounds. Confirm in the Add-On provider tool before quoting a product to a patient.

Hair loss products are for patients 18 and older. KORB does not treat patients under 18.

## Pharmacy and state availability

Every add-on is sourced from Premier or FarmaKeio, except in California. Neither ships to California.

California is not a blanket exclusion. Belmar ships to all 50 states and DC, and supplies PT-141 and the NAD+ forms there. Those two have vetted pricing. Everything else Belmar could source is priced above what KORB charges patients once shipping is added, so it would dispense at a loss. That is a cost decision, not a licensure one, and it is under review.

Confirm the patient's state before offering an add-on, so you are not withdrawing something you have already raised.

| Pharmacy                  | Footprint                                                                                                                                                                | Sources                                                                                             |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Premier Pharmacy</b>   | Licensed shipping list. Premier cannot ship anywhere outside it, including California. Confirmed 2026-08-09.                                                             | KORB Rise, KORB Electric, PT-141 injection, all hair loss, all skin care, NAD+ injection, metformin |
| <b>FarmaKeio Pharmacy</b> | Ships to 49 states plus DC. California is the single state FarmaKeio will not ship to, and that cannot be overridden. Preferred everywhere except CA, TX, FL, AZ and NV. | PERFORM, KORB Electric, hair loss, NAD+ injection, metformin. No skin care.                         |
| <b>Belmar Pharmacy</b>    | Ships to all 50 states and DC. Preferred for California only.                                                                                                            | California only in practice: PT-141 nasal spray, NAD+ nasal spray, NAD+ FastSL sublingual.          |

### Routing rule

If the patient's GLP-1 already comes from FarmaKeio, take the add-on from FarmaKeio when it stocks the product. Otherwise Premier.

Skin care is Premier only. It cannot be routed to FarmaKeio.

## Sexual health

| Product              | Pharmacy           | Who   | Dosing                                                                            | Supply                               |
|----------------------|--------------------|-------|-----------------------------------------------------------------------------------|--------------------------------------|
| <b>KORB Electric</b> | FarmaKeio Pharmacy | Women | Apply 1-2 clicks to the clitoris 30 min before sexual activity                    | One bottle, approx. 20 encounters    |
| <b>KORB Electric</b> | Premier Pharmacy   | Women | Apply 1-2 clicks to the clitoris 30 min before sexual activity                    | One bottle, approx. 20 encounters    |
| <b>KORB Rise</b>     | Premier Pharmacy   | Men   | ½ to 1 troche 30 min before intercourse, increase by ½ as needed. Up to 36 hours. | 20 troches, approx. 20-40 encounters |
| <b>PERFORM</b>       | FarmaKeio Pharmacy | Men   | ½ to 1 ODT 30 min before intercourse, increase by ½ as needed. Up to 36 hours.    | 20 ODTs, approx. 20-40 encounters    |

| Product                   | Pharmacy         | Who           | Dosing                                                                    | Supply        |
|---------------------------|------------------|---------------|---------------------------------------------------------------------------|---------------|
| <b>PT-141 injection</b>   | Premier Pharmacy | Men and women | Inject 1 to 2 mg subcutaneously about 2 hours before anticipated activity | 28-day supply |
| <b>PT-141 nasal spray</b> | Belmar Pharmacy  | Men and women | One spray in each nostril 1 to 2 hours before activity                    | 28-day supply |

Pricing and charge codes are deliberately not in this document. They are maintained in the Add-On provider tool, which is the single place they are kept current.

### **Absolute contraindication: nitrates**

Patients taking nitrates for chest pain must not receive KORB Rise, PERFORM or KORB Electric. The combination can cause a life-threatening drop in blood pressure. Ask directly at every visit rather than relying on the medication list.

### **PT-141 is off the 90-day cadence**

The labelled beyond-use date is 45 days, but the 28-day-after-first-puncture rule governs, so it is dispensed as a 28-day supply. Do not schedule refills alongside quarterly visits. The patient contacts KORB when they need more.

### **Raise skin darkening before starting, not after**

It is a known effect of the PT-141 mechanism rather than a reaction, and patients who are not warned tend to stop.

## **KORB Electric**

Arginine HCl 6% / Sildenafil 2% / DHEA 1% topical — FarmaKeio Pharmacy

Sildenafil 1.5% / Theophylline 3% / L-Arginine 6% topical — Premier Pharmacy

**FarmaKeio Pharmacy · Compounded Drug Favorite Entry · FARMAKEIO - KORB Electric Topical - 90-Day Supply**

|                               |                                                                                               |
|-------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Arginine HCl/Sildenafil/DHEA 6/2/1% topical                                                   |
| <b>Name</b>                   | FARMAKEIO - KORB Electric Topical - 90-Day Supply                                             |
| <b>Quantity</b>               | 1                                                                                             |
| <b>Unit</b>                   | bottle                                                                                        |
| <b>Refill</b>                 | 0                                                                                             |
| <b>Days Supply</b>            | 90                                                                                            |
| <b>Patient Instructions</b>   | KORB ELECTRIC Apply 1-2 clicks topically to the clitoris 30 minutes before a sexual encounter |
| <b>Reason for Compounding</b> | Female arousal topical                                                                        |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No FDA-approved or commercially available equivalent.       |

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - KORB Electric Topical - 90-Day Supply**

|                               |                                                                                               |
|-------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Sildenafil/Theophylline/L-Arginine 1.5/3/6% topical                                           |
| <b>Name</b>                   | PREMIER - KORB Electric Topical - 90-Day Supply                                               |
| <b>Quantity</b>               | 1                                                                                             |
| <b>Unit</b>                   | bottle                                                                                        |
| <b>Refill</b>                 | 0                                                                                             |
| <b>Days Supply</b>            | 90                                                                                            |
| <b>Patient Instructions</b>   | KORB ELECTRIC Apply 1-2 clicks topically to the clitoris 30 minutes before a sexual encounter |
| <b>Reason for Compounding</b> | Female arousal topical                                                                        |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No FDA-approved or commercially available equivalent.       |

## KORB Rise

Sildenafil 50 mg / Tadalafil 10 mg / L-Arginine 90 mg / Oxytocin 0.04 mg troche

Sildenafil and tadalafil increase blood flow. L-Arginine reduces headache, the most common side effect. Oxytocin was added to the formulation in September 2026. Side effects: headache, nasal congestion, blurred vision, nausea, upset stomach, prolonged erection. Advise emergency care for an erection lasting more than 4 hours.

### Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - KORB Rise Troche - 90-Day Supply

|                               |                                                                       |
|-------------------------------|-----------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Sildenafil/Tadalafil/L-Arginine/Oxytocin 50/10/90/0.04mg troche       |
| <b>Name</b>                   | PREMIER - KORB Rise Troche - 90-Day Supply                            |
| <b>Quantity</b>               | 20                                                                    |
| <b>Unit</b>                   | troche                                                                |
| <b>Refill</b>                 | 0                                                                     |
| <b>Days Supply</b>            | 90                                                                    |
| <b>Patient Instructions</b>   | KORB RISE Take 1/2 - 1 troche 30 minutes before intercourse as needed |
| <b>Reason for Compounding</b> | ED combination therapy                                                |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No FDA-approved equivalent.         |

## PERFORM

Sildenafil 88 mg / Tadalafil 22 mg rapid ODT

No L-Arginine in this formulation, so headache may be more noticeable than with KORB Rise. Advise emergency care for an erection lasting more than 4 hours.

**FarmaKeio Pharmacy · Compounded Drug Favorite Entry · FARMAKEIO - PERFORM Rapid ODT - 90-Day Supply**

|                               |                                                                                         |
|-------------------------------|-----------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Sildenafil/Tadalafil 88/22mg rapid ODT                                                  |
| <b>Name</b>                   | FARMAKEIO - PERFORM Rapid ODT - 90-Day Supply                                           |
| <b>Quantity</b>               | 20                                                                                      |
| <b>Unit</b>                   | tablet                                                                                  |
| <b>Refill</b>                 | 0                                                                                       |
| <b>Days Supply</b>            | 90                                                                                      |
| <b>Patient Instructions</b>   | PERFORM Rapid ODT: Take 1/2 - 1 ODT 30 minutes before intercourse as needed             |
| <b>Reason for Compounding</b> | ED combination therapy                                                                  |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No FDA-approved or commercially available equivalent. |

## PT-141 injection

Bremelanotide 10 mg/mL, 5 mL vial

Tebra favorite fields are not yet defined for this product. Build the prescription from the Add-On Clinical Reference.

Acts on the nervous system to increase desire and arousal, independent of hormone levels. Side effects: nausea, dizziness, fatigue, cough, skin darkening. Raise skin darkening before starting. Does not follow the 90-day cadence.

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - PT-141 Injection - 28-Day Supply**

|                              |                                                                            |
|------------------------------|----------------------------------------------------------------------------|
| <b>Drug Formulation</b>      | Bremelanotide 10mg/mL 5mL vial                                             |
| <b>Name</b>                  | PREMIER - PT-141 Injection - 28-Day Supply                                 |
| <b>Quantity</b>              | 1                                                                          |
| <b>Unit</b>                  | vial                                                                       |
| <b>Refill</b>                | 0                                                                          |
| <b>Days Supply</b>           | 28                                                                         |
| <b>Patient Instructions</b>  | Inject 1 to 2 mg subcutaneously about 2 hours before intercourse as needed |
| <b>Pharmacy Instructions</b> | Bill to office / ship to patient.                                          |

## PT-141 nasal spray

Bremelanotide 5 mg/mL, 15 mL bottle

Tebra favorite fields are not yet defined for this product. Build the prescription from the Add-On Clinical Reference.

Acts on the nervous system to increase desire and arousal, independent of hormone levels. Side effects: nausea, dizziness, fatigue, cough, skin darkening. Raise skin darkening before starting, not after - it is a known effect of the mechanism and patients who are not warned tend to stop. Does not follow the 90-day cadence; do not schedule refills alongside quarterly visits.

**Belmar Pharmacy · Compounded Drug Favorite Entry · BELMAR - PT-141 Nasal Spray - 28-Day Supply**

|                              |                                                                     |
|------------------------------|---------------------------------------------------------------------|
| <b>Drug Formulation</b>      | Bremelanotide 5mg/mL nasal spray 15mL                               |
| <b>Name</b>                  | BELMAR - PT-141 Nasal Spray - 28-Day Supply                         |
| <b>Quantity</b>              | 1                                                                   |
| <b>Unit</b>                  | bottle                                                              |
| <b>Refill</b>                | 0                                                                   |
| <b>Days Supply</b>           | 28                                                                  |
| <b>Patient Instructions</b>  | One spray in each nostril 1 to 2 hours before intercourse as needed |
| <b>Pharmacy Instructions</b> | Bill to office / ship to patient.                                   |

6 of 6 formulation strings in this section were carried forward from the prior documentation and were approved when those programs launched. They will be reviewed as each program is re-evaluated.

## Hair loss

Men and women, 18 and older. Oral and topical are billed separately. Days supply varies by product and by how often the patient uses it. Pricing and charge codes are in the Add-On provider tool.

| Product                     | Pharmacy           | Who   | Dosing                                                                             | Supply                               |
|-----------------------------|--------------------|-------|------------------------------------------------------------------------------------|--------------------------------------|
| <b>Finasteride 1 mg</b>     | FarmaKeio Pharmacy | Men   | One tablet daily                                                                   | 90 tablets, 90 days                  |
| <b>Finasteride 1 mg</b>     | Premier Pharmacy   | Men   | One tablet daily                                                                   | 90 tablets, 90 days                  |
| <b>Spironolactone 50 mg</b> | FarmaKeio Pharmacy | Women | 50 mg daily. Increase to 100 mg at the 90-day follow-up if needed.                 | 90 tablets, 90 days                  |
| <b>Spironolactone 50 mg</b> | Premier Pharmacy   | Women | 50 mg daily. Increase to 100 mg at the 90-day follow-up if needed.                 | 90 tablets, 90 days                  |
| <b>Topical foam</b>         | Premier Pharmacy   | Women | Apply 1 to 2 pumps to dry hair once daily                                          | 42 days at 2/day, up to 85 at 1/day  |
| <b>Topical foam</b>         | Premier Pharmacy   | Men   | Apply 1 to 2 pumps to dry hair once daily                                          | 42 days at 2/day, up to 85 at 1/day  |
| <b>Topical spray</b>        | FarmaKeio Pharmacy | Women | Apply 1 to 2 sprays to dry hair once daily, leave on at least 4 hours or overnight | 60 days at 2/day, up to 120 at 1/day |
| <b>Topical spray</b>        | FarmaKeio Pharmacy | Men   | Apply 1 to 2 sprays to dry hair once daily, leave on at least 4 hours or overnight | 60 days at 2/day, up to 120 at 1/day |

Pricing and charge codes are deliberately not in this document. They are maintained in the Add-On provider tool, which is the single place they are kept current.

### Never prescribe finasteride to a woman

Finasteride is not prescribed to women at KORB under any circumstance, regardless of childbearing potential. It is teratogenic. Women use spironolactone as the oral agent.

### Do not label topicals as a 90-day supply

Neither product lasts 90 days at twice-daily use, and the FarmaKeio spray exceeds 90 days at once-daily use. Enter the conservative figure in the Days field so the patient is never left short, and tell them the realistic range. Premier foam, 60 mL, one pump is 0.7 mL: 85 days at once daily, 42 at twice daily, Days field 42. FarmaKeio spray, 30 mL and 120 sprays: 120 days at once daily, 60 at twice daily, Days field 60.



### Counsel on timeline up front

Both oral agents take 3 to 6 months to show results. Patients who are not told this discontinue early and conclude the product failed. Spironolactone is also used for acne, hirsutism and PCOS, which may be relevant for Women's Health patients.

## Finasteride 1 mg

Finasteride 1 mg tablet

Never prescribe finasteride to women. Teratogenic.

3 to 6 months before visible results. Side effects: reduced libido, mood changes, gynecomastia, orthostatic hypotension.

### FarmaKeio Pharmacy · Compounded Drug Favorite Entry · FARMAKEIO - Finasteride 1 mg - 90-Day Supply

|                              |                                              |
|------------------------------|----------------------------------------------|
| <b>Drug Formulation</b>      | Finasteride 1mg tablet                       |
| <b>Name</b>                  | FARMAKEIO - Finasteride 1 mg - 90-Day Supply |
| <b>Quantity</b>              | 90                                           |
| <b>Unit</b>                  | tablet                                       |
| <b>Refill</b>                | 0                                            |
| <b>Days Supply</b>           | 90                                           |
| <b>Patient Instructions</b>  | Take one tablet daily for hair loss          |
| <b>Pharmacy Instructions</b> | Bill to office/Ship to patient               |

## Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Finasteride 1 mg - 90-Day Supply

|                              |                                            |
|------------------------------|--------------------------------------------|
| <b>Drug Formulation</b>      | Finasteride 1mg tablet                     |
| <b>Name</b>                  | PREMIER - Finasteride 1 mg - 90-Day Supply |
| <b>Quantity</b>              | 90                                         |
| <b>Unit</b>                  | tablet                                     |
| <b>Refill</b>                | 0                                          |
| <b>Days Supply</b>           | 90                                         |
| <b>Patient Instructions</b>  | Take one tablet daily for hair loss        |
| <b>Pharmacy Instructions</b> | Bill to office/Ship to patient             |

## Spironolactone 50 mg

Spironolactone 50 mg tablet

3 to 6 months before visible results. Side effects: dizziness, low energy, raised potassium, breast enlargement and tenderness. Also used for acne, hirsutism, PCOS.

## FarmaKeio Pharmacy · Compounded Drug Favorite Entry · FARMAKEIO - Spironolactone 50 mg - 90-Day Supply

|                              |                                                  |
|------------------------------|--------------------------------------------------|
| <b>Drug Formulation</b>      | Spironolactone 50mg tablet                       |
| <b>Name</b>                  | FARMAKEIO - Spironolactone 50 mg - 90-Day Supply |
| <b>Quantity</b>              | 90                                               |
| <b>Unit</b>                  | tablet                                           |
| <b>Refill</b>                | 0                                                |
| <b>Days Supply</b>           | 90                                               |
| <b>Patient Instructions</b>  | Take one tablet daily for hair loss              |
| <b>Pharmacy Instructions</b> | Bill to office/Ship to patient                   |

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Spironolactone 50 mg - 90-Day Supply**

|                              |                                                |
|------------------------------|------------------------------------------------|
| <b>Drug Formulation</b>      | Spironolactone 50mg tablet                     |
| <b>Name</b>                  | PREMIER - Spironolactone 50 mg - 90-Day Supply |
| <b>Quantity</b>              | 90                                             |
| <b>Unit</b>                  | tablet                                         |
| <b>Refill</b>                | 0                                              |
| <b>Days Supply</b>           | 90                                             |
| <b>Patient Instructions</b>  | Take one tablet daily for hair loss            |
| <b>Pharmacy Instructions</b> | Bill to office/Ship to patient                 |

## Topical foam

Minoxidil 2% / Spironolactone 0.05% / Latanoprost 0.01% — 60 mL foam — Premier Pharmacy

Minoxidil 6% / Finasteride 0.3% / Tretinoin 0.025% — 60 mL foam — Premier Pharmacy

Days field is 42, not 90. This product does not last 90 days at two applications daily.

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Minoxidil 2% Topical Foam - 42-Day Supply**

|                               |                                                                                    |
|-------------------------------|------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Minoxidil 2% / Spironolactone 0.05% / Latanoprost 0.01% topical foam, 60 mL bottle |
| <b>Name</b>                   | PREMIER - Minoxidil 2% Topical Foam - 42-Day Supply                                |
| <b>Quantity</b>               | 1                                                                                  |
| <b>Unit</b>                   | bottle                                                                             |
| <b>Refill</b>                 | 0                                                                                  |
| <b>Days Supply</b>            | 42                                                                                 |
| <b>Patient Instructions</b>   | Apply 1-2 pumps topically to dry hair once daily                                   |
| <b>Reason for Compounding</b> | Multi-active combination                                                           |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No equivalent commercial option.                 |

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Minoxidil 6% Topical Foam - 42-Day Supply**

|                               |                                                                               |
|-------------------------------|-------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Minoxidil 6% / Finasteride 0.3% / Tretinoin 0.025% topical foam, 60 mL bottle |
| <b>Name</b>                   | PREMIER - Minoxidil 6% Topical Foam - 42-Day Supply                           |
| <b>Quantity</b>               | 1                                                                             |
| <b>Unit</b>                   | bottle                                                                        |
| <b>Refill</b>                 | 0                                                                             |
| <b>Days Supply</b>            | 42                                                                            |
| <b>Patient Instructions</b>   | Apply 1-2 pumps topically to dry hair once daily                              |
| <b>Reason for Compounding</b> | Multi-active combination                                                      |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No equivalent commercial option.            |

## Topical spray

Minoxidil 2% / Spironolactone 0.05% / Latanoprost 0.01% — 30 mL spray, 120 sprays — FarmaKeio Pharmacy

Minoxidil 6% / Finasteride 0.3% / Tretinoin 0.025% — 30 mL spray, 120 sprays — FarmaKeio Pharmacy

Days field is 60, not 90. This product does not last 90 days at two applications daily.

**FarmaKeio Pharmacy · Compounded Drug Favorite Entry · FARMAKEIO - Minoxidil 2% Topical Spray - 60-Day Supply**

|                               |                                                                                               |
|-------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Minoxidil 2% / Spironolactone 0.05% / Latanoprost 0.01% topical spray, 30 mL (120 sprays)     |
| <b>Name</b>                   | FARMAKEIO - Minoxidil 2% Topical Spray - 60-Day Supply                                        |
| <b>Quantity</b>               | 1                                                                                             |
| <b>Unit</b>                   | bottle                                                                                        |
| <b>Refill</b>                 | 0                                                                                             |
| <b>Days Supply</b>            | 60                                                                                            |
| <b>Patient Instructions</b>   | Apply 1-2 sprays topically once daily to dry hair, leave on for at least 4 hours or overnight |
| <b>Reason for Compounding</b> | Multi-active combination                                                                      |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No equivalent commercial option.                            |

**FarmaKeio Pharmacy · Compounded Drug Favorite Entry · FARMAKEIO - Minoxidil 6% Topical Spray - 60-Day Supply**

|                               |                                                                                               |
|-------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Minoxidil 6% / Finasteride 0.3% / Tretinoin 0.025% topical spray, 30 mL (120 sprays)          |
| <b>Name</b>                   | FARMAKEIO - Minoxidil 6% Topical Spray - 60-Day Supply                                        |
| <b>Quantity</b>               | 1                                                                                             |
| <b>Unit</b>                   | bottle                                                                                        |
| <b>Refill</b>                 | 0                                                                                             |
| <b>Days Supply</b>            | 60                                                                                            |
| <b>Patient Instructions</b>   | Apply 1-2 sprays topically once daily to dry hair, leave on for at least 4 hours or overnight |
| <b>Reason for Compounding</b> | Multi-active combination                                                                      |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No equivalent commercial option.                            |

8 of 8 formulation strings in this section were carried forward from the prior documentation and were approved when those programs launched. They will be reviewed as each program is re-evaluated.

## Skin care

Topical treatment for acne, oily skin, dry skin, wrinkles, loss of elasticity and discolouration. Available to men and women. Most patients add this to an existing program. Tretinoin is for acne, oily skin, scarring and spots; estriol is for dry skin, wrinkles, spots and elasticity. All creams are applied once daily.

Skin care is Premier only and cannot be routed to FarmaKeio. Patients in FarmaKeio-only states cannot receive it.

| Product                   | Pharmacy         | Who           | Dosing                              | Supply          |
|---------------------------|------------------|---------------|-------------------------------------|-----------------|
| <b>Combo cream</b>        | Premier Pharmacy | Men and women | Apply 1 click (0.25 mL) once daily  | 120 days        |
| <b>Estriol cream 0.3%</b> | Premier Pharmacy | Men and women | Apply 1 click (0.25 mL) once daily  | 120 days        |
| <b>Tretinoin cream</b>    | Premier Pharmacy | Men and women | Apply a pea-sized amount once daily | approx. 80 days |

Pricing and charge codes are deliberately not in this document. They are maintained in the Add-On provider tool, which is the single place they are kept current.

### The days figures are the conservative ones, and they are not 90

Tretinoin runs about 80 days on a 20 g tube at a pea-sized amount. Estriol 0.3% and the combo cream both run 120 days on 30 mL at one click, 0.25 mL, once daily. Enter those figures, not 90. Earlier versions of this document carried a 90-day sig line that contradicted its own supply table; the supply table was right.

### Estriol contains a hormone

It can cause breast tenderness or bleeding. Consider carefully before adding it for a patient already on hormone therapy in Women's Health, and counsel accordingly. General side effects across skin care: dry skin and flaking, sun sensitivity, redness, itching. Counsel on sun protection.

## Combo cream

Estriol 0.3% / GHK-Cu 0.3% / Hyaluronic Acid 0.2% / Niacinamide 0.5% — 30 mL

Contains estriol, a hormone. Same consideration as above.

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Estriol Combo Cream - 120-Day Supply**

|                               |                                                                                         |
|-------------------------------|-----------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Estriol 0.3% / GHK-Cu 0.3% / Hyaluronic Acid 0.2% / Niacinamide 0.5% cream, 30 mL       |
| <b>Name</b>                   | PREMIER - Estriol Combo Cream - 120-Day Supply                                          |
| <b>Quantity</b>               | 1                                                                                       |
| <b>Unit</b>                   | bottle                                                                                  |
| <b>Refill</b>                 | 0                                                                                       |
| <b>Days Supply</b>            | 120                                                                                     |
| <b>Patient Instructions</b>   | Apply (1 click/0.25 ml/0.25 g) to the affected area once daily as directed              |
| <b>Reason for Compounding</b> | Multi-active combination                                                                |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No FDA-approved or commercially available equivalent. |

## Estriol cream 0.3%

Estriol 0.3% — 30 mL

Contains a hormone. Can cause breast tenderness or bleeding. Consider carefully for a patient already on hormone therapy.

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Estriol Cream 0.3% - 120-Day Supply**

|                               |                                                                                                                |
|-------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Estriol 0.3% topical cream, 30 mL                                                                              |
| <b>Name</b>                   | PREMIER - Estriol Cream 0.3% - 120-Day Supply                                                                  |
| <b>Quantity</b>               | 1                                                                                                              |
| <b>Unit</b>                   | bottle                                                                                                         |
| <b>Refill</b>                 | 0                                                                                                              |
| <b>Days Supply</b>            | 120                                                                                                            |
| <b>Patient Instructions</b>   | Apply (1 click/0.25 ml/0.25 g, containing estriol 0.075%) to the affected external area once daily as directed |
| <b>Reason for Compounding</b> | Compounded strength                                                                                            |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. No FDA-approved or commercially available equivalent.                        |

## Tretinoin cream

0.025%, 0.05%, or 0.1% — 20 g tube

For acne, oily skin, scarring, spots. Causes sun sensitivity — counsel on sun protection.

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Tretinoin Cream 0.025% - 80-Day Supply**

|                               |                                                  |
|-------------------------------|--------------------------------------------------|
| <b>Drug Formulation</b>       | Tretinoin 0.025% topical cream, 20 g tube        |
| <b>Name</b>                   | PREMIER - Tretinoin Cream 0.025% - 80-Day Supply |
| <b>Quantity</b>               | 1                                                |
| <b>Unit</b>                   | tube                                             |
| <b>Refill</b>                 | 0                                                |
| <b>Days Supply</b>            | 80                                               |
| <b>Patient Instructions</b>   | Apply a pea-sized amount daily as needed         |
| <b>Reason for Compounding</b> | Strength not commercial                          |
| <b>Pharmacy Instructions</b>  | 20 gm Tube, Bill to office/Ship to patient       |



**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Tretinoin Cream 0.05% - 80-Day Supply**

|                               |                                                 |
|-------------------------------|-------------------------------------------------|
| <b>Drug Formulation</b>       | Tretinoin 0.05% topical cream, 20 g tube        |
| <b>Name</b>                   | PREMIER - Tretinoin Cream 0.05% - 80-Day Supply |
| <b>Quantity</b>               | 1                                               |
| <b>Unit</b>                   | tube                                            |
| <b>Refill</b>                 | 0                                               |
| <b>Days Supply</b>            | 80                                              |
| <b>Patient Instructions</b>   | Apply a pea-sized amount daily as needed        |
| <b>Reason for Compounding</b> | Strength not commercial                         |
| <b>Pharmacy Instructions</b>  | 20 gm Tube, Bill to office/Ship to patient      |

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Tretinoin Cream 0.1% - 80-Day Supply**

|                               |                                                |
|-------------------------------|------------------------------------------------|
| <b>Drug Formulation</b>       | Tretinoin 0.1% topical cream, 20 g tube        |
| <b>Name</b>                   | PREMIER - Tretinoin Cream 0.1% - 80-Day Supply |
| <b>Quantity</b>               | 1                                              |
| <b>Unit</b>                   | tube                                           |
| <b>Refill</b>                 | 0                                              |
| <b>Days Supply</b>            | 80                                             |
| <b>Patient Instructions</b>   | Apply a pea-sized amount daily as needed       |
| <b>Reason for Compounding</b> | Strength not commercial                        |
| <b>Pharmacy Instructions</b>  | 20 gm Tube, Bill to office/Ship to patient     |

3 of 3 formulation strings in this section were carried forward from the prior documentation and were approved when those programs launched. They will be reviewed as each program is re-evaluated.

## Anti-aging: NAD+ and metformin

Longevity-focused add-on, available to patients in any program. NAD+ and metformin are prescribed independently of each other; a patient may receive either or both. No laboratory testing is required to start either product, though metformin has monitoring requirements once started.

NAD+ is a naturally occurring coenzyme involved in metabolism, DNA repair and immune function, and levels decline with age. Injection is the fastest route, usually into the lower abdomen, and may also be given in the arm, buttock or thigh.

| Product                       | Pharmacy           | Who           | Dosing                                                                                                        | Supply              |
|-------------------------------|--------------------|---------------|---------------------------------------------------------------------------------------------------------------|---------------------|
| <b>Metformin ER 500 mg</b>    | FarmaKeio Pharmacy | Men and women | One tablet daily                                                                                              | 90 tablets, 90 days |
| <b>Metformin ER 500 mg</b>    | Premier Pharmacy   | Men and women | One tablet daily                                                                                              | 90 tablets, 90 days |
| <b>NAD+</b>                   | FarmaKeio Pharmacy | Men and women | Start 50 mg SQ twice weekly. Increase to 100 mg twice weekly if needed.                                       | 28 days             |
| <b>NAD+</b>                   | Premier Pharmacy   | Men and women | Start 50 mg SQ twice weekly. Increase to 100 mg twice weekly if needed.                                       | 28 days             |
| <b>NAD+ FastSL sublingual</b> | Belmar Pharmacy    | Men and women | Start half a tablet under the tongue each morning, Monday to Friday, off at weekends. Increase to one tablet. | 28 days             |
| <b>NAD+ nasal spray</b>       | Belmar Pharmacy    | Men and women | Start 1 spray per nostril once daily. Increase to 2 sprays per nostril once daily.                            | 28 days             |

Pricing and charge codes are deliberately not in this document. They are maintained in the Add-On provider tool, which is the single place they are kept current.

### Every NAD+ form is a 28-day supply

That is driven by beyond-use dating on a compounded product. The injection vial holds 1000 mg, which outlasts 28 days at either dose, so the patient discards the remainder. Say so on the prescription. NAD+ follow-up is every 28 days, not on the 90-day cadence.

### Metformin is not contraindication-free

It carries a boxed warning for lactic acidosis. Do not prescribe with eGFR below 30 mL/min/1.73m<sup>2</sup>, and do not initiate between 30 and 45. Also screen for acute or unstable heart failure or any state causing tissue hypoxia, severe hepatic impairment, heavy or binge alcohol use, and metabolic acidosis of any cause. Hold before and after iodinated contrast imaging or surgery. Renal function must be known before starting. Metformin is cleared and in use; the screening criteria here come from standard prescribing guidance because the source protocol listed none.

### Metformin rationale, stated with its limits

On the WHO List of Essential Medicines. The evidence cited for lower rates of dementia and some cancers, reduced cardiovascular risk, reduced inflammation and reduced diabetes risk is largely observational for an off-label longevity indication. Patients will not feel noticeably different; set that expectation up front.

## Metformin ER 500 mg

Metformin ER 500 mg tablet

Do not prescribe with eGFR under 30. Do not initiate between 30 and 45. Also screen for acute or unstable heart failure or any state causing tissue hypoxia, severe hepatic impairment, heavy or binge alcohol use, and metabolic acidosis of any cause. Boxed warning for lactic acidosis. Hold before and after iodinated contrast imaging or surgery.

Blunts training adaptations. In the MASTERS trial (randomized, double-blind, placebo-controlled, 94 adults 65+, 14 weeks of progressive resistance training) metformin 1,700 mg/day produced smaller gains than placebo in lean body mass ( $p=.003$ ), thigh muscle mass ( $p<.001$ ) and thigh muscle area ( $p=.005$ ). A companion trial found blunted mitochondrial adaptations to aerobic training. Those doses are well above KORB's 500 mg ER, so the size of the effect here is unknown, but raise it with any patient whose goal is strength or performance, including gym-partner referrals.

Patient will not feel noticeably different. Set that expectation. Side effects: nausea, upset stomach, headache, fatigue, mild hypoglycaemia symptoms.

### Monitoring

- Baseline: eGFR, hepatic function, and a vitamin B12 level. A longevity indication has no endpoint, so treat this as long-term therapy from day one.
- eGFR: annually at 60 or above, every 3 to 6 months at 45 to 60, every 3 months at 30 to 45 with a 50% dose reduction (FDA).
- Vitamin B12: ADA Standards of Care 2026 recommendation 3.10 (grade B) is periodic assessment on long-term metformin, especially with anemia or peripheral neuropathy. Annual is reasonable past 4 years of therapy or with independent risk factors. Deficiency is below 148 pmol/L, borderline below 200; methylmalonic acid or holotranscobalamin resolve an equivocal level.
- KORB doses 500 mg ER daily, below the 1,500 mg/day threshold where B12 risk rises most sharply, but duration is the other driver and a longevity course is indefinite.

**FarmaKeio Pharmacy · Compounded Drug Favorite Entry · FARMAKEIO - Metformin ER 500 mg - 90-Day Supply**

|                              |                                                 |
|------------------------------|-------------------------------------------------|
| <b>Drug Formulation</b>      | Metformin ER 500 mg tablet                      |
| <b>Name</b>                  | FARMAKEIO - Metformin ER 500 mg - 90-Day Supply |
| <b>Quantity</b>              | 90                                              |
| <b>Unit</b>                  | tablet                                          |
| <b>Refill</b>                | 0                                               |
| <b>Days Supply</b>           | 90                                              |
| <b>Patient Instructions</b>  | TAKE ONE TAB PO QD                              |
| <b>Pharmacy Instructions</b> | Bill to KORB / ship to patient                  |

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - Metformin ER 500 mg - 90-Day Supply**

|                              |                                               |
|------------------------------|-----------------------------------------------|
| <b>Drug Formulation</b>      | Metformin ER 500 mg tablet                    |
| <b>Name</b>                  | PREMIER - Metformin ER 500 mg - 90-Day Supply |
| <b>Quantity</b>              | 90                                            |
| <b>Unit</b>                  | tablet                                        |
| <b>Refill</b>                | 0                                             |
| <b>Days Supply</b>           | 90                                            |
| <b>Patient Instructions</b>  | TAKE ONE TAB PO QD                            |
| <b>Pharmacy Instructions</b> | Bill to KORB / ship to patient                |

## NAD+

NAD+ 200 mg/mL, 5 mL vial (1000 mg) SQ injection

28-day supply, not 90. The vial outlasts 28 days at either dose — patient discards the remainder. Follow-up every 28 days.

Do not combine with isotretinoin (Accutane). Counsel on nausea, fatigue, headache, indigestion.

**FarmaKeio Pharmacy · Compounded Drug Favorite Entry · FARMAKEIO - NAD+ Injection - 28-Day Supply**

|                               |                                                                                                      |
|-------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | NAD+ 200mg/mL 5mL vial                                                                               |
| <b>Name</b>                   | FARMAKEIO - NAD+ Injection - 28-Day Supply                                                           |
| <b>Quantity</b>               | 1                                                                                                    |
| <b>Unit</b>                   | vial                                                                                                 |
| <b>Refill</b>                 | 0                                                                                                    |
| <b>Days Supply</b>            | 28                                                                                                   |
| <b>Patient Instructions</b>   | Injectable 50 mg subcutaneously twice a week, discard unused medication 28 days after first puncture |
| <b>Reason for Compounding</b> | No FDA-approved NAD+                                                                                 |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. Compounded, no FDA-approved NAD+, individualized dosing.           |

**Premier Pharmacy · Compounded Drug Favorite Entry · PREMIER - NAD+ Injection - 28-Day Supply**

|                               |                                                                                                      |
|-------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | NAD+ 200mg/mL 5mL vial                                                                               |
| <b>Name</b>                   | PREMIER - NAD+ Injection - 28-Day Supply                                                             |
| <b>Quantity</b>               | 1                                                                                                    |
| <b>Unit</b>                   | vial                                                                                                 |
| <b>Refill</b>                 | 0                                                                                                    |
| <b>Days Supply</b>            | 28                                                                                                   |
| <b>Patient Instructions</b>   | Injectable 50 mg subcutaneously twice a week, discard unused medication 28 days after first puncture |
| <b>Reason for Compounding</b> | No FDA-approved NAD+                                                                                 |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. Compounded, no FDA-approved NAD+, individualized dosing.           |

## NAD+ FastSL sublingual

NAD+ 100 mg sublingual tablet

Tebra favorite fields are not yet defined for this product. Build the prescription from the Add-On Clinical Reference.

28-day supply. Follow-up every 28 days, not on the 90-day cadence.

### Belmar Pharmacy · Compounded Drug Favorite Entry · BELMAR - NAD+ FastSL Sublingual - 28-Day Supply

|                               |                                                                                                  |
|-------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | NAD+ 100mg sublingual tablet                                                                     |
| <b>Name</b>                   | BELMAR - NAD+ FastSL Sublingual - 28-Day Supply                                                  |
| <b>Quantity</b>               | 20                                                                                               |
| <b>Unit</b>                   | tablet                                                                                           |
| <b>Refill</b>                 | 0                                                                                                |
| <b>Days Supply</b>            | 28                                                                                               |
| <b>Patient Instructions</b>   | Dissolve 1/2 to 1 tablet under the tongue each morning Monday to Friday.<br>No dose at weekends. |
| <b>Reason for Compounding</b> | No FDA-approved NAD+                                                                             |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. Compounded, no FDA-approved NAD+, individualized dosing.       |

## NAD+ nasal spray

NAD+ 300 mg/mL, 15 mL bottle

Tebra favorite fields are not yet defined for this product. Build the prescription from the Add-On Clinical Reference.

28-day supply, driven by beyond-use dating on a compounded product. Follow-up every 28 days, not on the 90-day cadence.

**Belmar Pharmacy · Compounded Drug Favorite Entry · BELMAR - NAD+ Nasal Spray - 28-Day Supply**

|                               |                                                                                                |
|-------------------------------|------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | NAD+ 300mg/mL nasal spray 15mL                                                                 |
| <b>Name</b>                   | BELMAR - NAD+ Nasal Spray - 28-Day Supply                                                      |
| <b>Quantity</b>               | 1                                                                                              |
| <b>Unit</b>                   | bottle                                                                                         |
| <b>Refill</b>                 | 0                                                                                              |
| <b>Days Supply</b>            | 28                                                                                             |
| <b>Patient Instructions</b>   | Start 1 spray in each nostril once daily. May increase to 2 sprays in each nostril once daily. |
| <b>Reason for Compounding</b> | No FDA-approved NAD+                                                                           |
| <b>Pharmacy Instructions</b>  | Bill to office / ship to patient. Compounded, no FDA-approved NAD+, individualized dosing.     |

6 of 6 formulation strings in this section were carried forward from the prior documentation and were approved when those programs launched. They will be reviewed as each program is re-evaluated.

## Documentation

- Record the add-on in the patient's chart and add it to the CC section so it carries forward.
- Document that nitrate use was asked about and excluded before prescribing any sexual health product.
- For hair loss and skin care, document the counselling on the 3 to 6 month timeline and on sun sensitivity.
- Add-ons bill separately from the base program. Confirm the charge code against the product record rather than from memory.

### Questions and escalation

- Pharmacy or shipping issues — Operations
- Charge codes and billing — Clinical Operations
- Clinical protocol questions — Clinical Operations
- Corrections to this document — Clinical Operations

Route everything through Clinical Operations. Do not contact the clinical sign-off physician directly; Clinical Operations escalates when it needs to.

### Do not improvise

- Do not alter quantity, refill or days supply
- Do not paraphrase patient instructions
- Do not cross a gender-specific product
- Do not quote pricing to a patient without confirming with Operations

For KORB internal and provider use only. Do not distribute to patients. Clinical care is delivered by KORB Health Medical Texas PA and its licensed providers. KORB Health Group LLC is a management services organisation and does not practise medicine.