

# Peak Performance — Pathway B

## Functional Health & Longevity · Provider Reference

KORB Health Medical Texas PA · korb-dosing-data.js v2.13 · built 2026-09-16

Everything needed to prescribe the Peak Performance — Pathway B, complete on its own. The provider tool covers the same ground; this document exists so it is not required. Values are copied literally into the Tebra Compound section.

### At a glance

|                         |                                                                                                                      |
|-------------------------|----------------------------------------------------------------------------------------------------------------------|
| Program                 | Peak Performance — Pathway B                                                                                         |
| Structure               | Tesamorelin 1 mg as the primary agent, plus BPC-157 as part of the base protocol, plus GHK-Cu as an optional add-on. |
| Cycle length            | 16 weeks                                                                                                             |
| Agents in this document | Tesamorelin 1 mg 1 mg · Tesamorelin 1.5 mg 1.5 mg · Tesamorelin 2 mg 2 mg · BPC-157 500 mcg · GHK-Cu 2 mg            |
| Pharmacies              | Premier Pharmacy and Greenwich Pharmacy — routed by patient state                                                    |

### Pricing and charge codes

Provider and internal only. Never quote a price to a patient from this document without confirming with Operations. Every amount below is the recurring **monthly** payment unless the row says one-time, and each amount carries the charge code that belongs to it.

| Item                                               | Amount                   | Charge code    |
|----------------------------------------------------|--------------------------|----------------|
| Baseline Labs (one-time, before program selection) | <b>\$99.00</b> one-time  | BASEPeptideLab |
| Peak Performance — Pathway B - partner             | <b>\$399.00</b> / month  | PeakPeptideP02 |
| Peak Performance — Pathway B - website             | <b>\$449.00</b> / month  | PeakPeptide002 |
| GHK-Cu Add-On (one-time)                           | <b>\$199.00</b> one-time | GHKCUpeptide01 |

Monthly payments run across the full 16-week cycle: \$1596.00 partner in total, \$1796.00 website in total.

## The 16-week cycle

| Agent                     | Role                                                                  | Active weeks | Timing                                                  |
|---------------------------|-----------------------------------------------------------------------|--------------|---------------------------------------------------------|
| Tesamorelin 1 mg 1 mg     | Primary agent                                                         | Weeks 1–12   | Evening                                                 |
| Tesamorelin 1.5 mg 1.5 mg | Primary agent                                                         | Weeks 1–12   | Evening                                                 |
| Tesamorelin 2 mg 2 mg     | Primary agent                                                         | Weeks 1–12   | Evening                                                 |
| BPC-157 500 mcg           | Base protocol — not optional. Starts 2 weeks after the primary agent. | Weeks 3–8    | Any consistent time · No food restriction               |
| GHK-Cu 2 mg               | Optional add-on — the only one in the program structure               | Weeks 5–8    | Evening · Choose consistent days (e.g. Mon / Wed / Fri) |

The primary agent runs Weeks 1–12, then Weeks 13–16 are off. BPC-157 is staggered to start Week 3. GHK-Cu, if selected, runs Weeks 5–8.

GHK-Cu is billed once, separately from the program.

## Dose ladder — Tesamorelin 1 mg

Escalation is lab-based. Increase to the next step only if IGF-1 remains below target at the 16-week recheck.

| Dose   | Premier — units | Greenwich — units | Active weeks | Schedule             |
|--------|-----------------|-------------------|--------------|----------------------|
| 1 mg   | 20 units        | 33 units          | Weeks 1–12   | 6 days on, 1 day off |
| 1.5 mg | 30 units        | 50 units          | Weeks 1–12   | 6 days on, 1 day off |
| 2 mg   | 40 units        | 67 units          | Weeks 1–12   | 6 days on, 1 day off |

The milligram dose is what is prescribed. The unit count is what the patient draws, and it differs by pharmacy.

## Directions given to the patient

| Agent                 | Pharmacy         | Direction                                                            |
|-----------------------|------------------|----------------------------------------------------------------------|
| Tesamorelin 1 mg 1 mg | Premier Pharmacy | Inject 20 units subcutaneously in the evening, 6 days on, 1 day off. |

| Agent                     | Pharmacy           | Direction                                                            |
|---------------------------|--------------------|----------------------------------------------------------------------|
| Tesamorelin 1 mg 1 mg     | Greenwich Pharmacy | Inject 33 units subcutaneously in the evening, 6 days on, 1 day off. |
| Tesamorelin 1.5 mg 1.5 mg | Premier Pharmacy   | Inject 30 units subcutaneously in the evening, 6 days on, 1 day off. |
| Tesamorelin 1.5 mg 1.5 mg | Greenwich Pharmacy | Inject 50 units subcutaneously in the evening, 6 days on, 1 day off. |
| Tesamorelin 2 mg 2 mg     | Premier Pharmacy   | Inject 40 units subcutaneously in the evening, 6 days on, 1 day off. |
| Tesamorelin 2 mg 2 mg     | Greenwich Pharmacy | Inject 67 units subcutaneously in the evening, 6 days on, 1 day off. |
| BPC-157 500 mcg           | Premier Pharmacy   | Inject 13 units subcutaneously once daily.                           |
| BPC-157 500 mcg           | Greenwich Pharmacy | Inject 17 units subcutaneously once daily.                           |
| GHK-Cu 2 mg               | Premier Pharmacy   | Inject 20 units subcutaneously three times weekly in the evening.    |
| GHK-Cu 2 mg               | Greenwich Pharmacy | Inject 20 units subcutaneously three times weekly in the evening.    |

### The rest day is not a fixed weekday

The protocol is 6 days on, 1 day off. The specific weekday is a recommendation for ease of patient recall, not a clinical requirement. The patient's tracker derives their rest day from their own start date, so a patient starting on a Wednesday rests Tuesday. Do not tell a patient their rest day is Sunday.

## Syringes

| Pharmacy           | Standard syringe | When a 100-unit syringe is required instead                                                                          |
|--------------------|------------------|----------------------------------------------------------------------------------------------------------------------|
| Premier Pharmacy   | 100-unit (1 mL)  | Not applicable — Premier ships 100-unit syringes across the board.                                                   |
| Greenwich Pharmacy | 50-unit (0.5 mL) | Any dose at or above 50 units. Currently Tesamorelin 1.5 mg, dosed at 50 units; Tesamorelin 2 mg, dosed at 67 units. |

## Which pharmacy, and where you can prescribe

|                                                              |                                                                                                                            |
|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Defaults to Premier                                          | AZ, CO, CT, DE, FL, IL, KS, KY, LA, MD, ME, MI, MO, MT, NC, ND, NE, NM, NV, OH, OK, OR, PA, SD, TN, TX, UT, VA, VT, WI, WY |
| Everywhere else                                              | Greenwich Pharmacy, for every state not listed as closed                                                                   |
| Functional Health & Longevity is not offered in these states | <b>AL, AK, AR, CA, DC, GA, HI, IN, MA, MN, MS, NH, NJ, NY, RI, SC, WA, WV</b>                                              |

### Paused — no pharmacy can fill — AR, CA, IN, NH, WA

Greenwich stopped relying on central-fill arrangements on 11 September 2026 and now dispenses only into the 23 states where it is directly licensed. Premier is not licensed in any of these, so there is no peptide source while the restriction holds. No visit, no prescription, no shipment.

**This is a pause, not a withdrawal.** Greenwich expects to restore coverage in 30 to 60 days from 11 September 2026. Tell a patient the program is temporarily unavailable in their state and that coverage is expected back. Do not tell them it has been discontinued. Operations reviews this by 10 November 2026.

AL, MN, SC also lost Greenwich, but each was already out of the peptide program before this change and stays closed regardless of the restore. They are not listed here.

### Single-source states — IA, ID

These states are open and taking patients. Greenwich is the only pharmacy licensed to fill a peptide there and Premier cannot cover them, so there is no fallback if Greenwich restricts again. Greenwich is mid-restriction, so confirm the fill before promising a patient a start date.

### Excluded from the offering — AL, MS, SC

No peptide or other Functional Health & Longevity product may be shipped to these states. They are excluded from the offering, not pending launch. Confirm with Operations before any exception.

### Held for lab workflow — NY, NJ, RI

These are held for a distinct reason: a different lab workflow required by state-specific legislation, not provider coverage. Do not proceed until Operations confirms.

Unit counts differ between the pharmacies for the same milligram dose. Always read the units off the row for the patient's pharmacy, never from the other column.

## Tebra Compounded Drug Favorite — exact fields

Copy these values literally. Do not paraphrase, and do not adjust quantity, refill or days supply. Greenwich requires "as directed by provider" in Patient Instructions because KORB does not follow their protocols — the full direction still goes to the patient

through their treatment schedule.

**Storage — all agents in this document:** Refrigerate (36–46 °F). Do not freeze. Protect from light. Discard 28 days after initial puncture.

## Tesamorelin 1mg

**Premier Pharmacy • Compounded Drug**  
**Favorite Entry • PREMIER - Tesamorelin SQ 1**  
**mg inj**

|                               |                                                                                                                      |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Tesamorelin inj 5 mg/ml                                                                                              |
| <b>Name</b>                   | PREMIER - Tesamorelin SQ 1 mg inj                                                                                    |
| <b>Allow Substitution</b>     | Yes - select Allow Substitution                                                                                      |
| <b>Quantity</b>               | 18                                                                                                                   |
| <b>Unit</b>                   | ml                                                                                                                   |
| <b>Refill</b>                 | 0                                                                                                                    |
| <b>Days Supply</b>            | 84                                                                                                                   |
| <b>Patient Instructions</b>   | INJECT 20 UNITS<br>SUBCUTANEOUSLY IN THE<br>EVENING, 6 DAYS ON 1 DAY<br>OFF                                          |
| <b>Reason for Compounding</b> | Customized peptide dosing                                                                                            |
| <b>Pharmacy Instructions</b>  | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing.<br>Dispense 80 insulin syringes. |

**Greenwich Pharmacy • Compounded Drug**  
**Favorite Entry • GREENWICH - Tesamorelin SQ**  
**1 mg inj**

|                               |                                                                                    |
|-------------------------------|------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | KBH Tesamorelin 3mg/mL                                                             |
| <b>Name</b>                   | GREENWICH - Tesamorelin<br>SQ 1 mg inj                                             |
| <b>Allow Substitution</b>     | Yes - select Allow<br>Substitution                                                 |
| <b>Quantity</b>               | 30                                                                                 |
| <b>Unit</b>                   | ml                                                                                 |
| <b>Refill</b>                 | 0                                                                                  |
| <b>Days Supply</b>            | 84                                                                                 |
| <b>Patient Instructions</b>   | Inject as directed by<br>provider. Follow your KORB<br>treatment schedule.         |
| <b>Reason for Compounding</b> | Customized peptide dosing                                                          |
| <b>Pharmacy Instructions</b>  | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing |

## Tesamorelin 1.5mg

### Premier Pharmacy • Compounded Drug Favorite Entry • PREMIER - Tesamorelin SQ 1.5 mg inj

|                               |                                                                                                                      |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Tesamorelin inj 5 mg/ml                                                                                              |
| <b>Name</b>                   | PREMIER - Tesamorelin SQ 1.5 mg inj                                                                                  |
| <b>Allow Substitution</b>     | Yes - select Allow Substitution                                                                                      |
| <b>Quantity</b>               | 27                                                                                                                   |
| <b>Unit</b>                   | ml                                                                                                                   |
| <b>Refill</b>                 | 0                                                                                                                    |
| <b>Days Supply</b>            | 84                                                                                                                   |
| <b>Patient Instructions</b>   | INJECT 30 UNITS<br>SUBCUTANEOUSLY IN THE<br>EVENING, 6 DAYS ON 1 DAY<br>OFF                                          |
| <b>Reason for Compounding</b> | Customized peptide dosing                                                                                            |
| <b>Pharmacy Instructions</b>  | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing.<br>Dispense 80 insulin syringes. |

### Greenwich Pharmacy • Compounded Drug Favorite Entry • GREENWICH - Tesamorelin SQ 1.5 mg inj

|                               |                                                                                                                                                                                         |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | KBH Tesamorelin 3mg/mL                                                                                                                                                                  |
| <b>Name</b>                   | GREENWICH - Tesamorelin SQ 1.5 mg inj                                                                                                                                                   |
| <b>Allow Substitution</b>     | Yes - select Allow Substitution                                                                                                                                                         |
| <b>Quantity</b>               | 45                                                                                                                                                                                      |
| <b>Unit</b>                   | ml                                                                                                                                                                                      |
| <b>Refill</b>                 | 0                                                                                                                                                                                       |
| <b>Days Supply</b>            | 84                                                                                                                                                                                      |
| <b>Patient Instructions</b>   | Inject as directed by<br>provider. Follow your KORB<br>treatment schedule.                                                                                                              |
| <b>Reason for Compounding</b> | Customized peptide dosing                                                                                                                                                               |
| <b>Pharmacy Instructions</b>  | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing.<br>DISPENSE 100-UNIT<br>SYRINGES - the 50-unit dose<br>fills a 50-unit syringe with no<br>headroom. |

## Tesamorelin 2mg

### Premier Pharmacy • Compounded Drug Favorite Entry • PREMIER - Tesamorelin SQ 2 mg inj

|                               |                                                                                                                      |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | Tesamorelin inj 5 mg/ml                                                                                              |
| <b>Name</b>                   | PREMIER - Tesamorelin SQ 2 mg inj                                                                                    |
| <b>Allow Substitution</b>     | Yes - select Allow Substitution                                                                                      |
| <b>Quantity</b>               | 36                                                                                                                   |
| <b>Unit</b>                   | ml                                                                                                                   |
| <b>Refill</b>                 | 0                                                                                                                    |
| <b>Days Supply</b>            | 84                                                                                                                   |
| <b>Patient Instructions</b>   | INJECT 40 UNITS<br>SUBCUTANEOUSLY IN THE<br>EVENING, 6 DAYS ON 1 DAY<br>OFF                                          |
| <b>Reason for Compounding</b> | Customized peptide dosing                                                                                            |
| <b>Pharmacy Instructions</b>  | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing.<br>Dispense 80 insulin syringes. |

### Greenwich Pharmacy • Compounded Drug Favorite Entry • GREENWICH - Tesamorelin SQ 2 mg inj

|                               |                                                                                                                                                                       |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>       | KBH Tesamorelin 3mg/mL                                                                                                                                                |
| <b>Name</b>                   | GREENWICH - Tesamorelin<br>SQ 2 mg inj                                                                                                                                |
| <b>Allow Substitution</b>     | Yes - select Allow<br>Substitution                                                                                                                                    |
| <b>Quantity</b>               | 60                                                                                                                                                                    |
| <b>Unit</b>                   | ml                                                                                                                                                                    |
| <b>Refill</b>                 | 0                                                                                                                                                                     |
| <b>Days Supply</b>            | 84                                                                                                                                                                    |
| <b>Patient Instructions</b>   | Inject as directed by<br>provider. Follow your KORB<br>treatment schedule.                                                                                            |
| <b>Reason for Compounding</b> | Customized peptide dosing                                                                                                                                             |
| <b>Pharmacy Instructions</b>  | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing.<br>DISPENSE 100-UNIT<br>SYRINGES - the 67-unit dose<br>exceeds a 50-unit syringe. |

## BPC-157 - 500 mcg

### Premier Pharmacy • Compounded Drug Favorite Entry • PREMIER - BPC-157 500 mcg SQ Inj Daily

|                                   |                                                                                                                      |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>           | BPC-157, 4mg/ml inj                                                                                                  |
| <b>Name</b>                       | PREMIER - BPC-157 500mcg<br>SQ Inj Daily                                                                             |
| <b>Allow Substitution</b>         | Yes - select Allow<br>Substitution                                                                                   |
| <b>Quantity</b>                   | 12                                                                                                                   |
| <b>Unit</b>                       | ml                                                                                                                   |
| <b>Refill</b>                     | 0                                                                                                                    |
| <b>Days Supply</b>                | 56                                                                                                                   |
| <b>Patient<br/>Instructions</b>   | INJECT 13 UNITS<br>SUBCUTANEOUSLY ONCE<br>DAILY                                                                      |
| <b>Reason for<br/>Compounding</b> | Customized peptide dosing                                                                                            |
| <b>Pharmacy<br/>Instructions</b>  | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing.<br>Dispense 60 insulin syringes. |

### Greenwich Pharmacy • Compounded Drug Favorite Entry • GREENWICH - BPC-157 500 mcg SQ Inj

|                                   |                                                                                    |
|-----------------------------------|------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>           | KBH BPC-157 3mg/mL                                                                 |
| <b>Name</b>                       | GREENWICH - BPC-157 500<br>mcg SQ Inj                                              |
| <b>Allow Substitution</b>         | Yes - select Allow<br>Substitution                                                 |
| <b>Quantity</b>                   | 10                                                                                 |
| <b>Unit</b>                       | ml                                                                                 |
| <b>Refill</b>                     | 0                                                                                  |
| <b>Days Supply</b>                | 56                                                                                 |
| <b>Patient<br/>Instructions</b>   | Inject as directed by<br>provider. Follow your KORB<br>treatment schedule.         |
| <b>Reason for<br/>Compounding</b> | Customized peptide dosing                                                          |
| <b>Pharmacy<br/>Instructions</b>  | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing |

## GHK-Cu - 2 mg

| Premier Pharmacy • Compounded Drug<br>Favorite Entry • PREMIER - GHK-Cu 2 mg SQ Inj |                                                                                                                      |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>                                                             | GHK-Cu 10 mg/ml inj                                                                                                  |
| <b>Name</b>                                                                         | PREMIER - GHK-Cu 2 mg SQ Inj                                                                                         |
| <b>Allow Substitution</b>                                                           | Yes - select Allow Substitution                                                                                      |
| <b>Quantity</b>                                                                     | 6                                                                                                                    |
| <b>Unit</b>                                                                         | ml                                                                                                                   |
| <b>Refill</b>                                                                       | 0                                                                                                                    |
| <b>Days Supply</b>                                                                  | 28                                                                                                                   |
| <b>Patient Instructions</b>                                                         | INJECT 20 UNITS<br>SUBCUTANEOUSLY THREE<br>TIMES WEEKLY IN THE<br>EVENING                                            |
| <b>Reason for Compounding</b>                                                       | Customized peptide dosing                                                                                            |
| <b>Pharmacy Instructions</b>                                                        | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing.<br>Dispense 20 insulin syringes. |

| Greenwich Pharmacy • Compounded Drug<br>Favorite Entry • GREENWICH - GHK-Cu 2mg SQ Inj |                                                                                    |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>Drug Formulation</b>                                                                | KBH GHK-Cu 10mg/mL                                                                 |
| <b>Name</b>                                                                            | GREENWICH - GHK-Cu 2mg SQ Inj                                                      |
| <b>Allow Substitution</b>                                                              | Yes - select Allow Substitution                                                    |
| <b>Quantity</b>                                                                        | 5                                                                                  |
| <b>Unit</b>                                                                            | ml                                                                                 |
| <b>Refill</b>                                                                          | 0                                                                                  |
| <b>Days Supply</b>                                                                     | 28                                                                                 |
| <b>Patient Instructions</b>                                                            | Inject as directed by<br>provider. Follow your KORB<br>treatment schedule.         |
| <b>Reason for Compounding</b>                                                          | Customized peptide dosing                                                          |
| <b>Pharmacy Instructions</b>                                                           | Bill to KORB Health Group<br>and ship to the patient.<br>Customized peptide dosing |

## Counseling and monitoring

### Tesamorelin — counseling points

- GH secretagogue targeting visceral fat reduction and body composition — not GH replacement
- Lifestyle (nutrition, resistance training, sleep) remains critical — not a substitute
- Response varies between patients; benefit not guaranteed
- Do not combine with other GH-axis therapies without provider approval
- 6 days ON / 1 day OFF pattern must be followed — your rest day is shown in your KORB treatment schedule
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

### Tesamorelin — monitoring

- Body composition / visceral fat trend

- Energy and wellness trend
- Edema / fluid retention
- Glucose-related changes (if at-risk)
- IGF-1 (per lab protocol)
- Injection site reactions
- Adherence to 6-on/1-off schedule

### **BPC-157 — counseling points**

- Investigational recovery-support adjunct — not a cure or injury reversal
- Does not replace appropriate medical evaluation, imaging, or physical therapy when indicated
- Course-based cycling — do not continue indefinitely without provider reassessment
- Report injection site reactions, rash, swelling, or difficulty breathing immediately
- Lifestyle foundations (sleep, nutrition, structured rehab) remain critical
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

### **BPC-157 — monitoring**

- Recovery progress toward documented goal
- Soft tissue / tendon / musculoskeletal symptom trend
- Exercise recovery quality
- Injection site reactions
- Any systemic symptoms (rash, swelling, breathing change)
- Need for specialist evaluation
- Course completion vs. discontinuation
- Lifestyle: sleep, nutrition, structured rehab adherence

### **GHK-Cu — counseling points**

- Investigational tissue/skin-support peptide — not a cure or guaranteed outcome
- Copper-containing compound — requires copper/zinc lab monitoring per protocol
- Course-based cycling (4 weeks on / 12 weeks off) — do not extend without provider reassessment
- Report injection site reactions, rash, or unusual symptoms immediately
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

### **GHK-Cu — monitoring**

- Skin / tissue quality trend toward documented goal
- Injection site reactions
- Copper, RBC / Zinc, RBC / Ceruloplasmin (baseline Standard panel)
- Any systemic symptoms
- Course completion vs. discontinuation

## Lab protocol

Baseline before medication start, then every 16 weeks. Order in Tebra via the Quest integration with a future collection date set 12 weeks out. No STAT designation is used. Each side is the complete order — the only difference is the last row.

| Women, and men under 45 |       | Men 45 and older            |             |
|-------------------------|-------|-----------------------------|-------------|
| Test                    | Code  | Test                        | Code        |
| CBC w/ Differential     | 6399  | CBC w/ Differential         | 6399        |
| CMP                     | 10231 | CMP                         | 10231       |
| Lipid Panel             | 7600  | Lipid Panel                 | 7600        |
| HbA1c                   | 496   | HbA1c                       | 496         |
| Fasting Glucose         | 483   | Fasting Glucose             | 483         |
| Fasting Insulin         | 561   | Fasting Insulin             | 561         |
| IGF-1 (LC/MS)           | 16293 | IGF-1 (LC/MS)               | 16293       |
| TSH                     | 899   | TSH                         | 899         |
| Free T4                 | 866   | Free T4                     | 866         |
| T3, Free                | 34429 | T3, Free                    | 34429       |
| Copper, RBC             | 3481  | Copper, RBC                 | 3481        |
| Zinc, RBC               | 6354  | Zinc, RBC                   | 6354        |
| Ceruloplasmin           | 326   | Ceruloplasmin               | 326         |
|                         |       | <b>PSA, Total (Men 45+)</b> | <b>5363</b> |

### Questions and escalation

- Pharmacy or shipping issues — Operations
- Charge codes and billing — Operations
- Clinical protocol questions — Clinical Director
- Corrections to this document — Clinical Operations

### Do not improvise

- Do not alter quantity, refill or days supply
- Do not paraphrase patient instructions
- Do not prescribe into a state listed as closed
- Do not quote pricing to a patient without confirming with Operations

For KORB provider use only. Not for patient distribution. KORB Health Group LLC is a management services organisation. Clinical care is delivered by the affiliated medical practice and its licensed providers.