

Gateway Program Overview

Patient Guide

Functional Health & Longevity Program · KORB Health Group · For Patient Reference

This guide is for educational reference only. It is not medical advice. Your KORB provider determines your exact schedule and add-ons. If you have questions, contact KORB by phone or email (see contact information below).

What Is the Gateway Program

Gateway is KORB's staggered two-medication tier within the Functional Health & Longevity Program. Unlike Foundation's single-agent model, Gateway combines Sermorelin with BPC-157 on a fixed staggered schedule, with an optional add-on available. Your provider determines whether Gateway is appropriate for your goals.

How Your Gateway Combination Works

Your Gateway medications are staggered by design — they don't all start on the same day. Your full Treatment Schedule will show exact dates for your cycle.

Sermorelin — begins on your start date

A growth hormone-releasing peptide. Possible support for sleep quality, recovery, and body composition goals. Injected most nights (6 on / 1 off). Active for the first 12 weeks of your 16-week cycle, followed by a 4-week washout before your next cycle begins.

BPC-157 — added two weeks after your start date

Studied for possible support of soft tissue recovery and musculoskeletal health. Injected daily. Active for 6 weeks once started, then an off period for the remainder of the cycle.

GHK-Cu — optional add-on, begins two weeks after you start BPC-157

A copper peptide studied for possible support of skin and tissue health. Available as an add-on if selected by you and your provider. Injected three times weekly. Active for 4 weeks once started, then an off period for the remainder of the cycle.

Staggered by design:

Sermorelin begins on your start date. BPC-157 is added two weeks later. Do not start any medication early or adjust your schedule without speaking to your KORB provider.

Pricing:

For current Gateway Program pricing, contact KORB Operations or ask your provider at your visit.

How Your 16-Week Cycle Works

- Baseline visit — labs only. No prescription is sent at your first visit.
- Once your baseline labs are back, KORB Operations schedules the visit that starts your 16-week cycle.
- When starting a 16-week cycle, your provider reviews your labs and starts Sermorelin.
- BPC-157 is added to your schedule two weeks after your start date (and GHK-Cu two weeks after that, if selected).
- A lab order is placed at the beginning of your cycle for a draw at Quest Diagnostics, to be completed between weeks 12 and 14 of your cycle — this ensures results are received before your 16-week follow-up visit.
- At your 16-week follow-up visit, your provider reviews your labs and response, then continues or adjusts your Gateway combination for the next cycle.
- Any weeks after your medications' active windows are an off period for lab review and lifestyle focus.

What to Expect

Response to peptide therapy varies from patient to patient. Results aren't guaranteed, and when they occur, they typically build gradually over the course of a cycle rather than right away. Your provider reassesses your combination and response at every 16-week follow-up visit.

Labs & Monitoring

Baseline labs are required before starting your Gateway combination. A lab order is placed at the beginning of each 16-week cycle for a draw at Quest Diagnostics.

Complete your lab draw between weeks 12 and 14 of your cycle so your results are back in time for your 16-week follow-up visit — results typically take about a week to come back.

Safety Reminders

- Use your Gateway medications only as prescribed. Do not change your dose, course length, or schedule without provider direction.
- Do not start BPC-157, GHK-Cu, or any add-on early — your provider controls the staggered timing.
- Do not add medications beyond your prescribed Gateway combination on your own.
- This program is not appropriate during active malignancy or pregnancy.
- Tell your KORB provider about any new medical condition or medication, or if you become pregnant.
- Your prescription label is the authoritative source for your dose and directions.
- Use a new syringe for every injection — do not reuse syringes.
- Follow your state or local regulations for sharps disposal.

When to Contact KORB and When to Seek Emergency Care

Contact KORB — Phone or Email

- Questions about your program, pricing, or scheduling
- Questions about your medication instructions
- Mild side effects or concerns about your response
- General questions about the Gateway Program

Email: info@korbhealth.com

Phone: [+1 \(888\) 959-7299](tel:+18889597299)

Hours: Monday – Friday, 9 AM – 6 PM (Central Time)

Seek Emergency Care Immediately

- Trouble breathing or throat / face swelling
- Severe rash or widespread hives
- Chest pain or fainting
- Severe or rapidly worsening symptoms
- Confusion or severe weakness
- Any symptom that feels urgent or unsafe

Phone and email are not appropriate for emergencies. When in doubt, go to urgent care or the emergency room.

Key Reminders

- Your medications are staggered by design — Sermorelin begins on your start date, BPC-157 two weeks later.
- The GHK-Cu add-on only applies if selected by you and your provider.
- Baseline visit = labs only. No prescription is sent at your first visit.
- For current program pricing, contact KORB Operations or ask your provider.