

Peak Performance — Pathway B

Functional Health & Longevity · Provider Reference

KORB Health Group · korb-dosing-data.js v2.7 · built 2026-09-12

Everything needed to prescribe the Peak Performance — Pathway B, complete on its own. The provider tool covers the same ground; this document exists so it is not required. Values are copied literally into the Tebra Compound section.

At a glance

Program	Peak Performance — Pathway B
Structure	Tesamorelin 1 mg as the primary agent, plus BPC-157 as part of the base protocol, plus GHK-Cu as an optional add-on.
Cycle length	16 weeks
Agents in this document	Tesamorelin 1 mg 1 mg · Tesamorelin 1.5 mg 1.5 mg · Tesamorelin 2 mg 2 mg · BPC-157 500 mcg · GHK-Cu 2 mg
Pharmacies	Premier Pharmacy and Greenwich Pharmacy — routed by patient state

The 16-week cycle

Agent	Role	Active weeks	Timing
Tesamorelin 1 mg 1 mg	Primary agent	Weeks 1–12	Evening
Tesamorelin 1.5 mg 1.5 mg	Primary agent	Weeks 1–12	Evening
Tesamorelin 2 mg 2 mg	Primary agent	Weeks 1–12	Evening
BPC-157 500 mcg	Base protocol — not optional. Starts 2 weeks after the primary agent.	Weeks 3–8	Any consistent time · No food restriction
GHK-Cu 2 mg	Optional add-on — the only one in the program structure	Weeks 5–8	Evening · Choose consistent days (e.g. Mon / Wed / Fri)

The primary agent runs Weeks 1–12, then Weeks 13–16 are off. BPC-157 is staggered to start Week 3. GHK-Cu, if selected, runs Weeks 5–8.

GHK-Cu is billed once, separately from the program.

Dose ladder — Tesamorelin 1 mg

Escalation is lab-based. Increase to the next step only if IGF-1 remains below target at the 16-week recheck.

Dose	Premier — units	Greenwich — units	Active weeks	Schedule
1 mg	20 units	33 units	Weeks 1–12	6 days on, 1 day off
1.5 mg	30 units	50 units	Weeks 1–12	6 days on, 1 day off
2 mg	40 units	67 units	Weeks 1–12	6 days on, 1 day off

The milligram dose is what is prescribed. The unit count is what the patient draws, and it differs by pharmacy.

Directions given to the patient

Agent	Pharmacy	Direction
Tesamorelin 1 mg 1 mg	Premier Pharmacy	Inject 20 units subcutaneously in the evening, 6 days on, 1 day off.
Tesamorelin 1 mg 1 mg	Greenwich Pharmacy	Inject 33 units subcutaneously in the evening, 6 days on, 1 day off.
Tesamorelin 1.5 mg 1.5 mg	Premier Pharmacy	Inject 30 units subcutaneously in the evening, 6 days on, 1 day off.
Tesamorelin 1.5 mg 1.5 mg	Greenwich Pharmacy	Inject 50 units subcutaneously in the evening, 6 days on, 1 day off.
Tesamorelin 2 mg 2 mg	Premier Pharmacy	Inject 40 units subcutaneously in the evening, 6 days on, 1 day off.
Tesamorelin 2 mg 2 mg	Greenwich Pharmacy	Inject 67 units subcutaneously in the evening, 6 days on, 1 day off.
BPC-157 500 mcg	Premier Pharmacy	Inject 13 units subcutaneously once daily.
BPC-157 500 mcg	Greenwich Pharmacy	Inject 17 units subcutaneously once daily.
GHK-Cu 2 mg	Premier Pharmacy	Inject 20 units subcutaneously three times weekly in the evening.
GHK-Cu 2 mg	Greenwich Pharmacy	Inject 20 units subcutaneously three times weekly in the evening.

The rest day is not a fixed weekday

The protocol is 6 days on, 1 day off. The specific weekday is a recommendation for ease of patient recall, not a clinical requirement. The patient's tracker derives their rest day from their own start date, so a patient starting on a Wednesday rests Tuesday. Do not tell a patient their rest day is Sunday.

Syringes

Pharmacy	Standard syringe	When a 100-unit syringe is required instead
Premier Pharmacy	100-unit (1 mL)	Not applicable — Premier ships 100-unit syringes across the board.
Greenwich Pharmacy	50-unit (0.5 mL)	Any dose at or above 50 units. Currently Tesamorelin 1.5 mg, dosed at 50 units; Tesamorelin 2 mg, dosed at 67 units.

Which pharmacy, and where you can prescribe

Defaults to Premier	AZ, CO, CT, DE, FL, IL, KS, KY, LA, MD, ME, MI, MO, MT, NC, ND, NE, NM, NV, OH, OK, OR, PA, SD, TN, TX, UT, VA, VT, WI, WY
Everywhere else	Greenwich Pharmacy, for every state not listed as closed
Functional Health & Longevity is not offered in these states	AL, AK, AR, CA, DC, GA, HI, IN, MA, MN, MS, NH, NJ, NY, RI, SC, WA, WV

No pharmacy can fill — AR, CA, IN, NH, WA

Greenwich stopped shipping to these states on 11 September 2026, and Premier is not licensed in any of them, so there is no peptide source at all. No visit, no prescription, no shipment. This is a supply limit rather than a compliance exclusion, so it can reopen if a pharmacy footprint changes — check with Operations before telling a patient it is permanent.

Excluded from the offering — AL, MS, SC

No peptide or other Functional Health & Longevity product may be shipped to these states. They are excluded from the offering, not pending launch. Confirm with Operations before any exception.

Held for lab workflow — NY, NJ, RI

These are held for a distinct reason: a different lab workflow required by state-specific legislation, not provider coverage. Do not proceed until Operations confirms.

Unit counts differ between the pharmacies for the same milligram dose. Always read the units off the row for the patient's pharmacy, never from the other column.

Tebra Compounded Drug Favorite — exact fields

Copy these values literally. Do not paraphrase, and do not adjust quantity, refill or days supply. Greenwich requires “as directed by provider” in Patient Instructions because KORB does not follow their protocols — the full direction still goes to the patient through

their treatment schedule.

Tesamorelin 1mg — 1 mg

Premier Pharmacy

Field	Value
Drug Formulation	Tesamorelin inj 5 mg/ml
Name	PREMIER – Tesamorelin SQ 1 mg inj
Allow Substitution	Yes — select Allow Substitution
Quantity	18
Unit	ml
Refill	0
Days Supply	84
Patient Instructions	INJECT 20 UNITS SUBCUTANEOUSLY IN THE EVENING, 6 DAYS ON 1 DAY OFF
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 80 insulin syringes.

Greenwich Pharmacy

Field	Value
Drug Formulation	KBH Tesamorelin 3mg/mL
Name	GREENWICH – Tesamorelin SQ 1 mg inj
Allow Substitution	Yes — select Allow Substitution
Quantity	30
Unit	ml
Refill	0
Days Supply	84
Patient Instructions	Inject as directed by provider. Follow your KORB treatment schedule.
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing

Storage: Refrigerate (36–46 °F). Do not freeze. Protect from light. Discard 28 days after initial puncture.

Tesamorelin 1.5mg — 1.5 mg

Premier Pharmacy

Field	Value
Drug Formulation	Tesamorelin inj 5 mg/ml
Name	PREMIER – Tesamorelin SQ 1.5 mg inj
Allow Substitution	Yes — select Allow Substitution
Quantity	27
Unit	ml
Refill	0
Days Supply	84
Patient Instructions	INJECT 30 UNITS SUBCUTANEOUSLY IN THE EVENING, 6 DAYS ON 1 DAY OFF
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 80 insulin syringes.

Greenwich Pharmacy

Field	Value
Drug Formulation	KBH Tesamorelin 3mg/mL
Name	GREENWICH – Tesamorelin SQ 1.5 mg inj
Allow Substitution	Yes — select Allow Substitution
Quantity	45
Unit	ml
Refill	0
Days Supply	84
Patient Instructions	Inject as directed by provider. Follow your KORB treatment schedule.
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing. DISPENSE 100-UNIT SYRINGES - the 50-unit dose fills a 50-unit syringe with no headroom.

Storage: Refrigerate (36–46 °F). Do not freeze. Protect from light. Discard 28 days after initial puncture.

Tesamorelin 2mg — 2 mg

Premier Pharmacy

Field	Value
Drug Formulation	Tesamorelin inj 5 mg/ml
Name	PREMIER – Tesamorelin SQ 2 mg inj
Allow Substitution	Yes — select Allow Substitution
Quantity	36
Unit	ml
Refill	0
Days Supply	84
Patient Instructions	INJECT 40 UNITS SUBCUTANEOUSLY IN THE EVENING, 6 DAYS ON 1 DAY OFF
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 80 insulin syringes.

Greenwich Pharmacy

Field	Value
Drug Formulation	KBH Tesamorelin 3mg/mL
Name	GREENWICH – Tesamorelin SQ 2 mg inj
Allow Substitution	Yes — select Allow Substitution
Quantity	60
Unit	ml
Refill	0
Days Supply	84
Patient Instructions	Inject as directed by provider. Follow your KORB treatment schedule.
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing. DISPENSE 100-UNIT SYRINGES - the 67-unit dose exceeds a 50-unit syringe.

Storage: Refrigerate (36–46 °F). Do not freeze. Protect from light. Discard 28 days after initial puncture.

BPC-157 — 500 mcg

Premier Pharmacy

Field	Value
Drug Formulation	BPC-157, 4mg/ml inj
Name	PREMIER – BPC-157 500mcg SQ Inj Daily
Allow Substitution	Yes — select Allow Substitution
Quantity	12
Unit	ml
Refill	0
Days Supply	56
Patient Instructions	INJECT 13 UNITS SUBCUTANEOUSLY ONCE DAILY
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 60 insulin syringes.

Greenwich Pharmacy

Field	Value
Drug Formulation	KBH BPC-157 3mg/mL
Name	GREENWICH – BPC-157 0.6 MG SQ Inj
Allow Substitution	Yes — select Allow Substitution
Quantity	10
Unit	ml
Refill	0
Days Supply	56
Patient Instructions	Inject as directed by provider. Follow your KORB treatment schedule.
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing

Storage: Refrigerate (36–46 °F). Do not freeze. Protect from light. Discard 28 days after initial puncture.

GHK-Cu — 2 mg

Premier Pharmacy

Field	Value
Drug Formulation	GHK-Cu 10 mg/ml inj
Name	PREMIER – GHK-Cu 2 mg SQ Inj
Allow Substitution	Yes — select Allow Substitution
Quantity	6
Unit	ml
Refill	0
Days Supply	28
Patient Instructions	INJECT 20 UNITS SUBCUTANEOUSLY THREE TIMES WEEKLY IN THE EVENING
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing. Dispense 20 insulin syringes.

Greenwich Pharmacy

Field	Value
Drug Formulation	KBH GHK-Cu 10mg/mL
Name	GREENWICH – GHK-Cu 2mg SQ Inj
Allow Substitution	Yes — select Allow Substitution
Quantity	5
Unit	ml
Refill	0
Days Supply	28
Patient Instructions	Inject as directed by provider. Follow your KORB treatment schedule.
Reason for Compounding	Customized peptide dosing
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Customized peptide dosing

Storage: Refrigerate (36–46 °F). Do not freeze. Protect from light. Discard 28 days after initial puncture.

Counseling and monitoring

tesamorelin — counseling points

- GH secretagogue targeting visceral fat reduction and body composition — not GH replacement
- Lifestyle (nutrition, resistance training, sleep) remains critical — not a substitute
- Response varies between patients; benefit not guaranteed
- Do not combine with other GH-axis therapies without provider approval
- 6 days ON / 1 day OFF pattern must be followed — your rest day is shown in your KORB treatment schedule
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

tesamorelin — monitoring

- Body composition / visceral fat trend
- Energy and wellness trend
- Edema / fluid retention
- Glucose-related changes (if at-risk)
- IGF-1 (per lab protocol)
- Injection site reactions
- Adherence to 6-on/1-off schedule

Tesamorelin 1mg — counseling points

- GH secretagogue targeting visceral fat reduction and body composition — not GH replacement
- Lifestyle (nutrition, resistance training, sleep) remains critical — not a substitute
- Response varies between patients; benefit not guaranteed
- Do not combine with other GH-axis therapies without provider approval
- 6 days ON / 1 day OFF pattern must be followed — your rest day is shown in your KORB treatment schedule
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

Tesamorelin 1mg — monitoring

- Body composition / visceral fat trend
- Energy and wellness trend
- Edema / fluid retention
- Glucose-related changes (if at-risk)
- IGF-1 (per lab protocol)
- Injection site reactions
- Adherence to 6-on/1-off schedule

Tesamorelin 1.5mg — counseling points

- GH secretagogue targeting visceral fat reduction and body composition — not GH replacement
- Lifestyle (nutrition, resistance training, sleep) remains critical — not a substitute
- Response varies between patients; benefit not guaranteed
- Do not combine with other GH-axis therapies without provider approval
- 6 days ON / 1 day OFF pattern must be followed — your rest day is shown in your KORB treatment schedule
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

Tesamorelin 1.5mg — monitoring

- Body composition / visceral fat trend
- Energy and wellness trend
- Edema / fluid retention
- Glucose-related changes (if at-risk)

- IGF-1 (per lab protocol)
- Injection site reactions
- Adherence to 6-on/1-off schedule

Tesamorelin 2mg — counseling points

- GH secretagogue targeting visceral fat reduction and body composition — not GH replacement
- Lifestyle (nutrition, resistance training, sleep) remains critical — not a substitute
- Response varies between patients; benefit not guaranteed
- Do not combine with other GH-axis therapies without provider approval
- 6 days ON / 1 day OFF pattern must be followed — your rest day is shown in your KORB treatment schedule
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

Tesamorelin 2mg — monitoring

- Body composition / visceral fat trend
- Energy and wellness trend
- Edema / fluid retention
- Glucose-related changes (if at-risk)
- IGF-1 (per lab protocol)
- Injection site reactions
- Adherence to 6-on/1-off schedule

BPC-157 — counseling points

- Investigational recovery-support adjunct — not a cure or injury reversal
- Does not replace appropriate medical evaluation, imaging, or physical therapy when indicated
- Course-based cycling — do not continue indefinitely without provider reassessment
- Report injection site reactions, rash, swelling, or difficulty breathing immediately
- Lifestyle foundations (sleep, nutrition, structured rehab) remain critical
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

BPC-157 — monitoring

- Recovery progress toward documented goal
- Soft tissue / tendon / musculoskeletal symptom trend
- Exercise recovery quality
- Injection site reactions
- Any systemic symptoms (rash, swelling, breathing change)
- Need for specialist evaluation
- Course completion vs. discontinuation
- Lifestyle: sleep, nutrition, structured rehab adherence

GHK-Cu — counseling points

- Investigational tissue/skin-support peptide — not a cure or guaranteed outcome
- Copper-containing compound — requires copper/zinc lab monitoring per protocol
- Course-based cycling (4 weeks on / 12 weeks off) — do not extend without provider reassessment
- Report injection site reactions, rash, or unusual symptoms immediately
- Discard vial 28 days after initial puncture — do not use beyond this date regardless of remaining volume

GHK-Cu — monitoring

- Skin / tissue quality trend toward documented goal
- Injection site reactions
- Copper, RBC / Zinc, RBC / Ceruloplasmin (baseline Standard panel)
- Any systemic symptoms
- Course completion vs. discontinuation

Lab protocol

Baseline before medication start, then every 16 weeks. Order in Tebra via the Quest integration with a future collection date set 12 weeks out. No STAT designation is used.

Test	Code	Test	Code
CBC w/ Differential	6399	TSH	899
CMP	10231	Free T4	866
Lipid Panel	7600	T3, Free	34429
HbA1c	496	Copper, RBC	3481
Fasting Glucose	483	Zinc, RBC	6354
Fasting Insulin	561	Ceruloplasmin	326
IGF-1 (LC/MS)	16293		

Add for men aged 45 and over: PSA, Total (Men 45+) — code 5363. Men age 45 and older only

Copper RBC, Zinc RBC and Ceruloplasmin are part of the standard panel for every patient, regardless of which agent is prescribed.

Pricing and charge codes

Provider and internal only. Never quote a price to a patient from this document without confirming with Operations.

Item	Website	Partner	Charge code
Baseline Labs (one-time, before program selection)	\$99.00	\$99.00	BASEPeptideLab
Peak Performance — Pathway B	\$449.00 / mo	\$399.00 / mo	PeakPeptide002 PeakPeptideP02
GHK-Cu Add-On (one-time)	\$199.00	\$199.00	GHKCUpeptide01

Monthly figures are the recurring payment. Full 16-week cycle: \$1796.00 website, \$1596.00 partner. Charge codes are shown website first, partner second.

Questions and escalation

- Pharmacy or shipping issues — Operations
- Charge codes and billing — Operations
- Clinical protocol questions — Clinical Director
- Corrections to this document — Clinical Operations

Do not improvise

- Do not alter quantity, refill or days supply
- Do not paraphrase patient instructions
- Do not prescribe into a state listed as closed
- Do not quote pricing to a patient without confirming with Operations

For KORB provider use only. Not for patient distribution. KORB Health Group LLC is a management services organisation. Clinical care is delivered by the affiliated medical practice and its licensed providers.