

Greenwich — Tirzepatide

GLP-1 Provider Reference

Weight Loss Program · KORB Health Group · korb-glp1-data.js v1.2 · generated 2026-08-09

Everything needed to prescribe Greenwich tirzepatide, complete on its own. Values are copied literally into the Tebra Compound section — do not paraphrase, and do not adjust quantity, refill or days supply.

Greenwich Pharmacy at a glance

Status	Legacy Continuity
Preferred states	None — not a default for any state
Ships to	AL, AK, AZ, AR, CA, CO, CT, DE, DC, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, VA, WA, WV, WI, WY
CANNOT ship to	No hard exclusions
Order via	Tebra Compound
Billing	Bill to KORB Health Group, ship to patient
Dispensing address	Greenwich Rx, 9733 FM 2920 Rd, Suite 100, Tomball, TX 77375
BUD	90 days

- Ships to all 50 states and DC, but see the status note — shipping reach is not the limiting factor, program policy is.
- Moved from MDToolbox to Tebra Compound. MDToolbox is being turned off at the end of August 2026.

Restricted use

NOT USED FOR GLP-1 except to continue an existing tirzepatide patient who does not want to switch. Greenwich is now primarily a Functional Health peptide pharmacy. Do not route a new GLP-1 patient here and do not offer it as a GLP-1 option. Select only for: An established Greenwich tirzepatide patient continuing therapy.

Before you prescribe

- Ships FedEx next-day only, Monday through Thursday. Patient should receive within three business days of order.
- The patient does not receive a shipping confirmation from the pharmacy.
- Ships in disposable coolers with ice packs in summer, Kangaroo Pouch Mailers the rest of the year.
- Will NOT accept a do-not-fill date.
- B-12 only. No other added formulations.
- Patient is automatically shipped a 10-pack of 50-unit insulin syringes.
- SYRINGE NOTE — every Greenwich GLP-1 dose is exactly 50 units in a 50-unit syringe. That is deliberate and has been their practice for all GLP-1s since before KORB started using them. Do NOT add the 100-UNIT SYRINGE callout used for Functional Health peptides; the FH&L; syringe rule does not apply here.
- Ordering 4 mL on the prescription ships two 2 mL vials.
- Dose is set by concentration, not volume. Every dose injects 50 units.

Greenwich — Tirzepatide / B-12

Formulation: KBH Tirzepatide + B12 Injection — concentration varies by dose

Dose is set by concentration, not volume. Every dose injects 0.50 mL (50 units). 4-week supply is written as 2 ml (one 2 ml vial); 8-week supply is written as 4 ml (two 2 ml vials).

Route: subcutaneous · **Frequency:** once weekly · **Order via:** Tebra Compound

Same for every dose

Select	Allow Substitution
Unit	ml
Reason for Compounding	N/V mitigation & flexibility
Pharmacy Instructions	Bill to KORB Health Group and ship to the patient. Custom Rx for N/V mitigation, dosing flexibility, and added B-12

Drug Formulation — varies by dose

Dose	Drug Formulation (Tebra Compound)
2.5 mg	KBH Tirzepatide + B12 Injection 5mg/0.5mg/mL
5 mg	KBH Tirzepatide + B12 Injection 10mg/0.5mg/mL
7.5 mg	KBH Tirzepatide + B12 Injection 15mg/0.5mg/mL
10 mg	KBH Tirzepatide + B12 Injection 20mg/0.5mg/mL
12.5 mg	KBH Tirzepatide + B12 Injection 25mg/0.5mg/mL
15 mg	KBH Tirzepatide + B12 Injection 30mg/0.5mg/mL

4-week program

Dose	Name	Patient Instructions	Qty	RF	Days
2.5 mg	GREENWICH – Tirzepatide 2.5 mg – 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	0	28
5 mg	GREENWICH – Tirzepatide 5 mg – 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	0	28
7.5 mg	GREENWICH – Tirzepatide 7.5 mg – 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	0	28
10 mg	GREENWICH – Tirzepatide 10 mg – 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	0	28
12.5 mg	GREENWICH – Tirzepatide 12.5 mg – 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	0	28
15 mg	GREENWICH – Tirzepatide 15 mg – 4-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	2	0	28

8-week program

Dose	Name	Patient Instructions	Qty	RF	Days
2.5 mg	GREENWICH – Tirzepatide 2.5 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	0	56
5 mg	GREENWICH – Tirzepatide 5 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	0	56
7.5 mg	GREENWICH – Tirzepatide 7.5 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	0	56
10 mg	GREENWICH – Tirzepatide 10 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	0	56
12.5 mg	GREENWICH – Tirzepatide 12.5 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	0	56
15 mg	GREENWICH – Tirzepatide 15 mg – 8-Week Supply	INJECT 0.50ML (50 UNITS) SUBCUTANEOUSLY ONCE WEEKLY	4	0	56

Vials dispensed

Dose	Units	Concentration	4-week	8-week
2.5 mg	50 u	5 mg/500 mcg/ml	2 ml vial	2 ml x 2 vials
5 mg	50 u	10 mg/500 mcg/ml	2 ml vial	2 ml x 2 vials
7.5 mg	50 u	15 mg/500 mcg/ml	2 ml vial	2 ml x 2 vials
10 mg	50 u	20 mg/500 mcg/ml	2 ml vial	2 ml x 2 vials
12.5 mg	50 u	25 mg/500 mcg/ml	2 ml vial	2 ml x 2 vials
15 mg	50 u	30 mg/500 mcg/ml	2 ml vial	2 ml x 2 vials

Pricing and charge codes

Provider and internal only. Never quote a price to a patient from this document without confirming with Operations. Includes: Telehealth visit, medication, shipping and supplies.

Tirzepatide — by dose tier

Tier	Doses	4-week (corp partner)	4-week (standard)	8-week
T1A	2 / 2.5 / 4 / 4.5 / 5 mg depending on pharmacy	\$349 FITTirzCP2	\$349 FITTirz002	\$599 FITTirzMT1
T2A	6.5 / 7.5 / 8.5 / 9 / 10 mg depending on pharmacy	\$399 FITTirzCP3	\$399 FITTirz003	\$649 FITTirzMT2
T3A	12.5 / 13.5 / 15 / 16 mg depending on pharmacy	\$449 FITTirzCP4	\$449 FITTirz004	\$799 FITTirzMT3

• Tirzepatide has no corporate discount. The corp partner code exists for attribution and tracking, not a lower price — it is the same figure as the standard 4-week at every tier. Do not present it to a corporate partner as a saving.

If the patient moves state

Patient state	Pharmacy
TX, NV, AZ, FL	Premier Pharmacy
CA	Belmar Pharmacy
Everywhere else	Farmakeio Pharmacy

• Established patients normally stay with their current pharmacy unless there is a clinical or supply reason to move, or the new state is one this pharmacy cannot serve.

Is this the right patient

Program: **Get Fit Now** · Visit cadence: **Every 4 to 8 weeks**

Indications

• Weight loss
• Medically driven weight loss
• Increased energy
• Better sleep
• Improved mental health
• Improved cardiovascular health

Identifying the appropriate candidate

Body mass index	BMI greater than 25 is overweight · BMI greater than 30 is obese
FDA-approved uses	• Weight loss • Type 2 diabetes • Prevention of cardiovascular death, myocardial infarction and stroke in adults with established cardiovascular disease who are overweight or obese
Diabetic and pre-diabetic patients	KORB treats weight loss. Patients who are diabetic or pre-diabetic are acceptable. Diabetic patients can usually obtain coverage through insurance; where cost or availability prevents that, KORB can supply the medication. The patient must continue diabetes management with their PCP.

Program length and follow-up

INTERNAL ONLY. Internal and provider-facing only. Do not put this rule in a patient handout, the website, a pricing flyer, or any Circle post. A patient should not arrive expecting to graduate to 8-week.

Start rule	Every patient starts on the 4-week program. No exceptions.
Move to 8-week	A patient may be offered the 8-week program once they are stable at the dose they have landed on after escalation.
Who decides	Provider. Provider-driven throughout. The 8-week program is an offer the provider extends, not a milestone the patient reaches or requests. Escalation, holding, reducing and weaning off are all provider discretion.
Visit cadence	4-week: Monthly provider visit. 8-week: Provider visit every 8 weeks. Either a video visit or an asynchronous visit. Both are acceptable for 4-week and 8-week follow-ups.
Weaning	Dose reduction and weaning off therapy are entirely at provider discretion. No fixed taper schedule is defined at the program level.
Reasons to stay at 4-week	• Cost — the 4-week program is the lower per-visit outlay and carries the discounted rate. • Accountability — some patients want to see the provider monthly. • Clinical — the provider judges that side effects are not adequately controlled and the patient needs to be seen more often.

Clinical reference

Contraindications

• Personal or family history of medullary thyroid carcinoma (MTC)
• Multiple endocrine neoplasia syndrome type 2 (MEN2)
• Hypersensitivity to the active drug or any component of the formulation
• Current pregnancy, breastfeeding, or planning pregnancy
• Active gallbladder disease or history of gallbladder-related surgical complications
• History of pancreatitis (use with caution)
• Severe gastrointestinal disorders such as gastroparesis
• Severe renal impairment (eGFR below 30 mL/min/1.73 m ²)
• Uncontrolled diabetic retinopathy (primarily relevant in type 2 diabetes)

Side effects

Common	Less common
• Pain, redness or swelling at the injection site	• Pancreatitis
• Nausea and vomiting	• Gastroparesis
• Diarrhea	• Bowel obstruction
• Stomach pain	• Gallstone attacks

Common	Less common
• Constipation	
• Low appetite	
• Headaches	
• Dizziness	

Counseling

• Gastrointestinal side effects are most common during dose escalation.
• Slower titration or holding at the current dose may improve tolerability.
• Instruct the patient to report persistent, severe or worsening symptoms.
• New or severe symptoms may require dose adjustment, temporary hold, or discontinuation.
• Vials are good for 28 days from first use regardless of the pharmacy BUD. Counsel the patient to discard at 28 days even if medication remains.

Questions and escalation • Pharmacy or shipping issues — Operations • Charge codes and billing — Operations • Clinical protocol questions — Clinical Director • Corrections to this document — Clinical Operations	Do not improvise • Do not substitute a pharmacy the tool marks as unavailable • Do not alter quantity, refill or days supply • Do not paraphrase patient instructions • Do not quote pricing without confirming with Operations
--	---