

## Message Implementation Guideline

# OrderResponse

Model: OrderResponse Version: GS1 BMB 3.1

Variant: 2

Issue date: 03.04.2019 Author: Vidar Thoresen

1 Structure	
2 Cuidalina	3



### **Structure**

Occurrence	Element/Attribute
	ordorPosponsoMossago
4 4	orderResponseMessage
1 1	Ly xsd:sequence
1 1	sh:StandardBusinessDocumentHeader
1 1	xs:sequence
1 1	- HeaderVersion
1 unbounded	Sender
1 1	xs:sequence
1 1	Identifier
1 unbounded	Receiver
1 1	xs:sequence
1 1	
1 1	☐ DocumentIdentification
1 1	xs:sequence
1 1	─ Standard
1 1	─ TypeVersion
1 1	- InstanceIdentifier
1 1	├─ Type
1 1	☐ CreationDateAndTime
1 10000	└── orderResponse
1 1	xsd:sequence
1 1	─ creationDateTime
1 1	☐ documentStatusCode
1 . 1	xsd:sequence
1 1	── orderResponseIdentification
1 1	xsd:sequence
1 1	☐ entityIdentification
1 1	─ responseStatusCode
1 1	- buyer
1 1	– seller
1 1	└┬ originalOrder
1 1	xsd:sequence
1 1	entityIdentification



## Guideline

nent/Attribute	Annotation	
rResponseMessage	Туре	order_response:OrderResponseMessageType
l:sequence	Occurence	1 1
sh:StandardBusinessDocumentHeader	Occurence	1 1
	Type	sh:StandardBusinessDocumentHeader
s:sequence	Occurence	1 1
- HeaderVersion	Occurence	1 1
	Туре	xsd:string
	Example	3.1
Sender	Occurence	1 unbounded
	Туре	sh:Partner
- xs:sequence	Occurence	1 1
_ Identifier	Occurence	1 1
	Type	sh:PartnerIdentification
	Remark	GLN for sender of the message
	Example	7300009035144
∟ Authority	Туре	xsd:string
	Example	14
	Applicable Codes  14 EAN International	
Receiver	Occurence	1 unbounded sh:Partner
vereaulonea	Type Occurence	sn:Partner  1 1
s:sequence		
Identifier	Occurence Type	1 1 sh:PartnerIdentification
	Remark	Client Id
A. dh a vita	Example	104599
∟ Authority	Type	xsd:string
	Example Applicable C	14
	Applicable C	EAN International
ocumentIdentification	Occurence	1 1
	Type	sh:DocumentIdentification
(S:Sequence	Occurence	1 1
Standard	Occurence	1 1
	Туре	xsd:string
	Example	GS1 BMS
TypeVersion	Occurence	1 1
<b>21</b>	Туре	xsd:string
	Example	3.1
- Instanceldentifier	Occurence	1 1
	Туре	xsd:string
	Example	GS1
— Туре	Occurence	1 1
	Туре	xsd:string
	Example	OrderResponse
CreationDateAndTime	Occurence	1 1
	Type	xsd:dateTime
	Remark	Message date/time
	Example	3014-09-25T09:50:00
rderResponse	Occurence	1 10000
	Туре	order_response:OrderResponseType
d:sequence	Occurence	1 1
reationDateTime	Occurence	1 1 xsd:dateTime
	Type	



19.01.2020

4/5

Print date:

Page:

ement/Attribute	Annotation		
	Remark Example	Document date/time 2014-09-25T09:50:00	
_ documentStatusCode	Occurence Type Example	1 shared_common:DocumentStatusEnumerationType ORIGINAL	
	Applicable Codes ADDITIONAL		
xsd:sequence	Occurence	1 1	
- orderResponseldentification	Occurence Type	<ol> <li>1 1 shared_common:EntityIdentificationType</li> </ol>	
_ xsd:sequence	Occurence	1 1	
- entityIdentification	Occurence Type Length	1 1 restriction (xsd:string) 1 80	
	Remark Example	Customer Order number or other reference to the document 345678	
– responseStatusCode	Occurence Type Length	1 1 ecom_common:ResponseStatusCodeType 1 80	
	Remark	Status Code from WMS System	
	Example	01	
	Applicable Codes		
	O1 O3	Order received in WMS system Order started in WMS system	
originalOrder	Occurence Type	1 1 shared_common:DocumentReferenceType	
T xsd:sequence	Occurence	1 1	
- entityldentification	Occurence Type Length	1 1 restriction (xsd:string) 1 80	
	Remark Example	Original Customer Order number 125987	

#### OrderResponse



Bold = Element, Italic = Attribute, Grey = Group