


## Отчет 7 лабораторная работа

1

```
○ (venv) a@MikePC:~/cat/prog5/programming-5/71R/counter-deploy/backend$ docker-compose up
Creating network "counter-deploy_default" with the default driver
Creating volume "counter-deploy_redis_data" with default driver
Pulling redis (redis:7-alpine)...
7-alpine: Pulling from library/redis
f637881d1138: Pull complete
60c57c0072ef: Pull complete
fc4343b4accd: Pull complete
380e8aa8b1fd: Pull complete
c70aae7b5e0d: Pull complete
232f7549c9b0: Pull complete
4f4fb700ef54: Pull complete
d75b3becd998: Pull complete
Digest: sha256:ee64a64eaab618d88051c3ade8f6352d11531fcf79d9a4818b9b183d8c1d18ba
Status: Downloaded newer image for redis:7-alpine
Building app
[+] Building 73.7s (21/21) FINISHED
```



Защита от вредоносных программ отключена Включить ? ×

20/12/2025 20:04

### Счётчик

Значение: 1

-	+	Сброс
---	---	-------

d560cui9\_d560d6291nsg00fgdmhg

IP 192.168.0.23	<b>OPEN PORT</b>
Memory	CPU
SSH ssh ip172-18-0-10-d560cui91nsg00fgdmg0@direct.labs.pl	<input type="checkbox"/>
<b>DELETE</b>	<b>EDITOR</b>

```
=> => naming to docker.io/library/counter-deploy-app
=> [app] resolving provenance for metadata file
[+] Running 4/4
✓ Network counter-deploy_default      Creat...
✓ Volume "counter-deploy_redis_data"   C...
✓ Container counter-deploy-redis-1     Cre...
✓ Container counter-deploy-app-1        Creat...
Attaching to app-1, redis-1
redis-1 | 1:C 24 Dec 2025 15:31:13.732 * o000o000o000o Redis is starting o000o000o000o
o
redis-1 | 1:C 24 Dec 2025 15:31:13.732 * Redis version=7.4.7, bits=64, commit=0000000
0, modified=0, pid=1, just started
redis-1 | 1:C 24 Dec 2025 15:31:13.732 * Configuration loaded
redis-1 | 1:M 24 Dec 2025 15:31:13.733 * monotonic clock: POSIX clock_gettime
redis-1 | 1:M 24 Dec 2025 15:31:13.735 * Running mode=standalone, port=6379.
redis-1 | 1:M 24 Dec 2025 15:31:13.735 # WARNING: The TCP backlog setting of 511 cannot be enforced because /proc/sys/net/core/somaxconn is set to the lower value of 128.
redis-1 | 1:M 24 Dec 2025 15:31:13.736 * Server initialized
redis-1 | 1:M 24 Dec 2025 15:31:13.738 * Creating AOF base file appendonly.aof.1.base
.rdb on server start
redis-1 | 1:M 24 Dec 2025 15:31:13.740 * Creating AOF incr file appendonly.aof.1.incr
.aof on server start
redis-1 | 1:M 24 Dec 2025 15:31:13.740 * Ready to accept connections tcp
app-1  | [2025-12-24 15:31:14 +0000] [1] [INFO] Starting gunicorn 20.1.0
app-1  | [2025-12-24 15:31:14 +0000] [1] [INFO] Listening at: http://0.0.0.0:8000 (1)
)
app-1  | [2025-12-24 15:31:14 +0000] [1] [INFO] Using worker: sync
app-1  | [2025-12-24 15:31:14 +0000] [8] [INFO] Booting worker with pid: 8
app-1  | [2025-12-24 15:31:14 +0000] [9] [INFO] Booting worker with pid: 9
app-1  | 'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.
app-1  | 'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.
redis-1 | 1:M 24 Dec 2025 15:32:14.037 * 1 changes in 60 seconds. Saving...
```

# Счётчик

Значение: 4

<b>-</b>	<b>+</b>	<b>Сброс</b>
----------	----------	--------------