

# Referral Target Readiness Execution Report

External readiness blockers, evidence, and controlled resume conditions

## PLATFORM PROGRESS BLOCKER REPORT

Prepared 2026-08-10

Evidence-bound | secret-safe | approval-gated | resumable

---

No readiness claim without target-observed evidence.

Date: 2026-08-10

Status: STOPPED\_AT\_EXTERNAL\_GATE

Exact candidate: 7e46f40589390d837afd61bce26adf551a7e8cea

## Outcome

Execution stopped before deployment because B13–B20 are not ready. No database mutation, migration deployment, secret creation, provider send, entitlement grant, customer contact, or pilot action was performed.

## Completed safely

- 1 Verified the exact candidate exists in a separate clean worktree on `codex/referral-release-20260809`.
- 1 Preserved the dirty main workspace and confirmed it is not the deployable revision.
- 1 Verified the release branch is not present on the remote.
- 1 Checked local deployment access: Neon, Vercel, and Azure CLIs are unavailable; GitHub CLI is installed but unauthenticated; no deployment credential variables are injected.
- 1 Attempted to connect to the deployment console through the app browser; the control plane could not initialize.
- 1 Ran the exact candidate's release-secret preflight in release/report mode.
- 1 Ran the exact candidate's static migration deployment gate without database execution.
- 1 Ran the read-only migration-history health report with no configured target.
- 1 Ran the real-pilot evidence gate in report mode; it did not connect to a database.
- 1 Produced the owner approval packet and exact-hash risk-approval template.

## Gate results

| B13 target       | blocked       | No provider-owned/injected PostgreSQL target; history query not run        |
|------------------|---------------|----------------------------------------------------------------------------|
| B14 adoption     | blocked       | Requires target schema/data classification; five guarded bridges detected  |
| B15 checksum     | blocked       | Checksum registry valid but empty; target history unavailable              |
| B16 bridge risk  | blocked       | 13 unapproved destructive findings; exact bridge SHA recorded              |
| B17 secrets      | blocked       | Release-secret preflight 5/21; 16 blockers                                 |
| B18 HTTPS origin | blocked       | No provider-injected canonical HTTPS origin                                |
| B19 provider     | blocked       | No enabled sandbox channel or provider-owned sender evidence               |
| B20 entitlement  | blocked       | No target organization or audited Accounting allow/deny evidence           |
| Deployment       | not attempted | Prerequisites failed; exact revision remains local and clean               |
| Target preflight | not attempted | No deployed target                                                         |
| B21 cohort       | not started   | Must follow target preflight and use signed/authenticated consent evidence |
| B22 pilot        | blocked       | 0/16                                                                       |

## Verification artifacts

- 1 `prisma-migration-deployment-readiness.md / .json`
- 1 `prisma-migration-history-health.md / .json`
- 1 `release-secret-preflight.md / .json`
- 1 `customer-referral-pilot-evidence-readiness.md / .json`
- 1 `REFERRAL_TARGET_READINESS_APPROVAL_PACKET.md`
- 1 `ACCOUNTING_AUTH_BRIDGE_RISK_APPROVAL.template.json`

All generated reports are redacted and state that no secret value, database URL, raw evidence reference, or personal data was printed.

## Stop conditions preserved

- 1 No migration is executed against an unclassified target.
- 1 No destructive migration approval is self-issued.
- 1 No secret is written to the repository or copied from a local `.env` into a release target.
- 1 No provider/bank/statutory or pilot-readiness claim is made without provider-owned and target-observed evidence.
- 1 No cohort is contacted before consent, maker-checker approval, entitlement, and browser preflight are complete.

## Resume point

Resume at B13 using the existing artifacts. The platform owner must authenticate the Neon and deployment-provider control planes and create an isolated non-production target. Do not repeat repository discovery or the static checks unless the exact revision changes.