

Change Management, Support, and Training Plan

Communications, role-based training, support readiness and adoption

ENTERPRISE REMEDIATION REPORT

Published 2026-08-06

Evidence-led | contract-governed | accessibility-aware | rollout-ready

Truthful workflows. Explicit controls. Verifiable enterprise evidence.

Program: STQ-UIUX-REM-2026-08-06 **Accountable owner:** Change and Adoption Lead **Objective:** make the remediated system understandable, adoptable, supportable, and governable without weakening financial, access, privacy, or accessibility controls.

1. Change outcomes

The program is successful only when users can recognize current truth, complete their primary work, understand unavailable/locked/partial states, recover from errors, and trust exports and financial presentation. Training is not a compensating control for a misleading interface. Documentation must describe the certified system, not teach workarounds for unresolved defects.

Target outcomes:

- 1 primary roles complete Tier-1 tasks without privileged support intervention;
- 1 users can distinguish `empty`, `filtered_empty`, `partial`, `stale`, `error`, `permission_denied`, `module_locked`, and `not_configured`;
- 1 support can explain a capability decision using a correlation/policy version without exposing sensitive policy internals;
- 1 finance, inventory, AP, payroll, and POS operators can reconcile screen, action, export, and source evidence;
- 1 EN/FR guidance uses the same controlled glossary and message semantics as the product;
- 1 release communications state scope, changed routes, compatibility/alias behavior, and rollback status;
- 1 legacy routes, theme islands, and workflow versions are retired with measured adoption, not by date alone.

2. Stakeholder map

Owners/administrators	Role home, modules, users, settings, onboarding	Purchased capability, control, organization setup	Product + CSM	Owner change brief and admin lab
Cashiers/store managers	POS presentation, offline/replay states	Speed, duplicate transactions, recovery	POS Lead	Task card and incident/replay guide
Inventory controllers	KPI truth, items, movements, transfers, loss	Scope, thresholds, partial data	Inventory Lead	Reconciliation lab and state guide
Purchasers/AP clerks	Suppliers, POs, receipt/invoice/payable controls	Approval status and evidence	Purchasing/AP Lead	End-to-end scenario lab
Accountants/external accountants	Finance, reconciliation, journal/close, export	Currency, as-of, provenance, evidence integrity	Accounting Controls	Control/evidence handbook
Payroll operators/HR/managers/employees	Command center, readiness, payslips, scoped self-service	Privacy, readiness, declaration/payment truth	Payroll + Privacy	Role-separated guides
Security admins	Permission/module/capability model	Server/UI parity and audit decisions	Security Lead	Capability administration lab
Support	New states, aliases, flags, correlation IDs, known issues	Diagnosis and recovery	Support Readiness Lead	Decision tree, KB, escalation map
Sales/CSM/implementation	Package visibility and onboarding	Promise consistency and adoption	Commercial Product	Package/capability narrative
Engineering/QE/SRE	Contracts, manifest, gates, telemetry, rollback	Reproducibility and operational safety	Program Director	Engineering playbook and drills
Accessibility/localization reviewers	Semantic primitives and EN/FR behavior	WCAG and language quality	Validation Director	Validation protocols and glossary
Leadership/release board	Risk, timeline, evidence, adoption	Readiness and residual risk	Program Director	Executive scorecard/final report

3. Communication cadence

Gate 0 approval	All workstream leads	Scope, contracts, ADRs, RACI, non-goals, evidence rules	Program kickoff / Program Director	Attendance and decision log
Two-week execution cadence	Leads, support, SRE, control owners	Completed/blocked WPs, evidence health, dependency/risk changes	Program review	Updated roadmap/register
Before each module pilot	Pilot users, support, CSM, SRE	What changes, eligibility, tasks, safeguards, feedback, rollback	Pilot briefing	Participant acknowledgement
48 h before cohort promotion	Release board and support	Evidence summary, cohort, guardrails, on-call, rollback owner	Release notice	Go/no-go record
During heightened monitoring	Support, SRE, owners	Health, incidents, decision timing	Rollout channel/status board	Time-stamped updates
After cohort	Pilot/users/leads	Outcome, defects, changes, next cohort	Cohort review	Accepted actions
Deprecation announcement	Users/support/docs/analyticians	Canonical route/workflow, redirect period, retirement trigger	In-product + email/CSM	Alias traffic and acknowledgement
Full release	All affected users	Outcome-oriented changes, support links, accessibility/help	Release notes/in-product	Delivery and adoption metrics
Post-release 7/30 days	Leadership and workstream owners	SLOs, task success, adoption, support, residual risk	Benefits review	Signed benefit report

No communication may claim “enterprise-grade,” “accessible,” “accurate,” or “certified” beyond the exact routes, roles, packages, states, locales, browsers, and evidence recorded in the certification manifest.

4. Role-based curriculum

T-00 State and trust vocabulary	All operators/support	20 min	Interpret truth, partial/stale/error, locked/denied/not-configured, timestamps and provenance	Classify 10 realistic states; 90% score	All pilots
T-01 Owner cockpit and modules	Owners/admins/CSM	45 min	Navigate capability-derived home, understand packages, configure organization, find audit/support evidence	Complete module enable/disable simulation and three priority tasks	B-02/A-08 rollout
T-02 Inventory truth	Inventory/accounting/support	60 min	Apply scope/filters, interpret KPI provenance, reconcile totals, use thresholds and exports	Reconcile supplied fixture for 10/25/50/100 page sizes and partial failure	C-01 rollout
T-03 Purchasing and AP	Purchaser/AP/accountant	75 min	Progress supplier/PO/receipt/invoice/payable states, approvals, exceptions and exports	Complete controlled happy/failure paths	C-02 rollout
T-04 Finance, reconciliation and close	Accountants/external accountants/support	90 min	Interpret as-of/currency/evidence, resolve exceptions, export, close safely	Tie out fixture and recover stale/partial state	C-03 rollout
T-05 HRIS/payroll and privacy	Payroll/HR/manager/employee/support	75 min role split	Understand readiness, privacy scope, payroll evidence, payslip/self-service boundaries	Role-specific scenarios with redacted fixture	C-04 rollout
T-06 Settings/security controls	Owner/security admin/support	60 min	Explain capability decisions, user/permission actions, audited reason dialogs and recovery	Diagnose allow/locked/denied/not-configured fixtures	C-05/A-08 rollout
T-07 POS online/offline	Cashier/store manager/support	60 min	Complete sale and supported reversals, recognize offline/replay/conflict, avoid duplicates	Desktop/tablet simulation and replay drill	C-06 rollout
T-08 Accessible operation	Support/trainers/design/engineering	45 min	Keyboard operation, focus, error announcements, zoom/reflow and accessible support	Keyboard-only task and accessibility issue triage	A-06 and all C rollouts
T-09 Release and rollback	SRE/QE/support/release/domain leads	90 min	Read evidence, manage cohorts, respond to triggers, execute rollback and communications	Timed tabletop plus technical drill	D-04

Training content is produced from certified fixtures and screenshots. Any product change invalidating a task script also invalidates the training version until refreshed.

5. Support readiness package

Support must receive and pass a readiness review containing:

- 1 canonical route/alias directory with retirement dates;
- 2 role/package/capability explanation and safe customer-facing wording;
- 3 route-state decision tree and recovery actions;
- 4 correlation ID, policy version, organization/location scope, asOf, and source-status lookup steps;
- 5 export artifact lookup and expiry behavior;
- 6 accessibility accommodation and escalation route;
- 7 EN/FR controlled glossary and screenshots;
- 8 current flags/cohorts, known issues, status page language, and rollback state;
- 9 data/privacy boundaries: what support may view, request, record, or redact; and
- 10 severity classification, on-call contacts, response targets, and evidence preservation.

Support decision tree

"No data"	Empty vs filtered-empty vs partial/error	Route, filters, as-of, sourceStatus, correlation ID	Do not tell user the total is zero until completeness is confirmed	Domain + SRE
"Wrong money"	Display context vs transaction currency vs data	Organization, locale, currency, value, screen/export, timestamp	Stop financial decision if ambiguity remains	I18n + Accounting Controls
"Feature missing/blocked"	Hidden/locked/denied/not-configured/suspended	Role, package, capability decision/reason, policy version	Explain state; never change permission/package without authorized workflow	Entitlements/Security/CSM
"Export completed but no file"	Job running/failed/expired vs false completion	Correlation/artifact ID, filters, row count, timestamp	Do not assert completion without artifact evidence	App Platform/Domain
"Cannot complete with keyboard/reader"	Critical barrier vs usability issue	Route, browser, AT, viewport/zoom, step, recording if consented	Offer accessible supported path and escalate immediately	Accessibility Lead
"Link changed/404"	Alias expiry vs route/capability issue	Old URL, locale/query, referral, role/package	Use canonical link; preserve incident evidence	Web Platform
"POS duplicated/lost sale"	Pending/offline/replay/conflict	Transaction/replay/idempotency IDs, device/location, network state	Stop unsafe retry; follow POS incident guide	POS + Incident Commander

6. Knowledge-base and documentation backlog

KB-01	State vocabulary and recovery	Design Systems + Support	B-03	Matches implemented copy/state contract; EN/FR
KB-02	Capability/package FAQ	Entitlements + Commercial Product	A-08/B-02	UI/server semantics and escalation correct
KB-03	Currency, locale, time zone and multi-currency explanation	I18n + Accounting Controls	A-03/A-04	Screen/export/transaction distinction approved
KB-04	Inventory KPI scope/provenance	Inventory	A-01	Reconciliation example and partial-state warning
KB-05	Export and artifact lifecycle	App Platform	A-05	Metadata, expiry, retry and privacy covered
KB-06	Accessibility help and supported AT	Accessibility	A-06/B-06	Tested steps, no unsupported certification claim
KB-07	Canonical route migration	Web Platform	B-01	Alias period, bookmarks and docs updated
KB-08	Module-specific quick starts	Each C domain owner	C-01..C-06	Validated against certification fixtures
KB-09	Incident/status macros	Support + SRE	D-03/D-04	Severity-safe, transparent, localized
KB-10	Release evidence and known limitations	Release + Assurance	D-05	Exact scope and residual risk disclosed

7. Adoption and benefit measures

Primary task completion by role	Product Analytics	Gate 0 baseline; target approved before pilot	No gain accompanied by control/accessibility regression
Time to first value/onboarding completion	Growth Product	B-07 design approval	Track device, locale and role; no dark patterns
Denial-to-recovery and module-lock comprehension	Entitlements/Product	A-08/B-02 pilot	Unauthorized access remains zero
Export artifact success/download	App Platform	A-05 pilot	False success zero; privacy incidents zero
Inventory reconciliation exception rate	Inventory/Accounting	A-01 shadow period	Material mismatch zero
Accessibility task success	Accessibility	A-06 baseline	Critical/serious blockers zero
Support contacts per active org and repeat contact rate	Support Ops	Before each module cohort	Severity and cohort normalized
Route alias traffic	Web Analytics	B-01 activation	Retire only below approved threshold
Performance/error SLO	SRE	D-03	Defined per risk tier and representative data
Training completion and scenario score	Change Lead	Before pilot	Required operators/support meet threshold

Metrics require privacy review, minimal collection, retention limits, and role/tenant-safe aggregation. “No support tickets” is not evidence of usability without adoption and task data.

8. Deprecation policy

A legacy route, component path, formatter, theme island, action implementation, or onboarding version may be removed only when:

- 1 its replacement is certified for the intended dimensions;
- 1 internal links, support content, analytics, training and customer documentation are migrated;
- 1 alias/legacy-path traffic is below the approved threshold for two measurement windows;
- 1 in-progress state and stored data remain readable;
- 1 rollback window has elapsed without a material incident;
- 1 code ownership and flag/compatibility cleanup are assigned; and
- 1 the Release Director and relevant domain/control owner approve removal.

9. Change-control evidence

For each cohort, publish a compact change record containing scope, affected trace IDs and WPs, user-visible delta, canonical routes, training/KB versions, certification evidence IDs, baseline/guardrail metrics, cohort selection, start/end time, support/on-call roster, incidents, adoption outcome, rollback readiness/result, and promotion decision. D-05 rejects a final readiness pack with missing cohort records.