

Stoquify Agent Runtime External Input Readiness

Evaluated: 2026-07-27T03:36:09.723Z

Environment: INTERNAL_PILOT

Status: EXTERNAL_INPUTS_REQUIRED

Checks passed: 1/13

Blockers: 102

Activation authorized by this gate: No

Phase 3 authorized by this gate: No

Operating Boundary

This generator validates external-input references and produces a deterministic handoff. It does not create approvals or identities, read secret values, rotate credentials, deploy workloads, mutate release registers, activate an agent, or grant Phase 3 authority.

Readiness

Input group	Owner	Status	Blockers	Next command
Deployment target and immutable artifact details	ENGINEERING_RELEASE	BLOCKED	11	npm run agent:ci-release:evidence:apply
Product and Security approver identities	PRODUCT_AND_SECURITY	BLOCKED	10	npm run agent:governance:evidence:apply
Six primary and backup operational-owner assignments	RELEASE_MANAGER	BLOCKED	42	npm run agent:governance:evidence:apply
ci evidence HTTPS endpoint and managed collector credential	ENGINEERING_RELEASE	BLOCKED	3	npm run agent:ci-release:evidence:apply
governance evidence HTTPS endpoint and managed collector credential	PRODUCT_AND_SECURITY	BLOCKED	3	npm run agent:governance:evidence:apply
scheduler evidence HTTPS endpoint and managed collector credential	PLATFORM_SRE	BLOCKED	3	npm run agent:scheduler:evidence:apply
reconciler evidence HTTPS endpoint and managed collector credential	PLATFORM_SRE	BLOCKED	3	npm run agent:reconciler:evidence:apply
alert evidence HTTPS endpoint and managed collector credential	SECURITY_INCIDENT_AND_SRE	BLOCKED	3	npm run agent:alert:evidence:apply
credential evidence HTTPS endpoint and managed collector credential	SECURITY	BLOCKED	3	npm run agent:credential-rotation:evidence:apply
Managed workload and collector identities	SECURITY_AND_PLATFORM	BLOCKED	5	npm run agent:credential-rotation:evidence:apply
Qualified statutory reviewer approval	OHADA_DOMAIN_REVIEWER	BLOCKED	7	npm run statutory:country-pack:gate
Phase 2B pilot cohort and activation authority	PILOT_AND_RELEASE_AUTHORITY	BLOCKED	9	npm run agent:phase2b:entry:gate
Inactive pre-promotion safety boundary	ENTERPRISE_RELEASE_AUTHORITY	READY	0	npm run agent:runtime:gates

Collector Bindings

Secret environment variables must be injected by the deployment platform from the listed managed-secret references. Never place secret values in this manifest.

Channel	URL variable	Secret variable	Managed reference	Collector
ci	STOQUIFY_AGENT_CI_RELEASE_EVIDENCE_URL	STOQUIFY_AGENT_CI_RELEASE_EVIDENCE_SECRET	unresolved	npm run agent:ci-release:evidence:apply
governance	STOQUIFY_AGENT_GOVERNANCE_EVIDENCE_URL	STOQUIFY_AGENT_GOVERNANCE_EVIDENCE_SECRET	unresolved	npm run agent:governance:evidence:apply
scheduler	STOQUIFY_AGENT_SCHEDULER_EVIDENCE_URL	STOQUIFY_AGENT_SCHEDULER_EVIDENCE_SECRET	unresolved	npm run agent:scheduler:evidence:apply
reconciler	STOQUIFY_AGENT_RECONCILER_BASE_URL	STOQUIFY_AGENT_RECONCILER_SECRET	unresolved	npm run agent:reconciler:evidence:apply
alert	STOQUIFY_AGENT_ALERT_EVIDENCE_URL	STOQUIFY_AGENT_ALERT_EVIDENCE_SECRET	unresolved	npm run agent:alert:evidence:apply
credential	STOQUIFY_AGENT_CREDENTIAL_EVIDENCE_URL	STOQUIFY_AGENT_CREDENTIAL_EVIDENCE_SECRET	unresolved	npm run agent:credential-rotation:evidence:apply

Required Sequence

1. Complete the immutable release identity and deploy the inactive artifact.
2. Record distinct Product and Security approvals and all six owner assignments in the authoritative governance system.
3. Provision six query-free HTTPS evidence channels and bind each collector credential through the secret manager.
4. Apply CI evidence first, then governance, scheduler, reconciler, alert, and credential evidence.
5. Complete statutory expert approval and rerun release preflights.
6. Rerun operational release, Phase 2B entry, and enterprise gate 017.
7. Only after a separate GO, perform the controlled pilot activation ceremony.

Current Blockers

- RELEASE_IDENTITY:PACKAGE_ID_MISSING
- RELEASE_IDENTITY:RELEASE_VERSION_MISSING
- RELEASE_IDENTITY:COMMIT_SHA_INVALID
- RELEASE_IDENTITY:ARTIFACT_DIGEST_INVALID
- RELEASE_IDENTITY:MANIFEST_HASH_INVALID
- RELEASE_IDENTITY:EVIDENCE_BUNDLE_HASH_INVALID
- RELEASE_IDENTITY:BROWSER_REPORT_HASH_INVALID
- RELEASE_IDENTITY:ARTIFACT_REFERENCE_INVALID
- RELEASE_IDENTITY:DEPLOYMENT_REFERENCE_INVALID
- RELEASE_IDENTITY:PILOT_ALLOWLIST_REFERENCE_INVALID
- RELEASE_IDENTITY:ROLE_ALLOWLIST_REFERENCE_INVALID
- PRODUCT_SECURITY_APPROVALS:PRODUCT_NOT_APPROVED
- PRODUCT_SECURITY_APPROVALS:PRODUCT_IDENTITY_INVALID
- PRODUCT_SECURITY_APPROVALS:PRODUCT_REFERENCE_INVALID
- PRODUCT_SECURITY_APPROVALS:PRODUCT_DECIDED_AT_INVALID
- PRODUCT_SECURITY_APPROVALS:PRODUCT_EXPIRES_AT_INVALID
- PRODUCT_SECURITY_APPROVALS:SECURITY_NOT_APPROVED
- PRODUCT_SECURITY_APPROVALS:SECURITY_IDENTITY_INVALID
- PRODUCT_SECURITY_APPROVALS:SECURITY_REFERENCE_INVALID
- PRODUCT_SECURITY_APPROVALS:SECURITY_DECIDED_AT_INVALID
- PRODUCT_SECURITY_APPROVALS:SECURITY_EXPIRES_AT_INVALID
- OPERATIONAL_OWNERS:ROLLOUT_PRIMARY_INVALID

- OPERATIONAL_OWNERS:ROLLOUT_BACKUP_INVALID
- OPERATIONAL_OWNERS:ROLLOUT_RUNBOOK_NOT_ACCEPTED
- OPERATIONAL_OWNERS:ROLLOUT_ACCEPTED_AT_INVALID
- OPERATIONAL_OWNERS:ROLLOUT_COVERAGE_START_INVALID
- OPERATIONAL_OWNERS:ROLLOUT_COVERAGE_END_INVALID
- OPERATIONAL_OWNERS:ROLLOUT_ESCALATION_REFERENCE_INVALID
- OPERATIONAL_OWNERS:ROLLBACK_PRIMARY_INVALID
- OPERATIONAL_OWNERS:ROLLBACK_BACKUP_INVALID
- OPERATIONAL_OWNERS:ROLLBACK_RUNBOOK_NOT_ACCEPTED
- OPERATIONAL_OWNERS:ROLLBACK_ACCEPTED_AT_INVALID
- OPERATIONAL_OWNERS:ROLLBACK_COVERAGE_START_INVALID
- OPERATIONAL_OWNERS:ROLLBACK_COVERAGE_END_INVALID
- OPERATIONAL_OWNERS:ROLLBACK_ESCALATION_REFERENCE_INVALID
- OPERATIONAL_OWNERS:SUPPORT_PRIMARY_INVALID
- OPERATIONAL_OWNERS:SUPPORT_BACKUP_INVALID
- OPERATIONAL_OWNERS:SUPPORT_RUNBOOK_NOT_ACCEPTED
- OPERATIONAL_OWNERS:SUPPORT_ACCEPTED_AT_INVALID
- OPERATIONAL_OWNERS:SUPPORT_COVERAGE_START_INVALID
- OPERATIONAL_OWNERS:SUPPORT_COVERAGE_END_INVALID
- OPERATIONAL_OWNERS:SUPPORT_ESCALATION_REFERENCE_INVALID
- OPERATIONAL_OWNERS:PILOT_PRIMARY_INVALID
- OPERATIONAL_OWNERS:PILOT_BACKUP_INVALID
- OPERATIONAL_OWNERS:PILOT_RUNBOOK_NOT_ACCEPTED
- OPERATIONAL_OWNERS:PILOT_ACCEPTED_AT_INVALID
- OPERATIONAL_OWNERS:PILOT_COVERAGE_START_INVALID
- OPERATIONAL_OWNERS:PILOT_COVERAGE_END_INVALID
- OPERATIONAL_OWNERS:PILOT_ESCALATION_REFERENCE_INVALID
- OPERATIONAL_OWNERS:SECURITY_INCIDENT_PRIMARY_INVALID
- OPERATIONAL_OWNERS:SECURITY_INCIDENT_BACKUP_INVALID
- OPERATIONAL_OWNERS:SECURITY_INCIDENT_RUNBOOK_NOT_ACCEPTED
- OPERATIONAL_OWNERS:SECURITY_INCIDENT_ACCEPTED_AT_INVALID
- OPERATIONAL_OWNERS:SECURITY_INCIDENT_COVERAGE_START_INVALID
- OPERATIONAL_OWNERS:SECURITY_INCIDENT_COVERAGE_END_INVALID
- OPERATIONAL_OWNERS:SECURITY_INCIDENT_ESCALATION_REFERENCE_INVALID
- OPERATIONAL_OWNERS:ON_CALL_BACKUP_PRIMARY_INVALID
- OPERATIONAL_OWNERS:ON_CALL_BACKUP_BACKUP_INVALID
- OPERATIONAL_OWNERS:ON_CALL_BACKUP_RUNBOOK_NOT_ACCEPTED
- OPERATIONAL_OWNERS:ON_CALL_BACKUP_ACCEPTED_AT_INVALID
- OPERATIONAL_OWNERS:ON_CALL_BACKUP_COVERAGE_START_INVALID
- OPERATIONAL_OWNERS:ON_CALL_BACKUP_COVERAGE_END_INVALID
- OPERATIONAL_OWNERS:ON_CALL_BACKUP_ESCALATION_REFERENCE_INVALID
- ENDPOINT_CI:HTTPS_QUERY_FREE_URL_REQUIRED
- ENDPOINT_CI:MANAGED_SECRET_REFERENCE_INVALID
- ENDPOINT_CI:SOURCE_SYSTEM_REFERENCE_INVALID

- ENDPOINT_GOVERNANCE:HTTPS_QUERY_FREE_URL_REQUIRED
- ENDPOINT_GOVERNANCE:MANAGED_SECRET_REFERENCE_INVALID
- ENDPOINT_GOVERNANCE:SOURCE_SYSTEM_REFERENCE_INVALID
- ENDPOINT_SCHEDULER:HTTPS_QUERY_FREE_URL_REQUIRED
- ENDPOINT_SCHEDULER:MANAGED_SECRET_REFERENCE_INVALID
- ENDPOINT_SCHEDULER:SOURCE_SYSTEM_REFERENCE_INVALID
- ENDPOINT_RECONCILER:HTTPS_QUERY_FREE_URL_REQUIRED
- ENDPOINT_RECONCILER:MANAGED_SECRET_REFERENCE_INVALID
- ENDPOINT_RECONCILER:SOURCE_SYSTEM_REFERENCE_INVALID
- ENDPOINT_ALERT:HTTPS_QUERY_FREE_URL_REQUIRED
- ENDPOINT_ALERT:MANAGED_SECRET_REFERENCE_INVALID
- ENDPOINT_ALERT:SOURCE_SYSTEM_REFERENCE_INVALID
- ENDPOINT_CREDENTIAL:HTTPS_QUERY_FREE_URL_REQUIRED
- ENDPOINT_CREDENTIAL:MANAGED_SECRET_REFERENCE_INVALID
- ENDPOINT_CREDENTIAL:SOURCE_SYSTEM_REFERENCE_INVALID
- MANAGED_CREDENTIALS:WORKLOAD_IDENTITY_REFERENCE_INVALID
- MANAGED_CREDENTIALS:COLLECTOR_IDENTITY_REFERENCE_INVALID
- MANAGED_CREDENTIALS:ROTATION_AUTHORITY_REFERENCE_INVALID
- MANAGED_CREDENTIALS:CREDENTIAL_INVENTORY_REFERENCE_INVALID
- MANAGED_CREDENTIALS:SECRET_MANAGER_NAMESPACE_REFERENCE_INVALID
- STATUTORY_APPROVAL:DECISION_NOT_APPROVED
- STATUTORY_APPROVAL:REVIEWER_IDENTITY_INVALID
- STATUTORY_APPROVAL:QUALIFICATION_REFERENCE_INVALID
- STATUTORY_APPROVAL:SOURCE_ARTIFACT_HASH_INVALID
- STATUTORY_APPROVAL:APPROVAL_ARTIFACT_REFERENCE_INVALID
- STATUTORY_APPROVAL:APPROVAL_ARTIFACT_HASH_INVALID
- STATUTORY_APPROVAL:REVIEWED_AT_INVALID
- PHASE_2B_PILOT_AUTHORITY:COHORT_REFERENCE_INVALID
- PHASE_2B_PILOT_AUTHORITY:SUPPORT_COVERAGE_REFERENCE_INVALID
- PHASE_2B_PILOT_AUTHORITY:ROLLBACK_PLAN_REFERENCE_INVALID
- PHASE_2B_PILOT_AUTHORITY:ACTIVATION_DECISION_REFERENCE_INVALID
- PHASE_2B_PILOT_AUTHORITY:TENANT_SCOPE_HASH_INVALID
- PHASE_2B_PILOT_AUTHORITY:ROLE_SCOPE_HASH_INVALID
- PHASE_2B_PILOT_AUTHORITY:ACTIVATION_AUTHORITY_IDENTITY_INVALID
- PHASE_2B_PILOT_AUTHORITY:ACTIVATION_DECISION_NOT_APPROVED
- PHASE_2B_PILOT_AUTHORITY:ACTIVATION_DECIDED_AT_INVALID

Subsequent Intervention Treatment

- A changed commit, artifact, manifest, evidence bundle, or environment invalidates dependent evidence.
- Expired approvals or owner coverage must be recaptured from the authoritative system.
- Rotated collector secrets require workload restart, new-version verification, old-version revocation, and rejection proof.
- Evidence is applied only through its narrow collector before composed gates are rerun.
- Superseded references remain in the authoritative audit system; release registers contain only the current validated binding.