

Enterprise Release External Workstream Handoff

Prepared: 2026-07-27

Source plan: ENTERPRISE_RELEASE_BLOCKER_UNBLOCKING_EXECUTION_PLAN_2026-07-27.md

Engineering tranche: READY — consolidated integration suite passed 24/24

Release posture: development may continue; pilot and production remain fail-closed

Assignment state: authorized people and external systems are not yet assigned

Control boundary

This handoff contains references and acceptance criteria only. It must not contain database URLs, passwords, secret values, authorization headers, personal identity documents, or invented approval/signature data. Repository engineering cannot self-issue external infrastructure evidence, independent statutory opinions, security-authority attestations, or operational acceptance.

The country-pack integration gate remains independent of the production country-pack gate. General feature development is not blocked by B03–B08; only the affected production, pilot, or authority-backed capability remains disabled.

Current verified snapshot

Workstream	Current gate result	Open condition
B03 — production database	8/9 checks; 2 blockers	deployment_target_is_safe , database_url_missing
B04 — managed release secrets	2/8 checks; 6 blockers	Three purpose-specific production secrets are absent or cannot be strength-verified
B05/B06 — Cameroon review	Review preflight 4/12; production gate 10/12	Independent source hashes, qualified expert decision, signed artifact, checker verification
B07 — credential rotation	15 classes; 31 blockers	Stable managed references, named security authority, rotation/revocation evidence
B08 — operational readiness	152 blockers; activation unauthorized	Frozen identity, accepted owners, scheduler windows, alert lifecycle, credentials

B03 — Platform/database owner handoff

Accountable role: platform/database owner

Named assignee: UNASSIGNED

State: AWAITING_AUTHORIZED_OWNER_AND_TARGET

Authorized execution

1. Provision or select the approved non-local PostgreSQL production target in the managed production environment.
2. Create separate least-privilege migration and runtime access where the provider supports it. Store connection material only in the managed secret store and expose the required deployment reference as DATABASE_URL .
3. Record a redacted target attestation: provider/project reference, environment, non-secret host classification, database identifier, region, owner, and change/ticket reference. Do not record the URL.
4. Confirm an approved backup exists and execute or cite a current restore test. Record backup and restore-test references, timestamps, retention, RPO/RTO, and accountable operator.
5. In an authorized production release job with DATABASE_URL injected, run npm run prisma:migration:release:preflight .
6. Stop if target classification is unsafe, a destructive finding is unapproved, or backup/restore evidence is absent.
7. Under change control, run npm run prisma:migrate:deploy , npm run prisma:migration:history:health , then npm run prisma:migrate:status . The protected safe-deploy and verification commands already enforce this order.
8. Retain redacted command logs, execution IDs, post-deploy status, and the exact commit/artifact identity used.

Acceptance evidence

- `databaseConfigured=true`
- `databaseTargetSafe=true`
- 41 migrations accounted for
- zero unapproved destructive findings
- migration deploy, direct history health, and status exit 0
- direct history health 8/8 with no unfinished, missing, checksum-mismatched, unknown, or duplicate successful migrations
- backup reference and successful restore-test reference
- change/release job ID and immutable commit/artifact reference
- no connection string or credential value in repository evidence

Current evidence: `what-next/blocker-execution/prisma-migration-production-preflight-2026-07-27.{md,json}`

B04 — Security/platform owner handoff

Accountable role: security/platform owner

Named assignee: `UNASSIGNED`

State: `AWAITING_MANAGED_SECRET_PROVISIONING`

Required managed secrets

Environment variable	Purpose
<code>PUBLIC_IDENTITY_ABUSE_HASH_SECRET</code>	Public-identity abuse-protection HMAC
<code>AQSTOQFLOW_RECEIPT_TOKEN_SECRET</code>	Public receipt signing
<code>AQSTOQFLOW_HISTORY_CURSOR_SECRET</code>	Transaction-history cursor signing

Authorized execution

1. Generate three independent, purpose-specific random values in the managed secret system. Each must satisfy the release policy (at least 32 characters and 12 distinct characters where checked).
2. Do not reuse a value across the three purposes and do not reuse `AUTH_SECRET` or `NEXTAUTH_SECRET`.
3. Record only provider secret identifiers, version identifiers, creation/activation timestamps, authorized operator reference, and change/ticket reference.
4. Inject managed references into the production deployment and restart/redeploy through the normal protected pipeline.
5. Run `npm run release:secrets:preflight:release`, `npm run public-identity:abuse:gate:release`, `npm run receipt:token:config-gate:release`, and `npm run release:evidence:gate:release` in the protected environment.
6. Preserve redacted outputs proving values were not printed. Keep prior versions available only under the approved rollback/incident policy.

Acceptance evidence

- release secret preflight 8/8
- all three secrets present and strong
- all three values distinct and not shared with auth/session secrets
- provider/version references and activation timestamps retained
- deployment/restart reference retained
- no secret value, derived value, or environment dump committed

Current evidence: `what-next/release-secret-preflight.{md,json}`

B05/B06 — Cameroon reviewer and checker dispatch

Compliance/legal owner: UNASSIGNED

Qualified independent reviewer: UNASSIGNED

Separate authorized checker: UNASSIGNED

State: READY_FOR_EXTERNAL_DISPATCH

Use the existing evidence-preserving package; do not create a substitute approval internally:

- docs/HR-Payroll/evidence/country-packs/CM/2026-07-19/QUALIFIED_REVIEW_DISPATCH_2026-07-20.md
- docs/HR-Payroll/evidence/country-packs/CM/2026-07-19/qualified-review-dispatch-manifest.json
- docs/HR-Payroll/evidence/country-packs/CM/2026-07-19/review-package/

The reviewer must supply verifiable identity, qualifications, organization, conflict declaration, review dates, independent digests for every retained source, decisions and tie-out hashes for all four CNPS fixture families, effective dates, final production-suitability decision, and a signed approval artifact. The checker must independently authenticate the return, verify the signed artifact hash and signature, and confirm the maker/checker separation.

Current failed review checks are: reviewer identity, review window, recomputed source digests, four-family decisions, all-family approval, final-decision consistency, signed-artifact metadata, and signed-artifact verification.

After an authentic return, follow the packet's post-signature runbook and run, in order:

1. `npm run statutory:country-pack:review:preflight`
2. After 12/12, perform the maker-checker-controlled manifest, seven-hash, and runtime authority transition.
3. Record the reviewed code/change reference in `statutory.runtimeAuthorityPromotionReference`.
4. `npm run statutory:country-pack:gate`

The runtime transition must promote `CNPS_CAPABILITY_STATUS` from `SUPPORTED_DRAFT` and `CNPS_VERIFICATION_STATUS` from `SOURCE_CHECKED` only within the signed decision scope. The gate rejects a signed manifest if this binding is absent. `REGULATOR_CONFIRMED` remains prohibited without actual retained regulator confirmation.

Expected result is review preflight 12/12 and production country-pack gate 12/12 with `EXPERT_REVIEWED`.

`REGULATOR_CONFIRMED` is optional and must never be asserted without actual regulator evidence. Production activation remains subject to every other enterprise release gate.

B07 — Credential rotation handoff

Security authority: UNASSIGNED

Service owners: UNASSIGNED

State: WAIT_FOR_B03_B04_AND_STABLE_DEPLOYMENT

The authoritative register is `docs/agents-runtime/STOQUIFY_AGENT_RUNTIME_CREDENTIAL_ROTATION_REGISTER_2026-07-25.md`. It contains 15 unresolved credential classes and must never receive secret values.

Do not start final rotation while endpoints, deployment identities, or managed references are still changing. After B03/B04 and the stable deployment baseline exist:

1. Assign a real security authority and each dependent service owner.
2. Complete provider-side create/activate/redeploy/revoke/rejection-test evidence for every class.
3. Record provider/version IDs, workload deployment IDs, timestamps, old-version rejection references, and release binding only.
4. Run `npm run agent:credential-rotation:evidence:apply` and `npm run agent:credential-rotation:gate`.

Acceptance is 15/15 classes resolved, zero obsolete credentials accepted, no secret values printed, and an authentic security approval bound to the final artifact.

B08 — Operational owner and runtime handoff

Release manager: UNASSIGNED

State: OWNER_ASSIGNMENT_CAN_START_PLATFORM_EXECUTION_WAITS

The authoritative register is `docs/agents-runtime/STOQUIFY_AGENT_RUNTIME_OPERATIONAL_RELEASE_EVIDENCE_2026-07-25.md`. Assign real primary and backup identities for all six responsibilities now: rollout, rollback, support, pilot, security incident, and on-call backup. Each must accept a runbook version, escalation reference, coverage window, and acceptance timestamp. Scheduler and alert execution waits for B03/B04, stable managed credentials, and a release-bound inactive deployment. Then:

1. Deploy the five-minute reconciler inactive with managed authentication, bounded timeout, and concurrency control.
2. Capture readiness, missing-configuration, invalid-auth, and failure-alert evidence.
3. Capture three unique consecutive completed scheduler windows.
4. Prove HTTPS alert delivery, external request identity, acknowledgement within SLO, retry, dead letter, protected recovery, backup escalation, and alert-secret rotation.
5. Apply evidence with the repository commands and rerun `npm run agent:operational-release:gate`.

Acceptance is 152/152 checks with authentic owner acceptances and artifact-bound operational evidence. `activationAuthorized` must remain `false` until the later protected activation ceremony.

Dependency-controlled execution order

1. **Now, in parallel:** appoint the platform/database, security/platform, compliance/legal, qualified reviewer, checker, release-manager, and operational owner roles; dispatch the existing Cameroon packet; begin B03/B04 provisioning.
2. **After B03/B04:** establish the stable inactive deployment, then execute B07 rotation and the B08 scheduler/alert evidence lifecycle.
3. **After B03–B08 pass:** stop release-affecting changes, select a clean candidate, run the full verification suite, and create the immutable freeze bundle.
4. **Only after freeze:** bind product, security, independent-review, operational, and statutory evidence to the exact commit/artifact; rerun gate 017 and Phase 2B entry.
5. **Only after an authorized successful pilot:** evaluate production promotion. No earlier document or gate result authorizes activation.

External-input orchestrator state

The repository's existing external-input orchestrator currently reports 1/13 checks passed with 102 blockers. Its human-intervention plan lists nine required interventions, zero evidence-ready, with safeguards intact. Use these authoritative next-command maps during external execution:

- `docs/agents-runtime/STOQUIFY_AGENT_RUNTIME_EXTERNAL_INPUT_READINESS_2026-07-25.md`
- `docs/agents-runtime/STOQUIFY_AGENT_RUNTIME_HUMAN_INTERVENTION_PLAN_2026-07-25.md`

Downstream gates intentionally held

The current active-development tree is not a release candidate. The read-only freeze report is blocked with 206/207 historical manifest files verified, eight Phase 2A runtime drift paths, and 406 current changes. Phase 2B entry is 2/23 with 21 blockers. The phased-execution audit is 36/37; its remaining requirement is the historical freeze attestation and must not be repaired by rewriting signed evidence.

Do not create a new freeze or request gate-017 approval yet. After B03–B08 are complete and release-affecting changes stop, cut a clean candidate and generate a new immutable manifest and attestation from that candidate.

Acceptance record

The authoritative work-management system must record, for each workstream: owner identity/reference, acceptance timestamp, target completion window, change/ticket reference, evidence location, current status, and escalation path. This repository handoff remains `UNASSIGNED` until those external records exist; editing placeholders here is not proof of acceptance.

Machine-checkable return channel

Use `docs/blockers/enterprise-release-external-evidence-intake-2026-07-27.json` as the single redacted return manifest for B03–B08. Each accountable owner edits only their section and records authoritative references, not copied secret values, database URLs, personal documents, or free-form approval claims.

Run:

1. `npm run enterprise:release:external-evidence:report`
2. Complete the protected workstream commands listed in the generated report.
3. `npm run enterprise:release:external-evidence:gate`
4. `npm run enterprise:release:blockers:gate`

The validator currently reports 1/6 checks and 71 blockers. The passing check is the fail-closed safety boundary. A completed intake can only make the packet eligible for authoritative gate reruns; it cannot approve promotion, activation, Phase 2B, or Phase 3.