

Workflow Atlas Value Evaluation

Date: 30 July 2026

Scope: Product value, architecture, user roles, RBAC, module entitlement, overlap, measurement, and launch risk

Method: Repository evidence, multidisciplinary agent review, focused tests, prior browser evidence, graph evidence, and official product-pattern research

**VERDICT: RETAIN,
RESHAPE, AND
SPLIT**

Keep the Atlas as a public workflow guide and onboarding asset. Retire its claim to be a daily operational launchpad. Any authenticated guidance must be server-derived and routed through existing command surfaces.

PUBLIC PREVIEW

Conditional GO after copy correction and human visual review.

AUTHENTICATED OPERATIONAL USE

NO-GO in the current form.

Executive Decision

Verdict: retain, reshape, and split.

The Workflow Atlas makes sense in Stoquify as a public workflow guide, onboarding aid, and product-proof catalogue. It does not yet make sense as a daily operating surface.

1. Retain the public Atlas. It explains Stoquify as connected work, control, evidence, and destination rather than another module list.
2. Reshape the public experience. Make buyer education, onboarding, and training its primary jobs. Remove the claim that it is a permission-aware daily launchpad.
3. Split operational guidance from public discovery. Any authenticated "My Work" experience must be derived server-side from the user's real permissions, tenant and location scope, module entitlement, source state, and assigned work.
4. Merge daily execution into existing command surfaces. Use the dashboard, Daily Digest, Manager Action Center, Owner War Room, and domain workbenches. Do not create another broad dashboard until usage evidence proves a dedicated route is valuable.

Confidence is high for the public/operational split and medium for the eventual authenticated layout until telemetry and user research exist.

Decision Matrix

Option	Decision	Reason
Retain unchanged	Reject	The page mixes prospect, training, and operator jobs and overstates daily operational capability.
Reshape	Approve	Preserve the strong workflow/evidence explanation while correcting audience and capability claims.
Split	Approve	Public discovery and authenticated work routing need different trust, data, and interaction contracts.
Merge operational use	Approve	Put permission-filtered guidance in existing authenticated surfaces and route live work to established command centers.
Retire entirely	Reject	The Atlas solves a real product-clarity and onboarding problem and provides the public depth requested by the landing roadmap.

Current-State Evidence

The current Atlas is a technically sound public catalogue:

- `/en/workflows` and `/fr/workflows` render a public `WorkflowAtlas` component.
- The component uses local `activeRole` and `activeOutcome` state.
- The catalogue contains 8 operating roles, 12 outcomes, 12 workflows, and 41 unique dashboard destinations.
- Role selection filters static role tags. It does not query the user's tenant, location, permission, entitlement, assignment, urgency, or evidence state.
- "Recommended" means the first three matching records in catalogue order, not the most urgent or relevant work.
- Every outcome currently maps to one workflow, making the second outcome-selection stage less useful than it appears.
- The cards repeat across recommendations, map navigation, and the full playbook library.

- Existing tests verify rendering, role filtering, localization, route-file existence, accessibility mechanics, and evidence paths.
- The existing browser evidence records successful EN/FR mobile and desktop checks.

The implementation is therefore a public operating manual, not a live operating surface.

Where The Atlas Creates Real Value

Product clarity

The Atlas presents end-to-end journeys such as sell-to-cash, stock-to-sale, procure-to-pay, people-to-pay, reconciliation, close, and compliance. Each journey connects source work, control points, evidence, and protected destinations. That is materially stronger than a list of disconnected modules.

Onboarding and training

The structure is useful when:

- an implementation lead explains how modules connect;
- a manager trains a new operator;
- an accountant identifies where evidence originates;
- a buyer validates a cross-team process;
- customer success routes a user to the correct protected workspace.

Static, bilingual, non-tenant-specific guidance is appropriate for these jobs.

Landing-page depth

The home page already contains Connected Workflow, Operations Map, People to Pay, and Use Cases. A dedicated workflow route can carry deeper material while the landing page stays concise. The Atlas should consolidate or replace overlapping public depth instead of duplicating it.

Stoquify's differentiated narrative

The source-control-proof-destination model expresses the platform's strongest idea: operating activity should remain explainable through reconciliation, accounting, assurance, and close. That narrative should remain central.

Role Value Assessment

Role	Natural job and cadence	Best operating destination	Atlas value
Owner	Identify cash, stock, close, and evidence risk; decide priorities daily	Owner War Room and Daily Digest	Strong public explanation, low daily value because almost every workflow appears relevant
Cashier	Open shift, sell, collect, issue receipt, close drawer every shift	POS	Good first-shift orientation, unnecessary during routine operation
Stock operator	Receive, count, move, transfer, and explain variance daily	Inventory and action queue	Useful onboarding, but live stock/location state must lead
Purchasing/AP	Order, receive, validate payable, approve, and release daily or weekly	Purchase and AP workbenches	Valuable cross-functional journey; purchasing and AP duties must remain distinct
HR/payroll	Maintain people facts daily and execute payroll by cycle/deadline	People and Payroll command surfaces	Must separate HRIS access from payroll permissions and privacy scope
Accountant	Reconcile, review journals, clear blockers, and close	Reconciliation, Accounting, Close Assurance	Strong buyer story; too broad to be an operational launcher
Compliance	Review country evidence, fiscal documents, submissions, and exceptions	Compliance Center	Useful capability explanation; operational use is event and deadline driven
Admin	Invite users, assign roles, and manage modules, locations, and security	Settings	Useful during setup and exceptions, weak as daily content

Material Findings

P1: Daily-launchpad language is not proven

Current copy describes a "daily workflow launchpad" and "daily shortcut map." The implementation has static filters and protected links only. It cannot answer:

- What is assigned to me?
- What needs attention now?
- What may I access in this tenant and location?
- Which modules are active?
- Which action is blocked, overdue, stale, or complete?

Control: rename the public section to Workflow Guide or Role and Outcome Guide. Reserve "My Work," "daily," "assigned," and "next action" for authenticated, service-owned state.

P1: Public role relevance is not authorization

The workflow model has one undifferentiated roles array. A role association can mean owner, participant, approver, reviewer, or interested reader.

Control: separate `primaryRoles` from `supportingRoles` for public explanation. Authenticated routing must ignore these labels as access proof and use server-derived permissions.

P1: Module entitlement is not an authoritative boundary

Current module entitlement behavior remains legacy/observe oriented in important paths. Observe mode can report a decision without blocking access, and some tenants may receive legacy defaults.

Control: do not launch an authenticated Atlas until durable tenant entitlements and canonical enforced page/action module guards exist. Permission alone is not sufficient for commercial module access.

P1: The route test proves existence, not authorization

The current Atlas test checks that links start with /dashboard/ and that corresponding page files exist. Static inspection found explicit or delegated guards for the 41 destinations, but the Atlas gate itself does not prove:

- the intended permission for each workflow;
- tenant and location scoping;
- module entitlement enforcement;
- denied-state behavior;
- repeated authorization at the action boundary.

Control: rename the assertion as a route-existence contract. Add a separate access-registry gate for any authenticated projection.

P1: Route and policy registries can drift

The Atlas owns hard-coded destination links. The sidebar separately owns route-to-permission and module metadata. The module catalogue separately owns route prefixes, permissions, dependencies, and entitlement behavior.

Control: use stable destination IDs and a canonical server registry for authenticated routing. Public descriptions may remain static, but they must not become a third authorization map.

P2: Public content is repetitive

Recommendations are catalogue-order slices, each outcome maps to one workflow, and workflow cards repeat in the recommendation and library sections.

Control: compress the public Atlas to 5-7 cross-functional buyer journeys, show primary owner and collaborators, and use one progressive-detail path rather than repeated cards.

P2: No value telemetry exists

Functional and visual evidence does not prove comprehension, qualified intent, onboarding success, task completion, or repeated use.

Control: define a minimal event contract after privacy, consent, retention, and analytics ownership are agreed.

P2: Session-aware header behavior is not access awareness

The public shell knows whether a session exists, but the Atlas component does not receive effective tenant, permission, entitlement, or freshness state. Its prominent CTA sends visitors to login even when a session may already exist.

Control: keep public authentication display separate from operational authorization. Preserve a signed-in destination only through a safe return path or authenticated adapter.

Recommended Target Model

Target operating model

Public Workflow Guide -> role and outcome discovery -> playbook -> sign-in or rollout. Server RBAC + module entitlement + service-owned state -> My Work guidance -> action center or domain workbench.

Public Workflow Guide

Keep:

- bilingual role and outcome discovery;
- source, handoff, control, evidence, and destination explanation;

- detailed playbooks;
- protected-route labels;
- sign-in or qualified-rollout CTA.

Change:

- remove daily-launch and assignment implications;
- distinguish primary owner from collaborators;
- compress overlapping role/outcome controls and repeated cards;
- make the home page a concise preview linking to this deeper guide;
- avoid implying that every route is available in every package, tenant, or country.

Authenticated My Work Guidance

Do not copy the public component into the dashboard.

Build a compact server-owned projection that:

- starts from fresh RBAC context;
- uses effective permissions, not a user-selected role;
- applies organization and location scope;
- enforces module entitlement and dependencies;
- consumes service-owned action/read models;
- exposes only safe allowed, denied, locked, read-only, or step-up states;
- ranks live work above static shortcuts;
- routes exceptions to existing command centers and workbenches.

Default placement should be the main dashboard or Daily Digest. A dedicated `/dashboard/workflows` route should be considered only after measured repeat use shows that a separate surface reduces time-to-action without duplicating command centers.

Minimum Authenticated Contract

An authenticated workflow projection is not launchable until all of these are true:

1. Server-proven session, active organization, user, roles, and expanded permissions.
2. Tenant isolation and stale-organization session checks.
3. Required permission for every visible destination.
4. Enforced module entitlement and dependency decision.
5. Location or branch scope where required.
6. No hidden count or sensitive-state leakage.
7. Route and action authorization repeated after navigation.
8. Fresh authentication and maker-checker retained for sensitive actions.
9. Normalized states: `login_required`, `tenant_required`, `permission_denied`, `module_locked`, `read_only`, `step_up_required`, and `allowed`.
10. Public role tags never accepted as authorization input.

Phased Delivery

Phase 0: Correct the promise

- Keep `/en/workflows` and `/fr/workflows`.

- Replace daily-launch language with workflow-guide and onboarding language.
- Rename the route test so it states what it proves.
- Define analytics privacy and the minimal event taxonomy.

Exit: no public copy implies live, assigned, permission-aware, or tenant-aware work.

Phase 1: Strengthen public learning

- Compress to 5-7 cross-functional stories.
- Add primary owner and collaborator semantics.
- Remove redundant outcome selection and duplicate cards.
- Consolidate overlapping landing-page workflow and use-case material.
- Add shareable role/outcome state only if sales or training needs it.

Exit: a prospect or new user can identify the work, control, evidence, and protected destination without mistaking the page for live operations.

Phase 2: Pilot authenticated guidance

- Implement a server-owned workflow access projection.
- Enforce module entitlement before returning module paths.
- Embed compact guidance in Daily Digest or the main dashboard.
- Reuse existing action centers for live work.
- Test owner, cashier, stock, purchasing/AP, payroll, accountant, and denied-user contexts.

Exit: every shown destination is permission- and entitlement-proven; no client role selector affects access.

Phase 3: Expand only on measured value

- Add assignment/status semantics only when a service owns those states.
- Consider a dedicated route only if repeat use and time-to-action support it.
- Reduce or retire authenticated guidance if it becomes another static link directory.

Success Metrics

Public guide

- Role/story engagement.
- Workflow-detail completion.
- Qualified rollout/demo conversion.
- Successful public-to-auth continuation.
- Comprehension of next control and evidence output.

Onboarding

- First controlled task completed within seven days.
- Median time to first role-specific value.
- Navigation-related support volume.
- Completion of role-specific setup or readiness checklist.

Authenticated pilot

- Authorized destination success rate.
- Denied-route click rate.
- Median selection-to-action time.

- Open-to-resolution rate for surfaced actions.
- Weekly repeat use by eligible roles.
- Percentage of surfaced paths backed by fresh source data.

Suggested provisional gates:

- at least 98% of launches reach an authorized destination;
- zero known permission-dead-end calls to action;
- a measurable reduction in time-to-relevant-action;
- repeated use across at least three role families;
- no tenant, permission, entitlement, or hidden-state defect.

Kill or reduce the authenticated layer if it does not improve task access, is used mainly as a static directory, or duplicates the sidebar and command centers.

External Pattern Review

Only transferable product principles were used. No external visual design or wording should be copied.

Official pattern	Transferable lesson	Current Stoquify boundary
Microsoft Dynamics 365 operational workspaces	A workspace supports a logical activity for a target persona, shows current state, enables light tasks, and links to deeper work.	The public Atlas has no current-state or light-task contract.
SAP Signavio Process Collaboration Hub	A central process guide supports shared understanding and onboarding.	Audience curation is not authorization.
SAP Signavio audience-specific home page	Different audiences can receive curated launchpad content.	Authenticated curation must still use Stoquify server policy.
Salesforce Flow Orchestration work items	Real work guides are backed by assignment, ownership, status, and completion.	Static links must not be called assigned work or orchestration.
Oracle NetSuite role centers	Operational centers derive pages and live data from assigned roles.	A self-selected public role lens is not an operational center.

Verification Performed

Check	Result
npm run ui:gate:workflow-atlas	PASS: 3 suites, 12 tests
Existing browser evidence	PASS recorded for EN/FR at 390x844 and 1440x1100
Existing rounded-corner evidence	PASS recorded
Unique Atlas destination inventory	41 routes
Representative authorization inspection	POS, Sales, Reconciliation, Accounting, Compliance, Users, Purchases, People, Payroll, Daily Digest, Manager Action Center, and Owner War Room
Multidisciplinary agent review	Product, architecture, and security reviews completed
Component graph	Available graph dated 2026-07-14, before Atlas implementation; useful for established command-surface boundaries but not current Atlas integration
Fresh screenshot visual review	Not completed because the local image sandbox helper failed; prior screenshot and JSON evidence remain available

No application code was changed during this evaluation.

Residual Launch Risk

Public preview

Conditional GO after copy correction and human visual review.

- Current daily-launch language overstates static behavior.
- Saved screenshots were not visually reopened in this run.
- Static route references can drift from sidebar and module registries.
- No product telemetry proves visitor or onboarding value.

Authenticated operational use

NO-GO in the current form.

- Self-selected roles are not authorization.
- Module entitlement is not yet an enforced, authoritative boundary across the required paths.
- No live assignment, urgency, freshness, or completion model exists in the Atlas.
- Denied-state behavior is inconsistent across modern and legacy routes.
- Existing command surfaces would be duplicated.

Final Recommendation

Keep the useful idea and narrow its promise.

The public Atlas should help people understand Stoquify and learn its controlled workflows. Real daily work should remain inside permission-filtered, tenant-safe, service-owned surfaces. The next valuable implementation is therefore not a larger Atlas, but a smaller public guide plus contextual authenticated guidance that proves access and routes users directly into live work.