Accounting audit evidence and verification

Recorded date: 8 September 2026. All command timestamps below are UTC; the user timezone is Europe/Paris.

Environment and provenance

Workspace: E:/ohada saas/Focused projects/stoquify. Branch: `codex/migration-control-plane-release-2026-08-29`. Commit: `a05a41ef66cd5d98fd69ae3df18225795f912232`. This commit is an anchor only: the worktree was already extensively dirty. Node v22.17.0, Windows PowerShell, installed repository dependencies and Prisma-generated types were used. Commands were inspected before execution.

The initial inventory includes 389 selected source/test files. At 2026-09-08T12:10:26.450Z, 60 finding source ranges were captured with full-file SHA-256 hashes. The comparison detected changes in ap-control.service.ts and invoice-approval.service.ts; new invoice-correction files also appeared. A later focused AP run passed 73 tests. Typecheck and the earlier suites describe their own timestamps, not all changes arriving afterward. Source drift and worktree status delta preserve this limit.

The audit wrote only reports, diagnostics, logs and generated local test/build artifacts. It did not implement production fixes, apply migrations, seed data or deploy. The temporary development server was stopped. There was no new task, external message or production configuration change.

Verification results

Run	Suites	Assertions	Result
accounting-tests-focused	45 passed / 0 failed	389 passed / 0 failed	PASS
integration-ui-tests	54 passed / 2 failed	477 passed / 2 failed	FAIL
routes-recon-payroll-tests	26 passed / 0 failed	259 passed / 0 failed	PASS
ap-drift-tests	5 passed / 0 failed	73 passed / 0 failed	PASS

First three runs: 127 suites, 1,125 passing and 2 failing tests. The AP refresh overlaps three previously run suites and adds two new suites. Across all runs there were 1200 assertion executions (1198 passed, 2 failed), 129 distinct suite files and 1137 distinct test identities. These are test observations, not a percentage of business workflow coverage. Machine-readable count summary.

Unresolved failures: POS shift-close expects an exact event update without the newly recorded nested audit; inventory stock-event idempotency conflict testing fails while recording conflict evidence and expects a legacy auditLog contract. The latter test stops before its subsequent no-mutation assertions. See ACC-015 and failure log. No product code or test was changed to make the audit pass.

Prisma schema validation and TypeScript checking passed. The ledger-close truth gate passed 10/10 static checks; statutory core integration passed 9/9 while production activation and live authority submission remained false. Static gates validate their inspected code patterns, not deployed enforcement, real transaction isolation or statutory correctness.

The initial accounting-test command was aborted after about eight minutes stuck in discovery with no result. Retrying with explicit roots completed normally. This initial attempt is recorded as aborted, not as an

application-test failure or a hidden pass.

Seven reproduced service observations

Probe	Result	What it establishes
FX_BASE_AMOUNT	REPRODUCED	Base amount copies nominal value; arbitrary dimensions retained
REPORT_CURRENCY_MIX	REPRODUCED	Nominal mixed-currency sums can produce a balanced mislabeled statement
PARTIAL_FISCAL_YEAR	REPRODUCED	Mid-month fiscal start is moved back to first of month
SOURCE_OWNED_REVERSAL	REPRODUCED	Generic reverse accepts a POS source without source correction
GL_OPENING_BALANCE	REPRODUCED	Filtered GL begins its running total at zero
LOCKED_SETTINGS_MUTATION	REPRODUCED	LOCKED settings accept new currency/arbitrary policy
CLOSE_WITHOUT_ASSURANCE_READ	REPRODUCED	Period close does not consult the synthetic blocked assurance record

Probe implementation executes transpiled current service functions with strict database doubles and real Prisma.Decimal. Unmocked database access is blocked. Sensitive-action decisions are mocked as allowed in the reversal/close probes. Passing probe assertions intentionally confirm the observed defects; they are not correctness tests or authorization bypass demonstrations. Probe JSON records inputs, outputs and limits.

Performance measurement

Synthetic GL lines	Median service CPU (3 samples)	JSON bytes
1000	25.54 ms	260230
10000	126.55 ms	2642231
50000	491.4 ms	13372232

Benchmark source and raw samples. This is a local in-memory service/serialization workload. It excludes query retrieval, query plans, connection/lock behavior, network, browser rendering and production traffic. Do not use it as a production p95 or throughput claim.

Browser observation and unexecuted checks

Navigation to http://localhost:3000/en/dashboard/accounting reached http://localhost:3000/en/login. The login boundary was observed through CUA, with an email/password form and language switch. No credentials were submitted. Captured screenshot and observation metadata. Initial navigation failed before the temporary server started, and a cold compilation caused a navigation timeout; these are environment observations, not application outage findings.

Authenticated accounting visual, mobile, keyboard/screen-reader, direct-action permission, tenant-switch and consent-revocation scenarios remain **unverified**. Component and route tests use mocks and cannot substitute for them. Deployed PostgreSQL constraints/roles/RLS, real concurrent posting, provider callbacks/settlement, production load, backups/restores, active scheduler/alerts and independent statutory review remain **unverified**. The composite close E2E script was not run because it includes migration deployment and seeding.

Commands and evidence files

Argument vectors, start/end timestamps and exit codes are recorded in the command JSON files. The following table is a concise index; the commands below preserve the executed arguments.

Check	UTC start → end	Result / command record
accounting-tests	2026-09-08T11:41:00.793Z → 2026-09-08T11:49:05.355Z	ABORTED after approximately eight minutes of discovery without results; accounting-tests-command.json
accounting-tests-focused	2026-09-08T11:49:27.804Z → 2026-09-08T11:53:24.362Z	PASS; accounting-tests-focused-command.json
ap-drift-tests	2026-09-08T12:11:59.344Z → 2026-09-08T12:12:38.013Z	PASS; ap-drift-tests-command.json
behavior-probes	2026-09-08T11:59:14.080Z → 2026-09-08T11:59:20.890Z	PASS; behavior-probes-command.json
integration-ui-tests	2026-09-08T11:56:50.588Z → 2026-09-08T12:00:36.313Z	FAIL; integration-ui-tests-command.json
ledger-gate	2026-09-08T11:42:22.249Z → 2026-09-08T11:42:22.622Z	PASS; ledger-gate-command.json
read-model-benchmark	2026-09-08T12:03:37.513Z → 2026-09-08T12:03:43.482Z	PASS; read-model-benchmark-command.json
routes-recon-payroll-tests	2026-09-08T12:01:32.516Z → 2026-09-08T12:03:11.347Z	PASS; routes-recon-payroll-tests-command.json
schema-validation	2026-09-08T11:42:09.881Z → 2026-09-08T11:43:07.284Z	PASS; schema-validation-command.json
source-evidence	2026-09-08T12:10:25.847Z → 2026-09-08T12:10:29.546Z	PASS; source-evidence-command.json
statutory-gate	2026-09-08T11:42:17.651Z → 2026-09-08T11:42:17.967Z	PASS; statutory-gate-command.json
typecheck	2026-09-08T11:42:13.381Z → 2026-09-08T11:47:04.611Z	PASS; typecheck-command.json

accounting-tests

```
node node_modules/jest/bin/jest.js --runInBand --testPathPatterns services/accounting --
cacheDirectory what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/jest-cache --json --
outputFile what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/accounting-tests.json
```

Log.

accounting-tests-focused

```
node node_modules/jest/bin/jest.js --runInBand --roots services/accounting --cacheDirectory what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/jest-cache-focused --json --outputFile what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/accounting-tests-focused.json
```

Log.

ap-drift-tests

```
node node_modules/jest/bin/jest.js --runInBand --roots services/purchasing actions/purchasing --cacheDirectory what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/jest-cache-focused --json --outputFile what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/ap-drift-tests.json --runTestsByPath services/purchasing/__tests__/ap-control.service.test.ts services/purchasing/__tests__/ap-ledger-retry.test.ts services/purchasing/__tests__/invoice-approval-contracts.test.ts services/purchasing/__tests__/invoice-correction-contracts.test.ts actions/purchasing/__tests__/invoice-correction.actions.test.ts
```

Log.

behavior-probes

```
node what-next/accounting-enterprise-audit/2026-09-08-run-01/behavior-probes.cjs
```

Log.

integration-ui-tests

```
node node_modules/jest/bin/jest.js --runInBand --roots services/events services/purchasing services/inventory services/payments services/pos services/order-to-cash services/ai actions/accounting components/accounting --testPathIgnorePatterns postgres.test --cacheDirectory what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/jest-cache-focused --json --outputFile what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/integration-ui-tests.json
```

Log.

ledger-gate

```
node scripts/ledger-close-truth-gate.js --mode fail --out what-next/accounting-enterprise-audit/2026-09-08-run-01/ledger-close-truth-gate.md --json-out what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/ledger-close-truth-gate.json
```

Log.

read-model-benchmark

```
node what-next/accounting-enterprise-audit/2026-09-08-run-01/read-model-benchmark.cjs
```

Log.

routes-recon-payroll-tests

```
node node_modules/jest/bin/jest.js --runInBand --roots
'app/[locale]/(dashboard)/dashboard/accounting' services/reconciliation services/finance
services/payroll --cacheDirectory what-next/accounting-enterprise-audit/2026-09-08-run-
01/evidence/jest-cache-focused --json --outputFile what-next/accounting-enterprise-audit/2026-09-08-
run-01/evidence/routes-recon-payroll-tests.json --runTestsByPath
'services/finance\__tests__\finance-dashboard.service.test.ts'
'services/reconciliation\__tests__\payment-suspense-workflow.service.test.ts'
'services/reconciliation\__tests__\payment-suspense-ledger.service.test.ts'
'services/reconciliation\__tests__\payment-reconciliation-sign-off-command-state.service.test.ts'
'services/reconciliation\__tests__\payment-reconciliation-run.service.test.ts'
'services/reconciliation\__tests__\payment-reconciliation-manual-match.test.ts'
'services/reconciliation\__tests__\payment-reconciliation-manual-candidates.test.ts'
'services/reconciliation\__tests__\payment-reconciliation-evidence.service.test.ts'
'services/reconciliation\__tests__\payment-reconciliation-certification.service.test.ts'
'services/reconciliation\__tests__\payment-reconciliation-auto-match.test.ts'
'app/[locale]/(dashboard)/dashboard/accounting\__tests__\route-audit.test.ts'
'app/[locale]/(dashboard)/dashboard/accounting\__tests__\page.test.tsx'
'app/[locale]/(dashboard)/dashboard/accounting\setup\__tests__\page.test.tsx'
'app/[locale]/(dashboard)/dashboard/accounting\control-center\__tests__\page.test.tsx'
'app/[locale]/(dashboard)/dashboard/accounting\accountant-portal\__tests__\page.test.tsx'
'app/[locale]/(dashboard)/dashboard/accounting\accounts\__tests__\page.test.tsx'
'app/[locale]/(dashboard)/dashboard/accounting\reports\trial-balance\__tests__\trial-balance-
table.test.tsx' 'app/[locale]/(dashboard)/dashboard/accounting\reports\trial-
balance\__tests__\page.test.tsx' 'app/[locale]/(dashboard)/dashboard/accounting\reports\financial-
statements\__tests__\page.test.tsx'
'app/[locale]/(dashboard)/dashboard/accounting\reports\financial-statements\__tests__\financial-
statement-lines-table.test.tsx'
'app/[locale]/(dashboard)/dashboard/accounting\close\__tests__\page.test.tsx'
'app/[locale]/(dashboard)/dashboard/accounting\journals\new\__tests__\page.test.tsx'
'app/[locale]/(dashboard)/dashboard/accounting\journals\__tests__\page.test.tsx'
services/payroll/__tests__/payroll-control.service.test.ts services/payroll/__tests__/payroll-
employee-balance.service.test.ts services/payroll/__tests__/payroll-register.service.test.ts
```

Log.

schema-validation

```
node node_modules/prisma/build/index.js validate
```

Log.

source-evidence

```
node what-next/accounting-enterprise-audit/2026-09-08-run-01/collect-source-evidence.cjs
```

Log.

statutory-gate

```
node scripts/statutory-country-pack-integration-gate.js --mode fail --out what-next/accounting-enterprise-audit/2026-09-08-run-01/statutory-integration-gate.md --json-out what-next/accounting-enterprise-audit/2026-09-08-run-01/evidence/statutory-integration-gate.json
```

Log.

typecheck

```
node node_modules/typescript/bin/tsc --noEmit --pretty false --incremental false
```

Log.

The wrapper used for verification is audit-tools.cjs; it records output and command metadata. It does not change business data. The local browser server was invoked directly as `node node_modules/next/dist/bin/next dev -p 3000`, avoiding predev/migration hooks. Report publication uses the user-requested docs-report-publisher script; its separate log and publication manifest are generated after these reports.

Review responsibility coverage

The requested review-board roles were applied as analytical perspectives by one audit agent. No independent human or separately delegated expert review is claimed.

Responsibility	Disposition	Evidence or limitation
Enterprise/platform architecture	Finding	Multiple source writer families and split close readiness: ACC-003/005/007; architecture map.
Backend/domain/integration	Finding + strength	Source idempotency, AP source proofs and POS transactions; ACC-001/003/004.
Database/data/migrations	Finding	84 migration files scanned; tenant/immutability/overlap and deployment gaps: ACC-004/006/007/008.
Application security/IAM/privacy/fraud	Strength + limitation	Server scope, fresh action authentication, consent/expiry and maker-checker hooks; ACC-006/010/015. No authenticated penetration test or disclosure demonstrated.
Frontend/design system	Finding	Shared money formatter, proof states and canonical table integration: ACC-010/011/012/014.

Responsibility	Disposition	Evidence or limitation
Workflow/accessibility/localization/content	Finding + runtime limitation	Journal review, paging, errors and bilingual formatting: ACC-011/012. Screen-reader and authenticated browser validation outstanding.
Product/business-process analysis	Finding	Operational versus ledger truth, source corrections and period-state meaning: ACC-003/005/014.
QA/release assurance	Finding	127 initial suites plus 5 AP refresh executions; 2 unresolved failures, synthetic probes, precise test scope: ACC-015.
SRE/DevSecOps/performance/cost	Finding + limitation	Bounded outbox leases/retries; unbounded reporting and synthetic payload measurement: ACC-013. Production alerts, load, recovery and cost measurements unverified.
SaaS packaging/billing/product operations	Boundary review	Module new-work admission intentionally distinguishes settlement/correction/history obligations. Actual rollout, access revocation and pending-work scenarios need validation; pricing/billing redesign is not applicable to this audit.
Accounting/internal controls	Finding + strength	Decimal/per-currency balance, retained reversal evidence and explicit statements; material gaps ACC-001–009/014.
OHADA/SYSCOHADA/country packs	Limitation + strength	Official framework reviewed; current production calculation/authority submission gated. No jurisdictional rate or professional approval supplied.
Audit evidence/records governance	Finding + strength	Source links, hashes, consent and append-only related evidence; core ledger protection gap ACC-007.
POS/offline synchronization	Finding + strength	Primary atomic source-to-ledger path, dedicated refund/void and offline tests; generic reversal/currency gaps plus shift-close test drift. Live offline replay not executed.
Purchasing/AP	Strength + moving-worktree limitation	Source and period locks, request/evidence hash replay, blocked recovery; concurrent invoice-correction files reviewed and tests refreshed separately.
Payroll	Strength + external limitation	Control/register/employee-balance tests and posting/immutability/close integration inspected. Country approval and real provider/DB workflows outstanding.
Payments/reconciliation	Strength + external limitation	Provider evidence, suspense, sign-off and matching tests executed; live bank/provider settlement and scheduler unverified.
Close/accountant access	Finding + strength	Consent/effective expiry, guarded exports and evidence checks; period-close contract gap ACC-005 and portal cache ACC-010.
Analytics/data governance	Finding	Operational source caps and proof labels, report snapshot basis: ACC-013/014.
AI/agent governance	Strength within inspected scope	Evidence/actor-scoped proposals, expiry, forbidden operations and executionAuthority NONE; proposal acceptance is not autonomous posting.
APIs/webhooks/events	Strength + limitation	Protected actions, hashed business-event identity and leased outbox. Two integration tests require contract triage. Direct authenticated endpoint and live webhook validation not performed.
Operational rollout/support	Remediation requirement	W6 specifies exception owners, source reconciliation, replay evidence, release cohort and rollback. Running alerts/on-call and restore evidence not verified.

Responsibility	Disposition	Evidence or limitation
Growth strategy / broad product redesign	Not applicable	No pricing, acquisition campaign or unrelated product redesign is needed to establish accounting integrity.

Supporting source and historical evidence

- Finding source excerpts and hashes: exact current code ranges supporting findings.
- Initial inventory, migration declaration scan and writer scan: coverage and search scope.
- Graph extract: historical navigation evidence, not current deployment truth.
- Financial-reporting implementation report: historical design intent and explicit deferrals, checked against current code.
- Close smoke artifact readiness: historical readiness lead only; not rerun as authenticated E2E proof.
- Official source note: OHADA framework context, accessed 8 September 2026. Official AUDCIF page. No source-specific tax rate or certification was inferred.
- Original executed prompt: preserved from the user attachment without rewriting.

Completion and limitations

Every material capability family in the requested scope has a disposition in the architecture map and readiness table. Findings distinguish reproduced behavior, static defects, credible risks and external evidence gaps. The audit and plan are complete as a repository assessment; production, accessibility, security and statutory validation remain explicitly scoped future work. The reports do not authorize data repair or imply the code has been hardened.