Accounting, reports and close assurance

Evidence: source reviewed 2026-09-06. Dashboard interaction is blocked by sign-in. Instructions below describe implementation, not a completed live walkthrough.

Accounting reports derive from posted ledger evidence. Setup readiness, a draft, approval, posting, close review and certified export are different stages. This guide explains application behavior; it makes no professional or statutory certification claim.

Pages in this chapter

- Accountant access
- Accountant portal
- Accountant client portfolio
- Accounting accounts
- Close and assurance
- Close and assurance — selected period
- Accounting control center
- New journal entry
- Journal entries
- Accounting ledger
- Financial statements
- Trial balance
- Ledger setup

Accountant access

Open: /en/dashboard/accounting/accountant-access. **Reach it:** Accountant Access. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.close.accountant.invite. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Explicit accountant mandates with role, effective dates, expiry, consent evidence and revocation.

How to use it.

1. Enter Accountant email, firm identity, read-only/reviewer/preparer role, effective/expiry dates and consent-evidence hash, then review before Invite or grant access.
2. Revoke only the intended mandate and confirm its new state.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Give an external accountant appropriate, time-bounded access to evidence.

Limits and recovery. A mandate is sensitive access and may send an invitation. A role title alone does not bypass tenant or command permissions. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Accountant portal

Open: /en/dashboard/accounting/accountant-portal. **Reach it:** Accountant Portal. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.audit.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Trust level, posted entries, source coverage, blockers, posted figures, evidence modules, recent links and audit trail.

How to use it.

1. Refresh evidence, inspect blockers and source links, then use Export trust pack when its gate permits.
2. If figures are withheld, resolve critical data-trust blockers first.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Prepare a reviewable accounting evidence package instead of collecting disconnected screenshots.

Limits and recovery. Critical trust blockers can suppress financial figures. No figure is better than treating unavailable evidence as zero. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Accountant client portfolio

Open: /en/dashboard/accounting/accountant-portfolio. **Reach it:** Accountant Portfolio. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.audit.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Only clients with active, unexpired consent mandates, with links to their ledger evidence.

How to use it.

1. Choose a client you are authorized to review and Open ledger evidence.
2. If no clients appear, check mandate scope/expiry with the granting organization.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Navigate client work without mixing organizations or assuming access to every tenant.

Limits and recovery. An empty portfolio can reflect access/expiry rather than absence of client accounting records. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Accounting accounts

Open: /en/dashboard/accounting/accounts. **Reach it:** Accounts. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.accounts.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Account code, bilingual name, SYSCOHADA class/type, normal balance, currency, mapping and manual/control-account properties; active/archived rows.

How to use it.

1. For Create account enter code/class/names/type, DEBIT or CREDIT normal balance and currency; review mapping and manual-post/control-account options.
2. Use leaf accounts for manual entries.
3. Archive only the intended account and verify the list afterward.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness

badge.

Get value from it. Keep posting destinations and financial-statement classifications understandable and reviewable.

Limits and recovery. An account code or class is not evidence that a country's statutory mapping has been professionally validated. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Close and assurance

Open: /en/dashboard/accounting/close. **Reach it:** Close Center. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.close.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Period close readiness, critical blockers/findings, evidence coverage/provenance/graph, accountant review and deterministic close-pack export.

How to use it.

1. Choose/confirm the period and Refresh or Run assessment.
2. Inspect each finding; Assign to me, add a source-linked comment or request a justified waiver where permitted.
3. Record Ready to close or Changes requested in the accountant review.
4. Export draft JSON while unresolved; use Export certified JSON only when its independent gates pass.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Keep period-end decisions tied to explicit evidence and unresolved exceptions.

Limits and recovery. Assignment, comment, waiver, review and assessment are persisted workflow actions. A waiver is separately reviewed; certified export and actual period closure are separate controls. Missing domains remain unavailable evidence. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Close and assurance — selected period

Open: `/en/dashboard/accounting/close/[periodId]`. **Reach it:** Direct/contextual link; no exact sidebar entry. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.close.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks. Open an existing authorized record through the parent list; brackets in this route represent its ID.

What it shows. Period close readiness, critical blockers/findings, evidence coverage/provenance/graph, accountant review and deterministic close-pack export.

How to use it.

1. Choose/confirm the period and Refresh or Run assessment.
2. Inspect each finding; Assign to me, add a source-linked comment or request a justified waiver where permitted.
3. Record Ready to close or Changes requested in the accountant review.
4. Export draft JSON while unresolved; use Export certified JSON only when its independent gates pass.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Keep period-end decisions tied to explicit evidence and unresolved exceptions.

Limits and recovery. Assignment, comment, waiver, review and assessment are persisted workflow actions. A waiver is separately reviewed; certified export and actual period closure are separate controls. Missing domains remain unavailable evidence. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Accounting control center

Open: /en/dashboard/accounting/control-center. **Reach it:** Control Center. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.setup.manage. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Setup blockers, account mappings, journals, posting rules, periods, business-event outbox and sensitive-control status.

How to use it.

1. Refresh readiness, read each blocker and open the relevant setup/source workflow.
2. Review permission, risk and fresh-auth requirements before Lock accounting setup.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Resolve missing accounting foundations and delivery problems before relying on automated posting.

Limits and recovery. A lock is a protected configuration change; it does not retroactively prove every transaction posted correctly. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

New journal entry

Open: /en/dashboard/accounting/journals/new. **Reach it:** New Journal Entry. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.journal.create AND accounting.journal.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. A manual journal form with postable account lookups, journal, date, currency, reference, memo and debit/credit lines.

How to use it.

1. Wait for account/journal lookups to load successfully.
2. Select an open-period date and suitable manual journal, enter balanced lines on postable leaf accounts, review reference/memo and Create draft.
3. Verify the saved draft in Journals before a separate posting action.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Capture a supported manual accounting entry with a review point before posting.

Limits and recovery. Lookup failure is a blocker to entry, not an empty valid account list. Stopping new manual journals can block creation while leaving historical entries visible. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Journal entries

Open: /en/dashboard/accounting/journals. **Reach it:** Journals. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.journal.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Draft and posted/reversed entry lists, entry summaries and protected Post and Reverse actions.

How to use it.

1. Open a draft and check its journal/date/accounts and balanced debit/credit lines.
2. Post only when ready and allowed.
3. Reverse a posted entry with the required reason and control checks; verify the reversal trail rather than deleting history.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Maintain a clear distinction between prepared entries and ledger evidence.

Limits and recovery. Posting and reversal affect the ledger. A reversed entry remains part of the audit trail; read reports using their documented posted/reversal treatment. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Accounting ledger

Open: /en/dashboard/accounting. **Reach it:** Overview. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.reports.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Accounting access/setup status, accounts, open periods, draft/posted-entry counts and recent journal activity.

How to use it.

1. Check readiness first.

2. Open Setup or Control center for blockers, Journals for drafts/posted entries, and Reports for the posted-accounting view.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Use one consistent entry point for posting discipline and ledger reporting.

Limits and recovery. Draft entries and operational reports are not posted financial statements. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Financial statements

Open: /en/dashboard/accounting/reports/financial-statements. **Reach it:** Direct/contextual link; no exact sidebar entry. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.reports.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Posted-ledger profit and loss, management EBITDA bridge, net income, balance sheet, account drill-down and classification-review items.

How to use it.

1. Choose period/view and Apply period.
2. Inspect the performance bridge and balance check; expand a statement line to its contributing accounts.
3. Review classification warnings before relying on a subtotal.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Explain performance and position with a traceable account breakdown.

Limits and recovery. Management EBITDA is explicitly a management measure, not a statutory subtotal. Its bridge adds income tax, finance costs, depreciation and amortization to net income; unresolved classifications require accounting review. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Trial balance

Open: /en/dashboard/accounting/reports/trial-balance. **Reach it:** Trial Balance. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.reports.read. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Ledger-derived account debit/credit activity, balances and a balance check, with account code/name/type/normal balance rows.

How to use it.

1. Search or filter accounts, sort the table and change page/density as needed.
2. Compare activity debit and credit; clear table filters when checking the complete report.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Find a specific account without losing sight of the full-report balance check.

Limits and recovery. Top report totals remain full-report totals when the local account table is filtered. This report is based on posted/reversed journal evidence, not sales-order totals. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Ledger setup

Open: /en/dashboard/accounting/setup. **Reach it:** Setup. **Evidence state:** source-only; runtime blocked.

Audience. Accounting administrators, accountants, reviewers and authorized owners.

Prerequisites and access. accounting.setup.manage. Accounting permissions, configured currency/country pack, valid mappings and journals, open period and postable accounts; mandates for external accountant access; required independent/fresh-identity checks.

What it shows. Country pack/base currency/fiscal-year settings, default journals, fiscal years, periods and readiness state.

How to use it.

1. Review Country pack, Base currency and fiscal start month/day, then Save settings if authorized.
2. Create fiscal year with name/start/end dates; Ensure defaults prepares default journals.
3. Review blockers before Mark ready.
4. Close period is consequential and must follow the intended close process.

Confirm the outcome. Verify the persisted state and source/audit links. For posting, inspect ledger evidence; for close, inspect current assessment/review and the eligible exported pack rather than just a green readiness badge.

Get value from it. Set accounting foundations before posting transactions so dates, journals and currency are consistent.

Limits and recovery. Mark ready is setup state, not professional certification. Creating a fiscal year generates periods; closing a period changes posting eligibility. Resolve lookup/setup/period blockers at the source. A new or changed source can invalidate earlier review/certification evidence. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.