POS findings register

Continued run, 23–24 September 2026. Severity reflects the affected workflow, not an assertion that an incident occurred. “Corrected” means implemented and covered by the evidence linked here; it does not waive the release limitations below. Source links are relative to this run directory.

Corrected findings

ID / severity	Trigger and user impact	Implementation	Verification
POS-UI-01 / High	An acquisition or resume response arrives after disconnect, lease expiry, scope change, or unmount; obsolete authority could make checkout appear ready. Same-tick lifecycle commands could overlap.	Lifecycle hook: generation and authority fencing, synchronous command admission, conservative lease lifetime, cleanup.	Four regressions failed before the change in red log; final log passes all four. Independent review in services review.
POS-UI-02 / High	An actor or organization changes while a drawer query is cached or in flight; the previous scope's financial report could remain visible. Permission revocation did not protect explicit refetch.	Scoped reads, drawer hook, authenticated drawer action envelope, and explicit denied UI. Existing alternative finance permission is preserved.	Drawer actor/tenant change, permission revocation, mismatched server scope and finance-alternative cases in 96-test frontend run.
POS-UI-03 / Medium	Ownership is lost after reviewing a changed cart, or status checking fails; obsolete review or silent failure misleads the cashier.	POS component: clear reviewed state on authority loss, surface failed checks, preserve original uncertain request.	Frontend run covers check-versus-submit, original request retention, reviewed state, re-review after ownership loss, nearby Resume, and natural-height checkout.
POS-UI-04 / Medium	Terminal Cash Drawer link leads to a helper-only directory. Drawer navigation depends on another tab's language cookie.	Terminal dashboard points to `/dashboard/finance/cash-drawer`; drawer dashboard uses localized links.	Current route inventory and focused lint; actual browser navigation is reported separately.
POS-UI-05 / Medium	Network/printer indicators imply readiness without evidence; terminal activity labels and French POS access denial contain English.	Actual online/offline state, explicit unconfigured printer, EN/FR terminal labels, localized POS access contract.	Translation parity and frontend tests; French denial defect observed in the browser. See final route/browser results in verification matrix.
POS-UI-06 / Medium	Expanding an open session with `closingBalance: null` falsely shows a final balance of zero.	Drawer dashboard checks null before formatting and uses the existing localized unavailable label; numeric balances, including zero, retain their formatting branch.	Browser observed `Non disponible` for the open session and the recorded numeric amount for a closed session. Scoped lint passed with no diagnostics; exact one-line diff confirmed in verification. A numeric-zero fixture was not separately exercised. The earlier full typecheck predates this correction.

ID / severity	Trigger and user impact	Implementation	Verification
POS-SVC-01 / High	Completion-registry hydration fails after the financial commit, returning a failure for an already recorded sale.	POS service preserves the durable committed result and separates receipt retry status.	Three fault-injection regressions; 109-test service run, detailed review.
POS-SVC-02 / High	Electronic refund or void marks payment reversed without authoritative provider reversal.	Same service rejects unsupported correction rails before monetary/stock mutation; cash refund and cash/on-account void remain supported service contracts.	Parameterized unsupported-rail regressions, safe error assertions and final service run.
POS-SVC-03 / High	Cash correction chooses an older terminal drawer or overwrites a concurrent balance update.	Same service requires the shift's unique opening drawer, matching balances, current terminal ownership, sufficient cash, and successful conditional balance update.	Unit negatives and four real PostgreSQL correction tests: correct drawer, concurrent single outflow and rollback.
SEC-POS-01 / High	Cache invalidation or its logging fails after a mutation has committed; the caller sees failure and may repeat the action.	Safe cache helper, used across POS mutation actions; logs omit exception payloads.	Action fault-injection tests, including sale/shift logger failure, in security run.
SEC-POS-02 / Medium	Drawer read action lacks authenticated result scope.	Drawer action returns the shared scoped read contract.	Trusted scope, denial/error cases plus POS-UI-02 hook regressions.
SEC-POS-03 / High	New receipt delivery audit writes contain a bearer URL.	Receipt service records a token-free receipt path. Historical values are not silently edited.	Audit-write exclusion test; historical remediation remains open.
SEC-POS-04 / Medium	Public receipt responses lack appropriate cache, referrer and indexing policy.	Receipt API, middleware, and new page enforce private/no-store/no-referrer/noindex behavior.	API success/error and middleware rate-denial/path-boundary cases.
SEC-POS-05 / Medium	Terminal creation/update commits before result hydration, which can then fail.	Terminal service reads the return row inside the write transaction.	Four mocked transaction-client regressions. These do not independently prove database isolation.
SEC-POS-06 / Medium	Generated public receipt link returns no receipt page.	Digital receipt page, safe unavailable view and browser print button; EN/FR, fiscal-state explanation and explicit field allowlist.	Page/access/escaping/privacy/print tests, receipt registry and service tests. Browser/print pagination scope is reported separately.

ID / severity	Trigger and user impact	Implementation	Verification
SEC-POS-07 / Medium	Public receipt JSON exposes raw fiscal provider/outbox error messages.	Public-only diagnostic redaction in receipt service; authenticated diagnostics preserved.	Final 15-test public receipt run.
POS-QA-01 / Medium	Payment gate rejects valid exception classification because it expects an outdated literal source marker.	Gate checks all mismatch conditions, classification, persistence and skip-before-match semantics.	One failing positive fixture before correction, then 15 positive/negative regressions and gate exit 0. QA evidence.
POS-HIS-01 / Medium	Selecting one location restricts drawer movements but leaves payment rows and totals across other locations, producing inconsistent finance reports.	Cash history service shares one location predicate between payment rows and aggregates: sale location first, purchase-order location otherwise; unlinked payments appear only in unfiltered history. Existing scoped-result/grouped-summary edits of unknown provenance are preserved.	Ten focused cases pass, including four new location regressions; scoped lint passes. The pre-fix snapshot and hash are in `evidence/cash-history-location-baseline/` ; final hash is in provenance.

Residual findings and resolved release conditions

ID / priority	Status, impact and required action	Owner / evidence
POS-R-01 / High	Historical audit records or backups may still contain active bearer receipt URLs. Inventory affected records without printing tokens, assess access, revoke affected active tokens and apply reviewed retention/redaction with provenance. No historical credentials or audit records were changed by this run.	Security/records operator; security review.
POS-R-02 / High	Production approval/provider/country/hardware/pilot evidence is missing. Contract/program gates remain blocked. Source changes cannot create authentic business approvals.	Accountable product, finance, security and deployment owners; QA evidence.
POS-R-03 / Bounded evidence completed	Two additional full-kernel PostgreSQL tests pass after the explicitly approved disposable-only schema correction. They prove one concurrent duplicate result and late rollback/retry with real stock, cash, customer/receivable, journal and event collaborators. The synthetic zero-tax cash/on-account fixture does not prove all country/provider configurations.	Engineering/finance QA; full-kernel evidence, verification matrix.
POS-R-04 / Medium	Inventory repository gate still has 20 findings in existing fixture/scripts outside current POS runtime. Resolve those findings or obtain legitimate scope disposition; no allowlist was changed to conceal them.	Inventory/release owner; gate.
POS-R-05 / High verification condition	English and French accountant drawer rendering is now observed; French location filtering, keyboard period selection and locale-preserving links pass. Authorized cashier access still depends on the existing-account handoff. All-route, broader keyboard, responsive, zoom, assistive-technology and hardware proof remains incomplete. Requested viewport overrides did not change the French drawer's measured 927×521 viewport.	UX/accessibility QA and authorized test-account owner; verification matrix.

ID / priority	Status, impact and required action	Owner / evidence
POS-R-06 / Product limitation	Current cashier checkout exposes CASH and receipt NONE. Electronic tenders, on-account, refunds/voids, offline capture/enrollment and cross-cashier transfer are not complete cashier journeys merely because services/hooks exist. Keep unavailable paths unadvertised until their complete contracts and controls are delivered.	Product and domain owners; workflow map.
POS-R-07 / Medium	Token registry issue/access/revoke default-client operations persist registry state before separate audit logging. Audit failure can fail the call after state changed; access fails closed and revocation remains effective. Coordinate atomic audit/result semantics without losing existing evidence.	Receipt/security owner; security review.
POS-R-08 / Medium	Middleware rate limiting is process-local; shared-deployment abuse resistance and request-log token redaction were not established here.	Platform/security operator.
POS-R-09 / High release condition	Production receipt signing secret is absent from the local configuration evidence. Provision through the normal secret workflow and run the explicit production gate before release. No secret was created or disclosed.	Deployment/security operator; configuration gate.
POS-R-10 / High, RESOLVED on the authorized local application target	Full sale integration originally reproduced Prisma P2022 because `ledger_posting_batches.postingCycle` was absent. After separate user authorization, the exact original migration completed on `stoquify_replay_next_20260830` at 04:42 UTC on 24 September. Column/default, validated cycle check, new unique index, removal of the old index, preservation of unrelated schema and all 86 prior history entries, and matching completed migration history are verified. The local missing-column blocker is cleared; no broad release approval is implied.	Application migration result, postflight; historical schema audit and full-kernel review retained.

No critical defect was independently reproduced beyond the high-severity findings listed. That statement is limited to this reviewed scope and evidence, not an assertion that undiscovered defects cannot exist.