POS verification matrix

Run started 23 September and continued 24 September 2026. Starting revision and dirty source baseline are in baseline. Recorded command logs establish each result; source inspection, mocked behavior, real database transactions, browser observations and production readiness are distinct evidence levels. No live financial action was used as a test.

Completed focused checks

Check	Result	Evidence / scope
POS UI, hooks and retained request tests	PASS — 17 suites, 96 tests, exit 0	Frontend log, exit. Includes recovery/Charge/layout behavior, scoped reads and lifecycle races.
Latest lifecycle fence rerun	PASS — 4 tests, exit 0	Log, exits. These repeat cases in the frontend total.
Changed frontend/hook ESLint	PASS with warning — 0 errors, 1 `react-hooks/exhaustive-deps` warning about intentionally advancing a generation ref in cleanup	Log. Independent lifecycle review found no blocking fence defect. Do not call this warning-free lint.
POS route guard and route inventory tests after localized denial change	PASS — 2 suites, 3 tests, exit 0	Log, exit. Existing guard contracts preserved.
Core service regression	PASS — 6 suites, 109 tests, exit 0	Log, service verification. Earlier 129-test run covered a different suite set and is not added.
Service/test ESLint	PASS — exit 0	Log.
Cash-payment history after location correction	PASS — 1 suite, 10 tests; scoped lint exit 0	Six existing cases plus four new cases cover two locations, no match, unlinked/unfiltered history and sale-over-purchase precedence. Final source hashes and preserved pre-fix source provide provenance.
Actions, receipts, terminals, public page/API and middleware	PASS — 23 suites, 177 tests	Log. All 13 POS action suites plus selected service/public boundary suites.
Public receipt diagnostic redaction after broader run	PASS — 15 tests, including one added case	Log. Repeats earlier cases; do not add 15 to the 177 as distinct tests.
Security/action/receipt/page ESLint	PASS — exit 0 before and after final redaction	Initial log, final log.
Payment static-gate regressions	PASS — 15 tests	Green log, exits. Negative fixtures prevent weakening the financial mismatch rule.
EN/FR keys and interpolation	PASS — POS 407/407, drawer 154/154, cash history 126/126, terminal 87/87	Parity result. Does not establish linguistic quality or full accessibility. The route-copy correction was additionally inspected in the browser.

Check	Result	Evidence / scope
Project typecheck, first resumed pass	PASS — exit 0, no diagnostics	Log, exit. Final receipt/route changes require final build type-validation or a fresh typecheck; final status below.
Project typecheck during concurrent hook correction	FAIL — exit 2, one TS2339 at `hooks/useCashPaymentHistoryWorkbench.ts:116`	Failed log, exit. The current property guard was written after this run began; provenance below.
Project typecheck for the earlier source/config freeze	PASS — exit 0, no diagnostics; seven source/config hashes unchanged	Log, start hashes, exit/end hashes, comparison. Ran 03:56:06–04:12:21 UTC; later browser-discovered edits are not covered by this historical pass.
Prisma validation	PASS — exit 0; validation itself made no schema change	Log, exit. The separately authorized application migration is recorded below.
Scoped source integrity at the earlier freeze	PASS — coordinator recheck matched all 132 captured files, zero drift at that stage	Source manifest, captured 03:59:31 UTC. This is source integrity evidence, not a successful build or coverage of later edits. The typecheck separately compares its seven source/config hashes.
Drawer null-closing-balance follow-up	PASS — scoped ESLint exit 0/no diagnostics; exact one-line display diff and browser correction observed	Verification: open null displays `Non disponible`, closed numeric balance retains its recorded amount. A numeric-zero fixture was not separately exercised; the strict null check preserves its branch. Full project typecheck was not rerun for this display-only correction.
Follow-up source integrity	PASS — comparison of the 132 captured files finds only the intended drawer component change	Follow-up manifest. Drawer component SHA-256 `19c50b829579bd57d697e825df3b223e1f01423616178be470312c1e49e85ff4`; the earlier manifest remains historical.

Real PostgreSQL evidence

Only the explicitly identified disposable localhost database `stoquify_pos_audit_20260923_d1532fb1` is used for test writes. Target, review and guarded runners establish provenance. The initial clone copied schema only, with no application rows.

Suite	Result	What it establishes / does not establish
Commit registry	PASS — 3 tests	Unique concurrent claim, cross-tenant source constraint and result lifecycle immutability. Not a complete sale. Log.
Shift close	PASS — 7 tests	Concurrent close/replay/conflict, active writer ordering and rollback on event/apply/outbox/audit failure. Adjacent collaborators simulated. Log.
Checkout lifecycle	PASS — 5 tests	Competing owners, retained requests across close, rollback, scoped denial and late edits. Limited cloned tables do not include all production constraints. Log.
Refund/void corrections	PASS — 4 tests	Opening drawer selection, concurrent single refund outflow and rollback after posting failure. Real POS/drawer/payment rows; stock/accounting/events simulated. Log.
Full financial-kernel commit	PASS — 2 tests, exit 0 after approved disposable-only migration	Real checkout preparation, tracked stock, journals, receivables/customer balances, cash/on-account and business events. One concurrent result; a proven late failure rolls all real kernels back, preserves the request, then retries successfully. Log, exit, review.

The table records **21 distinct PostgreSQL cases**: 19 bounded cases and two real-kernel integration cases. Initial failed close assertions and test-development failures remain available; the final logs replace them as outcome

evidence without erasing their history.

The full integration attempt first exposed a missing `ledger_posting_batches.postingCycle` column. A read-only 30-model audit confirmed the omission in the actual local application database as well as the clone. Automatic approval initially rejected applying the migration during verification; the user then explicitly approved only the named disposable target. A dedicated runner validated the exact SQL SHA-256 and target before applying that existing migration. Disposable migration result records exit 0. The reusable test runner remains migration-free. At that stage the application schema remained unchanged; the separate application authorization and completed result below supersede that earlier blocker. Zero-tax synthetic posting rules are test setup, not a statutory configuration recommendation.

The application migration preflight, recorded 04:04:29 UTC, used a guarded read-only transaction against metadata/catalogs only. At that time the exact `20260909093000_add_suspense_posting_cycles` migration had zero history records; `postingCycle`, its scope constraint and replacement unique index were absent, while the prior source/purpose unique index remained valid and ready. This confirmed an unapplied migration on the application target. The preflight performed no business-row reads or mutations.

Superseding authorized application migration

PASS — exit 0; POS-R-10 resolved on the local application target. After the user's explicit application authorization, the exact original migration was applied to `localhost:5432/stoquify_replay_next_20260830`, schema `public`, from 04:42:03 to 04:42:12 UTC on 24 September. Its SHA-256 is `cd5d20a342504c2f1d27c8644c3d41a8f80019d56a0a459678166df6ff8f119f`. The SQL committed at 04:42:04 UTC, and the narrowly scoped Prisma `migrate resolve --applied 20260909093000_add_suspense_posting_cycles` command exited 0.

Application result and postflight verify the column/default, validated cycle check and valid new unique index; the old unique index is absent. The unrelated idempotency index, other columns/constraints and all 86 prior migration-history entries are preserved. History now has 87 entries including the matching completed migration. This schema/history change did not run a live sale, apply every pending migration or establish readiness for other environments.

Repository and release gates

Exact invocations, exits, meanings and red/green proof are in QA summary.

Gate	Outcome
Offline replay	PASS, exit 0, 16/16 checks
Payment cash truth	PASS after source-marker correction, exit 0, 14/14 checks
Service boundary	PASS, exit 0, 0 active violations
Workflow assurance	PASS, exit 0, 38 checks / 11 indexes / 2 engines
Local public receipt configuration	PASS locally; production secret absent, production release not verified
Inventory boundary	FAIL, exit 1, 20 findings outside current POS runtime: 19 findings in historical fixture files and one in an existing lifecycle fixture script
POS contract/program governance	BLOCKED, exit 1, authentic approvals and external evidence missing; technical checks alone are not release approval

Production build and final source checks

Build: TIMED OUT, exit 1. `npm run build:app -- --skip-clean` used isolated output `.next-pos-enterprise-build-20260924` and no migration command. Next compiled successfully in 24.7 minutes, then entered lint/type validation. The 30-minute wrapper limit expired before type-validation completion and packaging. Next child and wrapper both returned 1. This is not a successful production build. Complete log.

The cash-history correction landed after this build started. Strict inspection of the compiled page found payment queries but did not establish the new location predicate. Compiled evidence therefore does not certify that artifact against the final source. The later standalone typecheck covers that cash-history correction, while the subsequent one-line drawer display correction has its own scoped lint/browser evidence. A fresh completed final-source build remains required before release.

The first final-source typecheck began at 03:36:44 UTC and reported TS2339 because the inferred action failure union did not guarantee a `code` property. Current source already guards that access with `"code" in response`; its last write was 03:43:59 UTC, during the check, and its SHA-256 is `F03A12CBCCF5CF28277C8B088645FC1033352B883E7AA7AAE6DB8763A61DB0B7`. Authorship of that concurrent correction was not established by the QA reviewer. The failed run remains evidence of the source it loaded. A new `npm run typecheck` ran 03:56:06–04:12:21 UTC after a source-stable handoff and **passed with exit 0 and no diagnostics**. The hook, history action/service, localized POS guards, tsconfig and next-env hashes were unchanged across that run. This pass predates the follow-up drawer display correction and does not convert the timed-out production build into a release artifact. The one-line follow-up was validated through scoped ESLint and observed browser behavior, without rerunning the full project typecheck.

Unintended generated-output cleanup: Windows npm's PowerShell shim did not forward `--skip-clean`. The wrapper saw existing `.next` output as stale/incomplete because `standalone/server.js` was absent and explicitly reported `.next cleaned: yes`; it removed that generated directory. Source files and the isolated development output were preserved. No attempt was made to pass off the isolated partial build as a replacement production artifact, and no further directory cleanup or automatic build retry was performed. Future controlled verification must set `BUILD_APP_SKIP_CLEAN=1` explicitly and verify output-directory behavior, rather than relying on forwarded flags. The wrapper also hard-codes `.next` for final output checks despite `NEXT_DIST_DIR`; that separate limitation remains.

Configuration restoration: after build and the failed typecheck ended, the build-owned include/reference were removed and original bytes restored only after verifying that Next's include sorting was the sole additional difference. Build cleanup proves restored pre-build hashes. The coordinator then removed only the dev include; dev cleanup records final tsconfig SHA-256 `254b180507594bf66fe34990b43ff01937db12b09f9ea30316eba451cedda328`, which is the config pinned by the final check. No directory was removed during these configuration cleanups.

Browser coverage

The discovered route set contains 13 patterns / 26 localized targets in route inventory. The new bearer receipt route is language-driven by the receipt and has EN/FR rendering tests; it is not a new pair of locale-prefixed routes.

Initial attempts encountered stopped-server, cold-compile and browser automation timeouts. After starting the isolated development server, the in-app browser exposed an accountant session without `OPERATE_POS`. Both language variants correctly denied access; the French page initially displayed English custom copy, which was

corrected and observed in a subsequent DOM snapshot. The user was shown the POS tab and offered to switch to an existing authorized account; no permission expansion or impersonation was performed.

Route pair	Current browser observation
`/en/dashboard/pos`, `/fr/dashboard/pos`	Access-denied state observed; corrected French title and guidance observed. The final in-app English POS observation still shows `Point of sale access is required`; the existing POS tab is retained for handoff. Edge acquisition and a smaller DOM-read attempt failed before a usable authorized view. Authorized cashier verification is BLOCKED awaiting the user's login with an existing permitted cashier/manager account; the account-switch question remains unanswered. No cashier pass is claimed.
`/en/dashboard/settings/terminals`, `/fr/dashboard/settings/terminals`	English Edge navigation reached login after cold compilation; authenticated page not verified.
`/en/dashboard/finance/cash-drawer`, `/fr/dashboard/finance/cash-drawer`	English and French read-only dashboard render PASS in the accountant session. The later French render supersedes the earlier loading/timeouts: scope controls, drawers, movements, session reconciliation, journal and related links are visible. French location filtering narrows 13 drawers to one; a location without sessions shows a localized empty state. Keyboard Down/Down/Enter selects “7 derniers jours”; relevant links retain `/fr`. Session expansion exposes localized labels and updates `aria-expanded`. The corrected open-session null final balance shows `Non disponible`; a closed numeric amount is preserved. No financial mutation tested.
`/en/dashboard/finance/cash-payment-history`, `/fr/dashboard/finance/cash-payment-history`	Not yet browser-verified.
`/en/dashboard/sales`, `/fr/dashboard/sales`	Not yet browser-verified.
`/en/dashboard/finance/sales`, `/fr/dashboard/finance/sales`	Not yet browser-verified.
`/en/dashboard/finance/stock-to-cash`, `/fr/dashboard/finance/stock-to-cash`	Not yet browser-verified.
`/en/dashboard/finance/reconciliation`, `/fr/dashboard/finance/reconciliation`	Not yet browser-verified.
`/en/dashboard/finance/cash-flow`, `/fr/dashboard/finance/cash-flow`	Not yet browser-verified.

Route pair	Current browser observation
`/en/dashboard/accounting/journals`, `/fr/dashboard/accounting/journals`	Not yet browser-verified.
`/en/dashboard/accounting/close`, `/fr/dashboard/accounting/close`	Not yet browser-verified.
`/en/dashboard/manager-action-center/daily-close`, `/fr/dashboard/manager-action-center/daily-close`	Not yet browser-verified.
`/en/dashboard/analytics/reports`, `/fr/dashboard/analytics/reports`	Not yet browser-verified.

The English denied state was measured at requested 1440×900, 1024×768 and 390×844 viewport settings. Actual `innerWidth` values were 1043, 742 and 282 CSS pixels respectively under the existing browser scaling; document widths were 1032, 731 and 271, with no horizontal overflow. A narrow denied-state screenshot was captured in the task. This does not prove responsive checkout, long-cart, split-tender, print, keyboard, zoom or screen-reader behavior. The viewport override was reset before handing the browser to the user.

In the subsequent French drawer checks, the measured viewport stayed **927×521** despite requested 1440/1024/390 overrides, and no horizontal overflow was measured at that one actual size. These override attempts do **not** establish mobile or tablet drawer coverage. Keyboard evidence is limited to the observed period selector and session expansion; it is not a full keyboard or assistive-technology audit. The coordinator's browser follow-up records the expanded read-only scope and display correction. Several French strings still omit accents, so functional localization does not establish editorial polish. The viewport override was reset, and the original `Tous les lieux` / `Aujourd'hui` filter values were restored and observed.

At 04:03 UTC on 24 September, the coordinator observed `http://localhost:3000/digital-receipt/pos-audit-missing` in the existing in-app browser. Accessibility-tree text showed both English “Receipt unavailable” and French “Reçu indisponible” with safe guidance; the screenshot showed a readable, naturally expanding bilingual unavailable state. No receipt data or Charge controls were shown. **Invalid-link receipt smoke: PASS for this bounded state only.** It does not establish valid-token access, printing, successful receipt rendering, or broader receipt workflow coverage. See the coordinator's browser verification.

Release decision

Hold broader rollout until the explicit failed/blocked checks and operational prerequisites in findings are resolved. “Enterprise grade,” absolute security, statutory compliance and full end-to-end readiness are not conclusions supported by these bounded checks.