Customers and statements

Evidence: source reviewed 2026-09-06. Dashboard interaction is blocked by sign-in. Instructions below describe implementation, not a completed live walkthrough.

Use the directory for identity and account segmentation, order pages for individual transactions, and statements for a dated, immutable customer-account snapshot. Delivery is a separate controlled action.

Pages in this chapter

- Create customer
- Customers
- Edit customer
- Customer orders
- Customer profile
- Customer statement

Create customer

Open: /en/dashboard/customers/new. **Reach it:** New Customer. **Evidence state:** source-only; runtime blocked.

Audience. Sales, customer-service and finance staff.

Prerequisites and access. customers.read AND customers.create. The customer must belong to the active organization. Creating/editing, exporting and delivering statements require their own permissions and, where requested, fresh identity.

What it shows. Customer name/code, email/phone, address, tax identity, payment terms, credit limit, preferred language, active state and notes.

How to use it.

1. Complete required identity fields, validate contact details and review terms/credit limit before saving.
2. Check the saved profile and active status afterward.

Confirm the outcome. Verify the saved customer or statement number/version. A delivery queue receipt proves a queued request; inspect later delivery evidence before claiming the recipient received it.

Get value from it. Accurate terms and contacts improve statements, follow-up and credit decisions.

Limits and recovery. Inactive preserves history while restricting future use. Contact fields alone do not authorize sending messages or sharing financial records. Resolve invalid contact/date inputs and refresh the current record after conflicts. Check history before repeating a potentially completed write. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Customers

Open: /en/dashboard/customers. **Reach it:** Customers. **Evidence state:** source-only; runtime blocked.

Audience. Sales, customer-service and finance staff.

Prerequisites and access. customers.read. The customer must belong to the active organization. Creating/editing, exporting and delivering statements require their own permissions and, where requested, fresh identity.

What it shows. Customer identity, activity, order/debt indicators, language and directory summaries with row actions.

How to use it.

1. Search and use active/inactive, open-order, unpaid, over-limit or order-history filters.
2. Create a customer or open View analytics, Edit, Create statement or Archive from the chosen row.
3. Export only the scope and fields you intend to share.

Confirm the outcome. Verify the saved customer or statement number/version. A delivery queue receipt proves a queued request; inspect later delivery evidence before claiming the recipient received it.

Get value from it. Turn the unpaid/over-limit segments into a focused collection queue and keep inactive customers out of new operations.

Limits and recovery. Directory balance/order indicators are operational and may differ in scope from a dated statement or the posted ledger. Resolve invalid contact/date inputs and refresh the current record after conflicts. Check history before repeating a potentially completed write. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Edit customer

Open: `/en/dashboard/customers/[id]/edit`. **Reach it:** Direct/contextual link; no exact sidebar entry. **Evidence state:** source-only; runtime blocked.

Audience. Sales, customer-service and finance staff.

Prerequisites and access. customers.read AND customers.update. The customer must belong to the active organization. Creating/editing, exporting and delivering statements require their own permissions and, where requested, fresh identity. Open an existing authorized record through the parent list; brackets in this route represent its ID.

What it shows. Customer name/code, email/phone, address, tax identity, payment terms, credit limit, preferred language, active state and notes.

How to use it.

1. Complete required identity fields, validate contact details and review terms/credit limit before saving.
2. Check the saved profile and active status afterward.

Confirm the outcome. Verify the saved customer or statement number/version. A delivery queue receipt proves a queued request; inspect later delivery evidence before claiming the recipient received it.

Get value from it. Accurate terms and contacts improve statements, follow-up and credit decisions.

Limits and recovery. Inactive preserves history while restricting future use. Contact fields alone do not authorize sending messages or sharing financial records. Resolve invalid contact/date inputs and refresh the current record after conflicts. Check history before repeating a potentially completed write. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Customer orders

Open: `/en/dashboard/customers/[id]/orders`. **Reach it:** Direct/contextual link; no exact sidebar entry. **Evidence state:** source-only; runtime blocked.

Audience. Sales, customer-service and finance staff.

Prerequisites and access. customers.read AND customers.orders.read. The customer must belong to the active organization. Creating/editing, exporting and delivering statements require their own permissions and, where requested, fresh identity. Open an existing authorized record through the parent list; brackets in this route represent its ID.

What it shows. Sales orders associated with the selected customer and customer quick actions.

How to use it.

1. Use available table presentation controls to find an order.
2. Open its available details and compare status/payment information; return to View profile or Create statement for the account view.

Confirm the outcome. Verify the saved customer or statement number/version. A delivery queue receipt proves a queued request; inspect later delivery evidence before claiming the recipient received it.

Get value from it. Separate individual order issues from the customer's total exposure.

Limits and recovery. The current /sales destination is a daily-sales report, so an Open sales link should not be described as a complete order editor. Resolve invalid contact/date inputs and refresh the current record after conflicts. Check history before repeating a potentially completed write. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Customer profile

Open: `/en/dashboard/customers/[id]`. **Reach it:** Direct/contextual link; no exact sidebar entry. **Evidence state:** source-only; runtime blocked.

Audience. Sales, customer-service and finance staff.

Prerequisites and access. customers.read AND customers.analytics.read. The customer must belong to the active organization. Creating/editing, exporting and delivering statements require their own permissions and, where requested, fresh identity. Open an existing authorized record through the parent list; brackets in this route represent its ID.

What it shows. A single customer's identity, commercial activity and order/payment-related summaries with quick actions.

How to use it.

1. Verify the customer identity, then choose View orders, Create statement, Edit or Open sales.
2. Send email and Call hand off to the configured communication application where present; Export summary produces the available profile summary.

Confirm the outcome. Verify the saved customer or statement number/version. A delivery queue receipt proves a queued request; inspect later delivery evidence before claiming the recipient received it.

Get value from it. Understand the relationship before changing terms or chasing a balance.

Limits and recovery. This is record-specific information. A profile summary is not necessarily a full date-bounded account statement. Resolve invalid contact/date inputs and refresh the current record after conflicts. Check history before repeating a potentially completed write. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.

Customer statement

Open: `/en/dashboard/customers/[id]/statement`. **Reach it:** Direct/contextual link; no exact sidebar entry. **Evidence state:** partial; runtime blocked.

Audience. Sales, customer-service and finance staff.

Prerequisites and access. customers.read AND accounting.exports.create. The customer must belong to the active organization. Creating/editing, exporting and delivering statements require their own permissions and, where requested, fresh identity. Open an existing authorized record through the parent list; brackets in this route represent its ID.

What it shows. A period-based immutable statement summary and governed delivery controls. There is no statement-entry table on this form.

How to use it.

1. Select dates, confirm the read-only organization currency, provide the current password and Generate immutable statement.
2. Inspect statement number/version, closing balance, open-item count, timestamps, hash and any truncation warning.
3. For Queue secure delivery, review channel/destination, consent, dispute/promise options and password confirmation, then inspect returned queue evidence.

Confirm the outcome. Verify the saved customer or statement number/version. A delivery queue receipt proves a queued request; inspect later delivery evidence before claiming the recipient received it.

Get value from it. Share a consistent statement snapshot and tie collection follow-up to specific supporting entries.

Limits and recovery. Both commands require accounting export authority and fresh identity. Generating the snapshot and queuing delivery are separate writes. A queued delivery is not confirmed recipient delivery. Despite descriptive revocation wording, no revoke control is wired on this dashboard form. Resolve invalid contact/date inputs and refresh the current record after conflicts. Check history before repeating a potentially completed write. Shared recovery guidance covers empty, denied, stale and failed states.

Connections. Workflows · Role routines · Control evidence · Technical notes.

Page source · Access definition.