

G1/G2 blocker resolution plan - 2026-08-20

Dependency-aware operational and engineering closure sequence

BLOCKER RESOLUTION PLAN

Prepared 2026-08-20

Evidence-bound | approval-gated | fail-closed

No production claim without authentic evidence.

Generated: 2026-08-20T14:46:52.784138Z

Classification: **BUILD-READY PLAN - NO APPROVAL OR RELEASE CLAIM**

Outcome and sequence

The safest path is: **establish real authority -> prepare complete decision evidence -> collect deliberate human approvals -> independently verify -> pass G1 -> close and certify G2 -> consider broad release gates.**

Engineering may prepare G2 while G1 is open, but it must not label G2 passed or enable production.

What to fix first - plain language

- 1 Name and independently verify the real people who legally/organizationally hold the 17 required G1 roles. The synthetic database personas are test data, not authority.
- 2 Finish the missing decision evidence, especially the hardware/support matrix or exclusion, qualified Cameroon review, measured service baseline and qualified accounting review.
- 3 Have the appointed people approve their exact decisions after fresh MFA authentication, within ten minutes, against contract hash 11434eb3e1af1826516426e90d2d53a2faa47ade361d91191b5f3e0c950a36db.
- 4 Have a separate verifier rehash and validate every approval before the live register is minimally populated; then rerun only the narrow G1 gate.
- 5 In parallel, fix G2's cart races, versioning, silent quantity clamp, unified access, cashier privilege/PII controls and receipt-secret evidence.

Dependency-aware work plan

1	Authorize the G1 roster	Governance/HR/security owner	Exact legal entity/tenant plus real people mapped by stable subject ID to all 17 canonical roles	Effective-date d, scope-specific appointment register	Independent identity/authority/SoD review	Stop if identity, authority, tenant or scope is ambiguous	Medium	Governance/data
2	Close decision prerequisites	Decision owners, QA/SRE, qualified reviewers	Current evidence packets; signed D-05 matrix or exclusion; D-07 country review; D-08 baseline; D-09 accounting review	Eleven review-ready decision packets bound to contract 0.2.0/hash	Evidence owner and independent checker rehash every artifact	Stop on missing, stale or self-certified evidence	Medium	External evidence/governance
3	Collect authentic approvals	17 appointed role holders and approval-workflow custodian	Exact decision, option, contract path/version/hash, rationale, expiry, rollback policy and evidence links	33 role approvals in 11 decision envelopes	MFA/fresh auth; approval within 600 seconds; immutable audit export	Stop on stale auth, wrong role/tenant, typed-name-only or image-only signature	Medium	Governance/evidence
4	Independently verify and populate	Independent verifier plus register custodian	Immutable approval exports and authority records	Minimal live-register update with resolvable signature hashes	Rehash, role match, SoD/COI, time window and contract binding; rerun narrow G1 gate	Stop if producer equals verifier or any byte/policy/authority drift occurs	Medium	Data/governance
5	Close G2 cart integrity	POS/database/API engineering	A05-A08 contracts approved for implementation	Unique draft/line invariants, commandId/version contract, typed stale result, no clamp	Additive migration checks plus PostgreSQL concurrency tests	Stop on destructive migration, lost update or silent change of user intent	Large	Code/schema
6	Close G2 access/privacy	Security/platform/POS/privacy	B01-B06 current surface inventory and policy decisions	Unified descriptor, module alignment, exact cashier allowlist, scope/SoD/DTO controls	Positive/negative server-side access matrix	Stop on cross-tenant/location exposure, substring permissions or self-approval	Large	Code/config/governance

7	Complete G2 operational evidence	SRE/security/quality	Managed receipt secret and A09/B09 test plan	Configured secret plus full race, abuse, retention and safe-error evidence	Receipt config release gate and clean-candidate evidence bundle	Stop if a secret is printed or evidence is not independently reproducible	Medium	Infrastructure/evidence
8	Run gates in order	Release assurance	G1 validator 11/11 and all narrow G2 prerequisites current	G1 pass, then independent G2 assessment; only later broader policy/release evaluation	Canonical no-write validators and manifest verification	Stop immediately on first predecessor, drift or evidence blocker	Small	Release operations

G1 completion acceptance conditions

- 1 The contract remains version 0.2.0 at docs/pos-enterprise-grade-audit/EXECUTION_06_G1_CONTRACT_FREEZE_V0_2_0.json with SHA-256 11434eb3e1af1826516426e90d2d53a2faa47ade361d91191b5f3e0c950a36db.
- 1 All 17 canonical roles have real, tenant-scoped, effective-dated appointments tied to stable subject IDs.
- 1 All 33 obligations have explicit decision intent, authority reference, fresh-authentication evidence, approval timestamp, signature/evidence reference and SHA-256.
- 1 Approval occurs no earlier than authentication and no later than 600 seconds afterward.
- 1 SoD/COI passes or an authentic, independently reviewed exception exists.
- 1 An independent verifier resolves and rehashes evidence and confirms contract/role/time/tenant binding.
- 1 The live register is updated only after the above facts exist; the canonical validator must report **11/11**.

G2 work that may proceed before G1 passes

M2-A01	PASS_WITH_LIMITATIONS	POS backend and database engineering	Commit/freeze the exact migration and repeat the PostgreSQL certification on a clean candidate.
M2-A02	PASS_WITH_LIMITATIONS	POS backend and database engineering	Preserve the implementation and add it to a clean, reproducible G2 evidence run.
M2-A03	PASS_WITH_LIMITATIONS	POS backend and quality engineering	Retain and include response-loss replay in the clean-candidate race suite.
M2-A04	PASS_WITH_LIMITATIONS	POS backend, SRE and operations	Document and test operator recovery for non-terminal or conflicting claims on a clean candidate.
M2-A05	OPEN_TECHNICAL	POS domain and database engineering	Measure duplicates, design additive unique invariants and certify concurrent creation without destructive migration.
M2-A06	OPEN_TECHNICAL	POS API and domain engineering	Add an additive command/version contract, persist replay results and cover duplicate/lost-response cases.
M2-A07	OPEN_TECHNICAL	POS API, frontend and workflow engineering	Define the result union, return authoritative state and implement explicit reconcile/retry UX.
M2-A08	OPEN_TECHNICAL	POS domain, frontend and product	Replace silent clamp with a typed conflict and explicit user-controlled reconciliation.
M2-A09	OPEN_TECHNICAL	Quality, POS backend and database engineering	Add isolated PostgreSQL concurrency cases after A05-A08 contracts are implemented.
M2-B01	OPEN_TECHNICAL	Security, frontend and platform architecture	Define one server-authoritative descriptor and prove every POS entry point consumes it.
M2-B02	OPEN_TECHNICAL	SaaS platform, RBAC and POS engineering	Choose the canonical product-module boundary and align navigation, route and action enforcement with tests.
M2-B03	OPEN_TECHNICAL	IAM/security and data seeding	Remove substring-derived cashier grants and certify positive and negative permission snapshots.
M2-B04	OPEN_TECHNICAL	Security, POS backend and quality engineering	Build the complete matrix and test every surface, including cross-tenant and cross-location denial.
M2-B05	OPEN_TECHNICAL	IAM, risk and POS engineering	Define materiality/action policy, add distinct-subject approval and test the full matrix.
M2-B06	OPEN_TECHNICAL	Privacy, POS backend and frontend	Define a cashier-specific DTO and verify no unnecessary PII crosses each POS boundary.
M2-B07	OPEN_EXTERNAL_EVIDENCE	Security, SRE and secret custodian	Provision the secret in managed custody, rotate/test it and rerun the release configuration gate without exposing its value.

M2-B08	PASS_CURRENT	API and security engineering	Preserve the explicit check and include it in the unified B01 access inventory.
M2-B09	OPEN_TECHNICAL	Security, privacy, quality and SRE	Create the requirement-to-test matrix, fill missing negative cases and retain current clean-candidate evidence.

Work that must wait

- 1 Do not declare G2 passed while G1 is open.
- 1 Do not enable production POS, electronic/offline capture, statutory receipt claims or broad release activity.
- 1 Do not run `policy:gates` or `verify:release` until G1 is 11/11, G2 narrow evidence is current, required external evidence exists, and report-writing side effects cannot overwrite unrelated work.

Invalidation policy

Any affected approval must be recollected if the contract/version/hash, selected option, governing policy, evidence bytes, authority appointment, tenant/scope, qualification, authentication evidence or signature envelope changes. A path or display name alone is never sufficient.