

STOQUIFY / AQSTOQFLOW

Stoquify Enterprise Procure-to-Pay Audit and Modernization Blueprint

Evidence-first enterprise procure-to-pay review

17 August 2026

Audit planning • No legal, tax, accounting, security, accessibility, or release certification

Date: 2026-08-17 Scope: purchasing, supplier controls, receiving, inventory, accounts payable, payments, reconciliation, and purchase accounting Engagement: evidence-first audit and target design; no runtime implementation Decision: **CONDITIONAL NO-GO for an “enterprise-grade end-to-end procure-to-pay” claim; GO for controlled incremental hardening of the existing purchase/AP kernel**

1. Executive decision

Stoquify has a meaningful, control-aware purchase-to-payment core. It is not a superficial dashboard. Current code includes tenant-scoped purchase orders, maker-checker PO approval, supplier acknowledgement, partial goods receipts, inventory stock events with batch/serial/expiry support, duplicate-protected supplier invoices, received-quantity matching, AP ledger evidence, supplier-bank dual control, payment approval/release, reconciliation queueing, close invalidation, audit/business events, and focused readiness gates.

It is not yet a complete enterprise procure-to-pay system. Three boundaries prevent that claim:

- 1 **Receiving can outrun both concurrency safety and accounting truth.** A PO is read before the receipt transaction; remaining quantity and new cumulative receipt quantity are derived from that earlier state. Parallel receipts can therefore pass the same validation and overwrite or overstate received quantity. PO and GRN identifiers are also derived by “last record plus one” outside a concurrency-safe allocator.
- 2 **Accepted receipt does not produce authoritative GRNI accounting.** The inventory kernel records stock and valuation evidence, then intentionally raises the ledger blocker GOODS_RECEIPT_LEDGER_REVIEW. Supplier invoice and payment posting are stronger, but without the receipt-side accrual, inventory valuation, GRNI, AP, and close cannot form a fully balanced professional chain.
- 3 **Critical operating and correction workflows are incomplete.** There is no persisted inspection/quarantine acceptance model, match-exception approval workflow, return-to-vendor/supplier-credit-note chain, service acceptance, or complete AP mutation workbench. Requisition and RFQ/award governance are also absent.

The recommended strategy is not to clone Oracle or SAP. Preserve Stoquify’s existing service, inventory, accounting, evidence, sensitive-action, outbox, and reconciliation foundations; close the P0 integrity chain first; add requisition/sourcing and richer supplier governance in P1; leave optimization, offline receiving, and carefully controlled OCR for P2.

This report does **not** certify production readiness, security, privacy, accessibility, OHADA/SYSCOHADA compliance, tax treatment, bank confirmation, accounting mappings, or payment-provider activation.

2. Scope, method, and evidence boundary

The audit reviewed current repository source, Prisma models, services, protected actions, permissions, components, graph reports, focused tests, static gates, runtime-table checks, and prior purchasing/AP reports. Official vendor documentation was used for benchmark principles. No production mutation, reset, reseed, migration, supplier payment, provider activation, or runtime code change was performed.

The worktree was already dirty and was preserved. At the audit snapshot, git status reported 92 entries: 63 modified and 29 untracked. The audit added only docs/purchase-enterprise-grade-audit.

Architecture graph evidence: graphify-out/GRAPH_REPORT.md reports 4,121 nodes, 5,321 edges, and purchase-related Community 10, linking purchase pages/actions with approvePurchaseOrder and applyInventoryReceipt. Graph output was used as navigation evidence; source code remained authoritative.

Primary source anchors:

- prisma/schema.prisma: PurchaseOrder at line 1361, GoodsReceipt at 1697, SupplierInvoice at 1890, ThreeWayMatch at 1983, SupplierPayment at 2021, SupplierLedgerEntry at 6289, JournalEntry at 6970, LedgerPostingBatch at 7068, and BusinessEvent at 7314.
- services/purchase-order/purchase-order.service.ts: transition map at 67, number allocation at 270 and 280, maker-checker approval around 739–751, and receiving at 814–973.
- services/inventory/inventory-stock-event.service.ts: concurrency-aware inventory updates around 346 and 471 and goods-receipt stock posting at 826–867.
- services/purchasing/ap-control.service.ts: AP posting at 592, invoice-line matching at 1103, invoice preparation/posting at 1544–1965, payment approval at 2467, and release at 2746.
- actions/purchasing/ap-control.actions.ts: server-derived tenant/actor and fresh authentication for invoice posting, bank approval, payment approval, and payment release.
- config/permissions.ts and lib/security/rbac-permissions.ts: purchasing/AP permission vocabulary and high/critical risk classifications.
- components/purchasing/APControlWorkbench.tsx: current AP queue/read-model surface.

3. Repository-truth map

3.1 Status summary

Capability	Status	Current truth	Principal disposition
Supplier master and lifecycle	Partial	Tenant-scoped supplier records, history/export and bank-control foundations exist; complete qualification, risk, quotation, suspension/reactivation evidence is not a single governed workflow	Preserve; add governed qualification in P1
Supplier bank changes	Implemented control kernel	Request/independent approval, fresh auth, approved destination checks, audit/event evidence	Preserve unchanged except UI/operational proof
Purchase requisition	Missing	No authoritative PurchaseRequisition model/service/workbench found	P1
RFQ, quotation comparison, award	Missing	Supplier acknowledgement exists, but no governed sourcing event/quotation/award chain	P1
Purchase order	Partial, strong core	Draft→submit→approve→receive→complete; maker-checker; supplier acknowledgement; immutable after approval	P0 hardening for numbering, policy, versions/change control
Receipt numbering	Risky	Last-created GR number + 1 outside atomic allocator	P0
Goods receipt and partial receipt	Partial	GR/lines, batch/serial/expiry, stock event, partial receipt	P0 concurrency and idempotency hardening
Inspection/quarantine	Missing	Receipt immediately makes stock available; no accepted/rejected/quarantined quantity model	P0
Inventory event/valuation kernel	Implemented foundation	Atomic stock events, optimistic update checks, weighted-average support, close invalidation	Preserve and extend
Receipt accounting / GRNI	Blocked	Stock posts; explicit GOODS_RECEIPT_LEDGER_REVIEW blocker says ledger setup remains required	P0
Supplier invoice capture	Partial, strong backend	Maker/checker, duplicate fingerprint, idempotency, country-pack/open-period checks, ledger evidence	Add secure document capture and operator UI in P0
Three-way match	Partial	Received/uninvoiced quantity and exact price checks; persisted MATCHED evidence	Add versioned policies and exception workflow in P0

Capability	Status	Current truth	Principal disposition
Match exception	Missing/dead-end	EXCEPTION is counted and messages mention creating one, but no complete creation/approval action/UI path was found	P0
Service/non-stock procurement	Missing/limited	Invoice-line flow requires received-goods evidence	P1 service acceptance
Payment approval/release	Implemented control kernel	Maker-checker, fresh auth, idempotency, destination and blocker checks, posting and outbound reconciliation	Preserve; complete role surface/evidence
Settlement/reconciliation	Implemented foundation	Outbound reconciliation is queued; provider truth can remain pending/failed/suspense/reconciled	Preserve; prove connector-specific behavior separately
Purchase returns and supplier credits	Missing	No authoritative PurchaseReturn or SupplierCreditNote model/workflow found	P0 correction slice
Landed cost	Missing	No controlled allocation model found	P1
Purchase documents	Partial	Browser PO print and receipt history exist; no reusable immutable artifact/delivery chain for GRN, inspection, invoice evidence, remittance	P0
AP operator workbench	Partial	Read-model queues exist; direct component use of invoice/payment mutation actions was not found	P0
Analytics	Partial	PO/AP/supplier reads exist; no full requisition-to-close, GRNI aging, exception SLA, or award analytics	P1/P2
Offline warehouse receipt	Missing	No governed offline receiving/replay identified	P2 only after online invariants
AI/OCR	Not applicable today	No deterministic, human-approved invoice extraction flow in scope	Optional P2 proposal only

3.2 Existing strengths that must be preserved

- Organization and actor are derived server-side in protected AP actions.
- PO creator self-approval is blocked.
- Supplier invoice preparation and posting are separated.
- Duplicate invoice defenses include tenant/supplier invoice uniqueness, idempotency, and duplicate fingerprinting.
- Received quantity cannot be invoiced beyond the uninvoiced receipt quantity.
- Exact decimal handling and open-accounting-period/country-pack checks are present in AP.
- Inventory mutation is centralized through a stock-event kernel with concurrency-aware updateMany checks.
- Supplier-bank changes, payment approval, and release are classified as sensitive, fresh-authenticated actions with maker-checker controls.
- Payment release queues reconciliation rather than declaring settlement from a request.
- Ledger posting and close invalidation/evidence foundations already exist.
- Supplier acknowledgement uses token-scoped public access rather than trusting arbitrary supplier identity.
- Static purchasing/AP and fraud-control gates have strong focused coverage.

These are repository truths, not proposals.

3.3 Confirmed gaps and hazards

ID	Severity	Finding	Evidence	Consequence	Owner
P2P-001	Critical	Receipt validation and cumulative update use a PO snapshot loaded before the transaction	purchase-order.service.ts 814–942	Parallel receipts can both pass remaining-quantity checks and produce an overreceipt or lost cumulative update	Purchasing + Database
P2P-002	High	PO and GRN numbers use last-record-plus-one	purchase-order.service.ts 270–287	Collisions/retries and ambiguous operator behavior under concurrency	Platform + Database
P2P-003	High	Stock posts without authoritative GRNI accounting	inventory-stock-event.service.ts 826–845	Inventory valuation and AP timing do not form a balanced receipt-to-invoice chain; close blocker remains	Accounting Platform
P2P-004	High	No complete match-exception lifecycle	ap-control.service.ts 1213 and EXCEPTION queue at 1275	Legitimate controlled variances become an operator dead end or invite unsafe manual workarounds	AP Controls
P2P-005	High	No inspection/quarantine acceptance model	GoodsReceipt schema/service and immediate stock posting	Damaged or unverified arrivals can become available stock	Inventory Operations
P2P-006	High	No purchase-return/supplier-credit-note correction chain	No authoritative runtime models/services found	Posted receipt/invoice errors cannot be corrected through a complete non-destructive accounting path	Purchasing + AP
P2P-007	High	AP critical actions exist but a complete mutation workbench was not found	ap-control.actions.ts vs APControlWorkbench.tsx	Controls exist in backend but are not fully operable as a professional role workflow	Product + Frontend
P2P-008	Medium	Approved PO has no governed version/change-order/reapproval record	PurchaseOrder status model	Commercial commitment changes lack immutable before/after approval evidence	Purchasing
P2P-009	Medium	Document artifacts and delivery evidence are incomplete	PO browser print; no reusable artifact/delivery model	GRN, inspection, invoice capture, and remittance cannot be proven consistently	Records + Platform
P2P-010	Medium	Requisition/RFQ/award/spend authority are absent	No authoritative models	Need-to-order governance and conflict/award evidence are missing	Product + Procurement
P2P-011	Medium	Service invoices are coupled to goods-receipt evidence	ap-control.service.ts 1179	Non-stock/service purchasing lacks acceptance semantics	AP + Procurement
P2P-012	Medium	Generated receipt serials can be confused with supplier/manufacture serials	purchase-order.service.ts 341–357	Provenance can be overstated	Inventory
P2P-013	Medium	PO approval is not classified in the shared sensitive-action policy	purchase order action vs rbac-permissions.ts	High-value/risk PO approvals lack a consistent fresh-auth/policy posture	Security + Purchasing
P2P-014	Medium	Landed-cost allocation is absent	No authoritative model/service found	Inventory acquisition cost can omit freight/duty/other approved charges	Inventory Accounting
P2P-015	Release blocker	Country-pack/account/tax mappings require qualified approval	existing AP blockers and audit mandate	No hardcoded or assumed legal/accounting treatment is acceptable	Qualified Accounting/Tax

4. Current lifecycle trace

Workflow diagram source

```

flowchart LR
    A["PO DRAFT<br/>buyer"] --> B["SUBMITTED<br/>buyer"]
    B --> C["APPROVED<br/>independent approver"]
    C --> D["Supplier acknowledgement<br/>token-scoped portal"]
    C --> E["GoodsReceipt RECEIVED<br/>warehouse"]
    E --> F["Inventory stock event<br/>available stock + valuation"]

```

```

F --> G["Ledger blocker<br/>G00DS_RECEIPT_LEDGER_REVIEW"]
E --> H["Supplier invoice prepared<br/>AP maker"]
H --> I["Exact received-quantity and price match"]
I --> J["Invoice approved/posted<br/>AP checker"]
J --> K["AP ledger/open item"]
K --> L["Payment approved<br/>independent approver"]
L --> M["Payment released<br/>independent releaser"]
M --> N["Outbound reconciliation queued"]
N --> O["Pending / failed / suspense / reconciled"]

```

4.1 Happy path and exception trace

Stage	Owner	State/evidence	Inventory effect	Accounting/payment effect	Failure path	Correction path
PO draft	Buyer	DRAFT; PO lines/totals	None	Non-posting	Validation failure	Edit while draft
Submit	Buyer	SUBMITTED	None	Non-posting	Invalid transition	Reject/cancel to controlled state
Approve	Independent approver	APPROVED; approver identity/time	None	Non-posting	Self-approval blocked	Cancel before dependent evidence; future change order required
Supplier acknowledgement	Supplier token principal; buyer reviews changes	Acknowledged/change proposal evidence	None	Non-posting	Invalid/expired token, rate/abuse controls	Reissue/revoke access; buyer-controlled review
Receive	Warehouse receiver	GoodsReceipt and lines	Immediate stock quantity/availability; valuation event	Receipt ledger blocker, not GRNI posting	Overreceipt, serial/batch validation; concurrency hazard	No complete return/inspection correction chain
Prepare invoice	AP maker	Prepared invoice, duplicate/idempotency evidence	None	No final posting	Duplicate/receipt/country-pack errors	Correct draft evidence; never edit posted invoice
Match/approve invoice	AP checker	MATCHED three-way evidence; approval claim	None	AP posting/open item; receipt-side GRNI remains incomplete	Exact price/quantity mismatch	Match exception promised but incomplete
Approve payment	Payment approver	APPROVED	None	No provider settlement	Bank change/open-item/control blocker	Resolve blocker; reject/cancel
Release payment	Payment releaser	RELEASED and posting/reconciliation evidence	None	AP/payment posting and recon queue	Same-key payload conflict, bank/recon/country blocker	Retry same command; reversal/suspense, never edit
Reconcile/close	Treasury/accounting	Provider evidence, matching, close blockers	None	Settled/reconciled or suspense	Unknown/failed/unmatched	Evidence-backed match, suspense resolution, reversal

4.2 Scenario conclusions

- **Partial receipt:** supported, including batch/serial/expiry, but not safe enough under concurrent receivers and not separated into arrival, quarantine, inspection, and acceptance.
- **Duplicate invoice:** strong backend defenses exist; retain supplier+number uniqueness, normalized fingerprint, document hash, and idempotency as layered controls.
- **Price variance:** exact mismatch is blocked. That is safer than silent tolerance, but the operator has no complete versioned exception/request/independent-approval path.
- **Supplier bank change:** strong maker-checker and fresh-auth controls exist. Payment release must continue to fail while a bank change is pending or destination evidence is unresolved.
- **Payment failure:** the design can retain pending/failed/suspense/reconciliation evidence; provider-specific settlement truth still needs connector evidence.
- **Return:** not complete. Never mutate the original receipt or posted invoice; add linked return, dispatch, claim, credit-note, inventory, GRNI/AP, and reconciliation records.

5. Benchmark comparison using official evidence

System	Official evidence	Principle	Stoquify decision
Oracle Fusion Cloud	Oracle defines two-way, three-way, and four-way match levels; four-way includes accepted inspection quantity. Oracle also supports matching invoices to receipts and receipt charges and reports modified matched receipts. Oracle match levels , invoice matching , modified receipts	Policy-selected 2/3/4-way match; accepted quantity; traceable post-match receipt corrections; receipt charges/landed cost	Adapt: add versioned match policy, GoodsInspection, immutable receipt correction, landed-cost allocation. Avoid Oracle-scale configurability in P0.
SAP S/4HANA	SAP flexible workflow supports condition-based one- or multi-step approvals and role/user/team approvers. SAP documents GR/IR clearing so either receipt or invoice may occur first and the later event clears GR/IR. Flexible PO workflow , GR/IR accounting	Condition-based approvals; receipt/invoice accrual clearing; exception-aware workflow	Adopt narrowly: amount/risk/category/location approval conditions and GRNI clearing. Defer full workflow designer.
Microsoft Dynamics 365	Microsoft describes need/requisition through sourcing, receipt, invoice, and payment, with spending limits/workflows, arrival registration, services/nonphysical products, accounting distributions, product-receipt matching, non-PO lines, and vendor performance reporting. Procurement overview , vendor invoices	Requisition/spending authority; arrival vs product receipt; service procurement; accounting distributions; match details; supplier analytics	Adapt: P1 requisition/sourcing and service acceptance; P0 arrival/acceptance split. Reject unrestricted non-PO posting by default.
Odoo 18	Odoo supports ordered-quantity vs received-quantity bill-control policies and three-way matching tied to received quantities, with RFQ/purchase workflows. Bill controls , RFQ	Understandable SMB workflow; product-level bill-control policy; practical RFQ-to-PO path	Adapt: simple policy profiles and an approachable SMB UX. Reject manual "force paid" style overrides unless Stoquify's versioned evidence and independent approval requirements are met.

Benchmark conclusion: the shared enterprise pattern is not "more screens." It is a chain of approved intent, immutable commercial commitment, controlled receipt/acceptance, policy-based invoice match, receipt-accrual clearing, independent payment release, provider reconciliation, and source-linked correction.

6. Target lifecycle

Workflow diagram source

```

flowchart LR
    R["Requisition<br/>requested → approved"] --> S["RFQ / quotes / award<br/>optional by policy"]
    S --> P["PO version<br/>approved → issued → acknowledged"]
    P --> A["Arrival<br/>registered"]
    A --> Q["Inspection policy"]
    Q --> G["Accepted GRN<br/>available stock + GRNI"]
    Q --> U["Quarantined stock<br/>unavailable"]
    Q --> X["Rejection / return dispatch"]
    G --> I["Supplier invoice capture<br/>maker"]
    U --> I
    I --> M["2/3/4-way match<br/>versioned policy"]
    M --> AP["Invoice approval/post<br/>clear GRNI + AP"]
    M --> E["Match exception<br/>reason + evidence + checker"]
    E --> AP
    E --> I
    AP --> PA["Payment approval"]
    PA --> PR["Payment release<br/>clearing state"]
    PR --> RC["Provider settlement<br/>reconciliation"]
    RC --> C["Close readiness"]
    C --> RT["Return to vendor"]
    RT --> CN["Supplier credit note"]
    CN --> AP
  
```

6.1 Target stage contract

Stage	Accountable owner	States	Required permission/control	Evidence	Failure and correction
Supplier qualification	Supplier manager	DRAFT, UNDER_REVIEW, ACTIVE, SUSPENDED, REJECTED	supplier manage; maker-checker for bank/critical identity	source documents, verification outcomes, version, actor	suspend; new review version; never overwrite verified evidence
Requisition	Requester / budget approver	DRAFT, SUBMITTED, APPROVED, REJECTED, WITHDRAWN, CLOSED	request/create; policy-routed approval; no self-approval above policy	need, purpose, dimensions, attachment hashes, policy version	return for correction or create new version
Sourcing/award	Buyer / award approver	DRAFT, ISSUED, OPEN, EVALUATING, AWARDED, CANCELLED	sourcing permissions; conflict attestation; independent award	issued RFQ, supplier response snapshot, score/decision	extend, cancel, or supersede award
PO	Buyer / PO approver	DRAFT, SUBMITTED, APPROVED, ISSUED, ACKNOWLEDGED, PART_RECEIVED, RECEIVED, CLOSED, CANCELLED	server tenant; risk/amount policy; fresh auth for high risk	immutable approved version, issue/delivery evidence	linked change order and reapproval
Arrival	Receiver	EXPECTED, ARRIVED, PARTIAL, CANCELLED	receive permission; idempotent command	delivery reference, quantities, photos/hash	correct through receipt correction before acceptance
Inspection	Inspector	PENDING, ACCEPTED, PART_ACCEPTED, QUARANTINED, REJECTED	inspection permission; receiver/inspector split when required	tests, reason, accepted/rejected quantities	reinspect or linked rejection/return
Accepted GRN	Receiver/inspector policy	FINALIZED, PARTIALLY_RETURNED, RETURNED, REVERSED	finalize receipt; number allocator; idempotency	immutable GRN/artifact/hash	linked return or reversal only
Invoice capture	AP maker	CAPTURED, PREPARED, DUPLICATE_HOLD, MATCH_EXCEPTION, READY	AP prepare; secure attachment controls	supplier document, hash, extracted vs confirmed values	replace unconfirmed draft artifact; never invent invoice
Match exception	AP exception requester/checker	OPEN, APPROVED, REJECTED, EXPIRED, RESOLVED	match review; independent approval; policy and limits	reason, policy version, variance, evidence, expiry	reject/correct invoice or obtain supplier credit
Invoice posting	AP checker	APPROVED, POSTED, REVERSED/CREDITED	fresh auth for critical posting; maker-checker	ledger batch, source links, country-pack version	credit note or reversal record
Payment	Payment maker/approver/releaser	PREPARED, APPROVED, RELEASED, FAILED, CANCELLED	separate duties; fresh auth; destination/blocker checks	allocation, approved bank snapshot, command hash	retry same command, cancel, reversal or suspense
Reconciliation	Treasury	PENDING, UNKNOWN, FAILED, SETTLED, SUSPENSE, RECONCILED	reconciliation permission; evidence match	provider reference, statement/settlement evidence	suspense case and evidence-backed resolution
Return/credit	Warehouse + AP	REQUESTED, APPROVED, DISPATCHED, CREDIT_PENDING, CREDITED, CLOSED	return approve; AP credit capture/post	return link, dispatch, credit note, ledger evidence	cancel before dispatch or linked reversal

7. Document taxonomy and “receipt issuing”

Document	Issuer / truth owner	Purpose	Posting effect	Required artifact controls
Purchase requisition	Stoquify on behalf of requester	Internal need and authorization	None; optional budget commitment only	version, approvers, purpose/dimensions, hash
RFQ	Buyer organization via Stoquify	Solicitation	None	issue version, recipients, secure delivery
Supplier quotation	Supplier	Commercial evidence captured by Stoquify	None	original file/hash, supplier identity, received time; never fabricate
Purchase order	Buyer organization	Approved commercial commitment	Normally non-posting	concurrency-safe number, approved snapshot, terms, delivery/ack

Document	Issuer / truth owner	Purpose	Posting effect	Required artifact controls
GRN / purchase receipt	Stoquify operations	Operational proof of quantities received/accepted	Triggers inventory and GRNI only at configured acceptance point	number, accepted/rejected quantities, source PO, artifact/hash
Inspection/rejection report	Stoquify inspector	Quality/acceptance evidence	Controls availability and receipt posting	inspector, tests/reasons, attachments, immutable result
Supplier invoice	Supplier	Commercial request for payment captured by Stoquify	Posts only after controls	original artifact, supplier number/hash, confirmed fields
Supplier credit note	Supplier	Correction of supplier invoice	Source-linked AP/inventory/tax correction	original evidence/hash, links to invoice/return
Remittance advice	Stoquify after controlled release	Payment notification, not bank settlement proof	None beyond underlying truthful payment event	release/provider state, redacted destination, delivery status
Accounting voucher/posting batch	Stoquify accounting kernel	Internal accounting evidence	Ledger effect	posting recipe/policy version, balanced lines, source links
Sales fiscal receipt	Outside P2P	Customer-sale fiscal document	Not part of purchase flow	Never label a GRN as this document

All finalized documents require: tenant/location-scoped atomic numbering, immutable snapshot, version and supersession link, source IDs, EN/FR rendering, HTML/PDF/print, content hash, generation timestamp and actor, redaction policy, retention classification, delivery attempts/status, and permission-checked download/share. A generated PDF is evidence presentation, not independent legal certification.

8. Accounting event matrix

No account number, VAT rule, withholding rule, tax rate, or statutory treatment is prescribed here. “Policy” means a versioned, effective-dated, qualified-review-approved country/accounting pack. Missing policy must block final posting.

Event	Posting	Inventory / valuation	Supplier subledger / GL / GRNI	Tax and payment	Close/evidence/correction
Requisition approved	No	None	Optional budget commitment only if configured separately	None	Approval/policy evidence; withdraw or supersede
PO approved/issued	Normally no	Expected quantity only	Optional commitment, never AP liability	None	Immutable version/issue evidence; change order
Physical arrival	No by default	Arrived/quarantine quantity; unavailable	No GRNI until configured acceptance/control point	None	Arrival evidence; correct before acceptance
Accepted goods receipt	Yes under perpetual policy	Increase accepted/available stock; provisional acquisition cost	Dr inventory/approved asset-or-expense policy; Cr GRNI	No invented input VAT	Invalidate affected close; linked return/reversal
Quarantined receipt	Policy-dependent; default no final valuation posting	Increase quarantined, unavailable quantity	Explicit pending blocker unless policy legally transfers control	None	Inspection due/aging blocker
Rejected receipt	No, or reverse prior acceptance	No available increase; reverse provisional receipt if needed	Reverse GRNI/inventory only if previously posted	None	Rejection/dispatch evidence
Invoice prepared	No	None	No AP posting	Recognized fields remain unconfirmed until human approval	Duplicate/match/country-pack holds
Invoice posted	Yes	Adjust valuation only via approved variance/landed-cost rule	Dr GRNI for matched receipt; approved variance/charge/input-tax lines; Cr AP	Tax/withholding only from approved pack	Posting batch/source links; credit/reversal correction
Match exception approved	No by itself	None	Authorizes a bounded later posting; never changes PO/GRN facts	No independent payment effect	Policy version, reason, evidence, checker, expiry
Payment approved	No	None	No settlement claim	Allocation and destination locked	Approval evidence; cancel/reject

Event	Posting	Inventory / valuation	Supplier subledger / GL / GRNI	Tax and payment	Close/evidence/correction
Payment released	Policy-dependent clearing entry	None	Dr AP; Cr payment clearing or bank only according to truthful stage	Remittance may be issued; settlement not assumed	Reconciliation item required
Provider settlement	Yes when authoritative evidence exists	None	Dr payment clearing; Cr bank/mobile-money control account, as approved	Provider fee/FX only from evidence/policy	Provider reference and statement evidence
Reconciliation	Usually no new posting unless resolving suspense	None	Links payment, bank/clearing, fees, or suspense	No invented confirmation	Close blocker cleared only on evidence
Return before invoice	Yes if accepted receipt was posted	Decrease accepted stock; dispatch/quarantine state	Dr GRNI; Cr inventory/asset or approved correction	No supplier credit invented	Return authorization/dispatch links
Return after invoice	Inventory correction plus claim; AP correction waits for valid credit/reversal evidence	Decrease/hold stock	Reverse inventory side; establish controlled supplier claim, not arbitrary AP edit	Tax correction only per valid credit/country pack	Credit-pending close blocker
Supplier credit note posted	Yes	Adjust inventory/expense/variance per source	Dr AP; Cr inventory/expense/GRNI/approved tax lines	Valid supplier document required	Linked to invoice/return; immutable
Landed-cost allocation	Yes after approved source charge	Increase eligible inventory acquisition cost or recognized expense	Cr AP/accrual and allocate by versioned method	Taxes per policy	Allocation evidence and recalculation rules
Cancellation/reversal	Source-dependent	Exact inverse or forward correction	Linked balanced reversal, never deletion	Preserve original tax evidence	Reopen/close invalidation and audit

8.1 Balance invariant

For each accepted receipt line, the system must maintain exact source-linked quantities and values:

Accepted quantity = invoiced matched quantity + uninvoiced accepted quantity + returned quantity + valid residual.

Receipt provisional value = GRNI cleared by posted invoices + open GRNI + receipt-side returns/reversals + approved value adjustments.

AP open item = posted supplier invoice/credit balance – allocated released payments ± source-linked reversals.

Payment clearing = released payment – authoritative settlements ± provider reversals/fees/FX adjustments.

No component may be counted twice. An invoice matched to a receipt clears GRNI; it does not book inventory again except a separately identified, policy-approved variance or landed-cost adjustment.

9. Inventory effect matrix

State/event	On hand	Available	Quarantine	Valuation	Batch/serial/expiry
PO approved	0	0	0	None	Expected metadata only
Arrival registered	+arrived operational quantity	0	+arrived	No final valuation by default	Capture supplier marks separately from internal unit IDs
Inspection accepted	No double increment if arrival bucket exists	+accepted	–accepted	Post provisional acquisition cost once	Validate uniqueness/provenance
Inspection rejected	Remove from arrival/quarantine	0	–rejected	None or reverse prior acceptance	Retain rejection evidence
Partial receipt	Accepted subset only	Accepted subset	Pending subset	Per accepted line	Line-level traceability

State/event	On hand	Available	Quarantine	Valuation	Batch/serial/expiry
Return dispatch	-return quantity	-return available	May move to return staging first	Reverse source-linked receipt cost or approved current-cost policy	Preserve source receipt and serials
Supplier invoice	0	0	0	Clear GRNI; approved variance/landed-cost adjustment only	No inventory quantity mutation
Credit note	0 unless paired return correction	0	0	Source-linked valuation/expense adjustment	Preserve linkage
Manual correction	Explicit adjustment event only	Policy-controlled	Policy-controlled	Exact reason/evidence; close invalidation	Never rewrite receipt line

10. RBAC and segregation of duties

Role	Allowed	Forbidden / separation
Requester	Draft/submit own requisitions; view own outcomes	Approve own governed request; issue PO; receive; post invoice
Buyer	Run RFQ, compare quotes, draft/issue approved PO, review supplier acknowledgement	Approve own high-risk award/PO; receive; post invoice; release payment
Requisition/award/PO approver	Approve within versioned authority and scope	Change amounts/lines during approval; approve own request/award
Receiver	Register arrival and quantities with evidence	Approve PO, inspect when policy separates roles, post invoice
Inspector	Accept/quarantine/reject	Edit received facts; post AP
AP maker	Capture/prepare supplier invoice and exception request	Final approve/post own invoice; approve bank; release payment
AP checker	Approve/post matched invoice or independently approve exception within limits	Prepare same invoice; alter PO/receipt facts
Supplier-bank requester	Request destination change with evidence	Approve own request; release payment to pending destination
Supplier-bank approver	Independently approve/reject with fresh auth	Request same change; release while unresolved
Payment maker	Prepare allocation/payment proposal	Approve/release own payment
Payment approver	Approve within authority with fresh auth	Release same payment where policy requires three-person control
Payment releaser	Release approved payment with fresh auth/idempotency	Change supplier bank or allocations
Treasury reconciler	Match provider/bank evidence, manage suspense	Invent settlement; edit released payment
Accountant/closer	Review GRNI/AP/control-account tie-outs and close blockers	Override source facts or country pack without governance
Auditor	Read immutable evidence and exports	Mutate business state

Every high-risk command must derive tenant/actor server-side, check entitlement and permission, enforce fresh authentication when classified critical, claim the state atomically, prevent same-actor conflict, validate idempotency payload hash, append audit/business events and notifications, and expose a retry/reversal path.

11. Security and fraud threat analysis

Threat	Existing defense	Gap	Required response	Severity
Cross-tenant ID injection	Protected actions derive organization and actor	Apply consistently to new workbenches/uploads/artifacts	Server-owned context and tenant predicates on every read/write	Critical

Threat	Existing defense	Gap	Required response	Severity
Parallel overreceipt	Inventory kernel has optimistic stock updates	PO remaining/cumulative receipt uses stale pre-transaction snapshot	Atomic receipt claim/version or serializable/pessimistic row lock; PostgreSQL race tests	Critical
Number collision	Tenant uniqueness exists	Last+1 allocator is racy	Atomic DocumentSequence plus unique-constraint retry	High
Duplicate invoice	Strong supplier/number/idempotency/fingerprint controls	File hash and normalized number capture need complete UI/storage	Layered duplicate keys and same-key/different-payload rejection	High
False invoice/OCR values	No AI truth path today	Future OCR could overreach	Malware-scanned original; OCR as suggestions; human confirmation and deterministic validation	High
Variance override abuse	Exact match currently blocks	No governed exception path	Versioned policy, scoped permission, reason/evidence, independent checker, expiry	High
Supplier-bank substitution	Strong bank-change maker-checker/fresh auth	Operational surface and alerts must remain provable	Lock approved destination snapshot; notify old/new contacts through safe channels; payment block	Critical
Payment double release	Idempotency and state controls exist	Must be proven with real concurrent DB tests	Atomic claim, payload hash, outbox, provider idempotency, no final settlement claim	Critical
Receipt evidence tampering	Audit/stock event foundations	No immutable document artifact/attachment lifecycle	Hash, encrypted object storage, signed URLs, malware status, retention/legal hold	High
Posted-document edit	Service states restrict some changes	Returns/credit/reversal chain incomplete	Database/service immutability plus linked corrections	High
Supplier portal abuse	Token-scoped acknowledgement	Continue rate limit, expiry, revocation, replay protections	Hashed tokens, narrow scope, rate limits, audit, safe errors	High
Sensitive-data leakage	Protected surfaces and permissions	Document/download redaction not unified	Field redaction, permission-specific documents, masked bank values, download audit	High
Dashboard-only false truth	AP workbench is read-oriented	Mutation workflow incomplete	Service-owned command/state contracts before UI claims completion	High

12. Smallest coherent additive data model

12.1 P0 integrity chain

Model/change	Core fields and state	Constraints/indexes	Compatibility and rollback
DocumentSequence	organizationId, locationId nullable, documentType, fiscalScope, nextValue, version	unique(org, location, type, scope); index(org, type); atomic update returning value	Additive table; old numbers remain valid; feature flag allocator; rollback to old reader only, never reuse assigned numbers
GoodsReceipt additive command fields	idempotencyKey, payloadHash, rowVersion, arrivalAt, finalizedAt, acceptanceStatus	unique(org, idempotencyKey); index(org, PO, status); compare-and-swap version	Nullable first; legacy receipts classified LEGACY_ACCEPTED with explicit provenance; no record rewrite
GoodsInspection / lines	receiptId, inspectorId, status PENDING/ACCEPTED/PART_ACCEPTED/QUARANTINED/REJECTED, quantities, reason/evidence	unique active inspection per receipt/version; indexes org/status/dueAt	New receipts use gate; legacy bypass remains explicit until backfill review
MatchPolicy / MatchPolicyVersion	scope dimensions, match level, quantity/price/tax/freight/FX/total rules, effective dates, reviewer evidence	unique org/policy/version; indexes org/active/effectiveAt	Default deny/exact-match migration; no silent tolerance
MatchException	invoice/match/source lines, policyVersionId, variance, reason, evidence, requester/checker, expiry, state	unique active exception per invoice/match scope; org/status/expiry indexes	Existing mismatches remain blocked; feature can be disabled without losing evidence
DocumentArtifact / DocumentDelivery	source type/id/version, kind, locale, object key, MIME, hash, generation actor/time, redaction class, state; delivery channel/status/attempt	unique org/source/kind/version/locale/hash; indexes org/kind/state and source	Lazily render legacy PO/GRN; immutable finalized rows; revoke delivery, never delete source

Model/change	Core fields and state	Constraints/indexes	Compatibility and rollback
PurchaseReturn / lines	source receipt, authorization, staging/dispatch/received-by-supplier states, quantities, reason/evidence	unique org/return number; indexes receipt/status	Additive; original receipt unchanged
SupplierCreditNote / lines	supplier document number/hash, invoice/return link, states CAPTURED/PREPARED/POSTED/CREDITED/REVERSED	unique org/supplier/normalized number; hash/idempotency indexes	Additive; never manufacture supplier evidence
GRNI posting source links	receipt/line, policy/country-pack version, posting batch, status/blocker	unique org/source/purpose/idempotency; indexes org/status/period	Existing blocker retained until qualified recipe activated

12.2 P1 business governance

- PurchaseRequisition and PurchaseRequisitionLine.
- ApprovalPolicy and ApprovalInstance, initially limited to requisition, award, PO/change order, exception, and return.
- SourcingEvent, SupplierQuotation, SupplierQuotationLine, and AwardDecision.
- PurchaseOrderVersion and PurchaseOrderChangeRequest.
- ServiceAcceptance for non-stock/service invoice matching.
- LandedCostAllocation with immutable allocation basis/version.
- SupplierQualificationReview and controlled lifecycle history if existing supplier history cannot express the invariant.

12.3 Migration sequence

- 1 Add new tables, nullable foreign keys, status enums/strings, indexes, and feature flags; run schema validation without backfill mutation.
- 2 Deploy read compatibility and sequence allocator behind a disabled flag.
- 3 Backfill only deterministic document metadata and legacy classifications; record counts/hashes before and after.
- 4 Enable concurrency-safe numbering for one document type; prove race tests and unique retry.
- 5 Enable idempotent receipt finalization and inspection for pilot tenants; legacy receipts remain readable.
- 6 Activate qualified GRNI recipe only after country/accounting pack approval and opening tie-out.
- 7 Enable match policy/exception and AP workbench in observe, then enforce.
- 8 Enable returns/credit-note corrections.
- 9 Add P1 requisition/sourcing/change-order/service acceptance.

Rollback is by feature flag, version routing, and forward migration. Do not drop old columns/tables or renumber/rewrite posted documents. A failed new posting is left blocked with evidence; it is not silently re-run under a different policy.

13. UI and route/workbench plan

Workbench	Primary jobs	Required robust states	Mutation contract
Requester requisitions	Draft, submit, track, withdraw	loading, empty, denied, rejected with reason, stale version, success	server recalculates totals/dimensions and routes approval
Buyer sourcing	Issue RFQ, compare normalized quotes, record award	supplier nonresponse, expired quote, conflict declaration, partial	signed supplier response evidence; award command with policy
PO approval inbox	Review commercial snapshot and risk/authority	denied, fresh-auth required, stale/change pending, conflict	atomic approval claim; no client totals/actor
Receiving/inspection	Scan/select PO, register arrival, accept/quarantine/reject	offline, duplicate scan, overreceipt, serial conflict, partial, retry	idempotent command, row/version claim, inventory/GRNI transaction
Supplier acknowledgement	Acknowledge or propose change	invalid/expired/revoked token, rate-limited, conflict	narrow token scope; buyer controls accepted change
AP invoice/match	Upload, prepare, compare PO/receipt/inspection, request exception	malware pending, duplicate, missing receipt, variance, country blocker	secure artifact service; maker/checker and policy-bound exception
Payment approval/release	Review allocation, bank snapshot, blockers, approve/release	fresh-auth, bank change, open exception, recon/country blocker, retry	critical sensitive action; idempotency and audit
Supplier history/reconciliation	Timeline of PO/GRN/invoice/credit/payment/recon	partial data, redacted, unresolved suspense, close blocker	read model from service-owned sources, no client reconstruction

All workbenches need responsive desktop/tablet/mobile behavior, keyboard reachability, focus restoration, semantic labels, EN/FR strings, non-color-only status, safe errors with a correlation ID, and a persistent source-document context. WCAG conformance requires dedicated automated and manual evidence and is not certified here.

14. Delivery plan

P0 — Integrity and accounting chain

Each slice can release independently behind tenant/module flags.

Order	Slice	Dependencies	Focused acceptance/exit gate
0	Preserve baseline and fix inventory gate fixture classification/kernel use	None	inventory boundary fail gate = 0 active violations
1	Atomic document sequence	Schema additive migration	20+ real PostgreSQL parallel requests create unique PO/GRN values; no reused number; retry test
2	Idempotent/concurrent receiving	Sequence, current inventory kernel	same-key replay returns same receipt; different payload conflicts; parallel receipts cannot exceed PO; stock and PO quantities tie
3	Arrival/inspection/quarantine	Receipt hardening	unavailable until accepted; partial accept/reject balances; role split; immutable inspection evidence
4	Qualified GRNI posting	Inspection, country/accounting policy approval	accepted receipt creates balanced receipt posting once; invoice clears exact GRNI; open GRNI aging/tie-out; close blocker behavior
5	Versioned match policy/exception	AP kernel, approval contract	exact default; independent bounded exception; expiry/rejection; source facts unchanged
6	Secure document artifacts	Object storage/security design	MIME/size/malware gates; encryption/signed URL; hash/retention/redaction; PO/GRN/inspection/invoice/remittance HTML/PDF
7	AP mutation workbenches	Match/artifact services	role journey E2E; denied/stale/blocked/retry states; no client business truth

Order	Slice	Dependencies	Focused acceptance/exit gate
8	Return and supplier-credit correction	GRNI, documents, AP	return-before/after-invoice accounting tests; original documents immutable; close tie-out
9	Sensitive PO approval policy	Approval policy minimum	risk/amount rule, self-approval prevention, fresh-auth for configured high-risk cases, audit/notification

P0 exit: no receipt concurrency violation; authoritative receipt-to-GRNI-to-invoice-to-AP-to-payment-to-reconciliation chain balances; every failed stage has an explicit blocker and correction; inventory/service/purchasing/AP/fraud gates and focused PostgreSQL race tests pass.

P1 — Full procurement governance

- Requisition and spending authority.
- RFQ, quotation capture/comparison, conflict declaration, award, and blanket agreement minimum.
- PO version/change-order/reapproval.
- Service acceptance and controlled non-stock invoices.
- Landed-cost allocation.
- Supplier qualification, suspension/reactivation, performance and spend/GRNI analytics.
- Complete EN/FR role workbenches and evidence exports.

P1 exit: request-to-award-to-PO evidence is complete; service and goods flows both match correctly; supplier/award analytics have defined grains and owners; no dashboard value lacks a service-owned source.

P2 — Scale and optimization

- Governed offline receiving with signed/idempotent replay, conflict resolution, and no offline approval/payment release.
- Forecasting, blanket-release optimization, supplier scorecards, and advanced close analytics.
- Optional OCR/anomaly recommendations: original document retained, extraction confidence visible, deterministic validations, human confirmation, no autonomous posting/payment.
- Connector-specific provider settlement automation after separate certification evidence.

P2 exit: offline replay race/duplicate/conflict tests pass; AI evaluations and human-approval guardrails are documented; provider integration has sandbox and operational evidence. None is a prerequisite for the P0 control chain.

15. Verification and release gates

Executed on 2026-08-17 without runtime mutation:

Verification	Result	Evidence
Purchasing/AP consolidation gate, fail mode	PASS — 11/11 checks, 0 blockers	evidence/purchasing-ap-consolidation-readiness.md/json
AP fraud-control gate, fail mode	PASS — 9/9 checks	evidence/ap-fraud-control-readiness.md/json
Inventory boundary gate, fail mode	FAIL — 1 active violation	evidence/inventory-boundary-readiness.md/json
Service boundary gate, fail mode	PASS — 0 active violations	evidence/service-boundary-readiness.md/json
Workflow assurance runtime table check	PASS — 7/7 tables, 3/3 migration rows	evidence/workflow-assurance-runtime-readiness.md/json
Prisma schema validation	PASS	Prisma reported schema valid
TypeScript typecheck	PASS	tsc --noEmit exited 0
Audit-focused Jest suite	PASS — 6 suites, 50 tests	purchase order, AP service/actions, inventory kernel, AP gates
Attached-prompt exact Jest path set	PASS — 6 suites, 45 tests	purchase order, receipt/batch, PO action, AP service/actions/history

The exact commands and outcomes are recorded in `STOQUIFY_ENTERPRISE_PROCURE_TO_PAY_VERIFICATION_2026-08-17.md`. The inventory gate violation is `scripts/supplier-po-ack-e2e-fixture.js:195`, where `inventoryLevel.create` bypasses the inventory event boundary. It may be a fixture rather than production behavior, but the fail gate classifies it as runtime-like; it must either use the kernel or be explicitly and safely classified seed-only. This audit does not modify it.

Required pre-release additions:

- real PostgreSQL race tests for document sequence, same-PO partial receipts, invoice idempotency, approval claims, and payment release;
- accounting invariant tests for GRNI receipt/invoice clearing, returns, credits, landed cost, AP control tie-out, and close invalidation;
- security tests for tenant swapping, IDOR, stale/fresh auth, maker-checker collision, token replay, upload malware/MIME, signed URL expiry, and redaction;
- browser tests for the role workbenches and blocked/conflict/retry states;
- automated accessibility plus manual keyboard/screen-reader review in EN/FR;
- migration rehearsal on a sanitized production-shaped copy with counts, hashes, explain plans, rollback/forward-fix drill, and no destructive reset.

16. Unresolved-risk register

Blocker code	Risk	Required evidence to clear	Owner	Phase
P2P_RECEIPT_CONCURRENCY	Parallel overreceipt/lost cumulative quantity	PostgreSQL race tests and atomic claim proof	Database/Purchasing	P0
P2P_DOCUMENT_SEQUENCE	PO/GRN number collision	Atomic allocator, unique retry, concurrency test	Platform	P0
P2P_GRNI_POLICY_MISSING	Receipt stock lacks authoritative ledger posting	Qualified policy/account mapping, balanced tests, pilot tie-out	Accounting Platform + qualified accountant	P0
P2P_INSPECTION_MISSING	Arrival immediately becomes available	Inspection/quarantine state and inventory tests	Inventory Ops	P0
P2P_MATCH_EXCEPTION_MISSING	Legitimate variance has no controlled path	Versioned policy, approval, expiry, evidence, UI/test	AP Controls	P0
P2P_RETURN_CREDIT_MISSING	No complete non-destructive correction	Return/credit models, postings, reconciliation/close tests	Purchasing/AP	P0
P2P_DOCUMENT_EVIDENCE	Documents lack unified immutable artifacts	Secure artifact/delivery service and retention approval	Platform/Security/Records	P0

Blocker code	Risk	Required evidence to clear	Owner	Phase
P2P_OPERATOR_SURFACE	AP controls not fully operable through role UI	Browser evidence for end-to-end protected actions	Product/Frontend	P0
P2P_COUNTRY_PACK_REVIEW	Tax/account mappings not certified	Effective-dated qualified sign-off and release evidence	Country-pack owner	P0 release
P2P_PROVIDER_EVIDENCE	Settlement connector truth not proven here	Sandbox statements, idempotency, webhook/outbox/recon evidence	Payments/SRE	Separate release
P2P_ACCESSIBILITY_EVIDENCE	No conformance audit in this run	Automated + manual EN/FR test evidence	Accessibility/QA	Each UI slice
INVENTORY_BOUNDARY_VIOLATION	Fixture directly creates inventory level	Kernel migration or reviewed seed-only classification	Inventory Engineering	Immediate

17. Reviewer-lens dispositions

Lens	Disposition
Enterprise/platform architecture	Partial: strong kernels, but receipt, document, match exception, and correction boundaries are incomplete.
Backend/domain/API/distributed systems	High-priority concern: receipt and numbering concurrency; service boundary gate otherwise passes.
Database/migration/recovery	Additive proposal supplied; no destructive migration. Real PostgreSQL concurrency and rehearsal remain required.
Security/IAM/privacy/fraud	Strong AP/bank/payment controls; new document, PO, receipt, and exception surfaces need the same sensitive-action discipline.
Frontend/design/accessibility/localization	Read models exist; full role mutation workbenches and EN/FR accessibility evidence are incomplete.
Product/business process	PO-to-payment core exists; need-to-order and correction loops are incomplete.
Purchasing/supplier/AP	AP kernel is a major strength; match exception, requisition, sourcing, and return workflows are missing.
Inventory/warehouse	Stock event foundation is strong; arrival/acceptance split, receipt race safety, return, and offline flow are missing.
Finance/accounting/treasury/close	Invoice/payment evidence is strong; GRNI receipt posting and full correction tie-out are blocked.
OHADA/SYSCOHADA/tax/country pack	Blocked pending qualified review; no account/tax treatment is certified or invented.
Audit/records/data quality	Audit/business events exist; immutable document artifact, secure attachment, delivery, and retention model is needed.
Payments/providers/reconciliation	Controlled approval/release and recon queue exist; no provider activation or settlement certification is claimed.
QA/release/accessibility	50 focused tests and most gates pass; inventory gate fails and race/browser/a11y evidence is outstanding.
SRE/DevSecOps/observability	Outbox/blocker patterns are useful; new workflows need metrics, alerts, retry/DLQ/runbooks and correlation IDs.
API/webhook/import/export	Reuse protected actions and outbox; secure document upload/provider webhooks need explicit contracts.
Analytics/data governance	Partial: add GRNI aging, exception SLA, supplier/award/spend metrics with documented grains.
SaaS packaging/operations	Use existing purchasing/AP entitlements; gate P0 features separately and provide role training/runbooks.
AI/agent safety	Not applicable to current truth; optional OCR only in P2 with human confirmation and evaluation evidence.

18. Implementation-ready optional next prompts

Prompt A — P0 atomic numbering and receiving

Implement only the DocumentSequence and idempotent/concurrency-safe purchase receipt slice. Preserve the current inventory stock-event kernel. Add an additive migration, same-key/different-payload protection, atomic PO-line claims, unique retries, and real PostgreSQL parallel tests. Do not add inspection, GRNI, or UI changes in this slice.

Exit: 20+ parallel numbering calls are unique; parallel receipts never exceed ordered quantity; stock, receipt lines, and PO cumulative quantities tie; inventory boundary gate passes.

Prompt B — P0 inspection and GRNI

Implement arrival, inspection/quarantine, accepted GRN, and receipt-side GRNI posting using versioned country/accounting policy resolution. Default to a visible blocker when mappings are not qualified. Do not hardcode account numbers or tax rules. Preserve original receipts and use linked corrections.

Exit: accepted/quarantined/rejected quantities balance; only accepted stock is available; receipt posting is balanced/idempotent; invoice clears GRNI once; close blockers and reversals are tested.

Prompt C — P0 match exception and AP workbench

Implement versioned MatchPolicy/MatchException with independent approval, evidence, expiry, and limits, then expose existing AP prepare/post/payment actions in role workbenches. Server derives tenant, actor, totals, document numbers, policy, and ledger state. Add robust denied/stale/blocked/retry UI states.

Exit: exact matching remains default; exceptions cannot self-approve or exceed policy; source PO/GRN facts remain immutable; browser and security tests pass.

Prompt D — P0 returns, credits, and documents

Implement secure DocumentArtifact/DocumentDelivery plus PurchaseReturn and supplier-issued SupplierCreditNote capture. Generate controlled PO, GRN, inspection, remittance, and accounting artifacts; never create a supplier invoice/credit note or label a GRN as a sales fiscal receipt.

Exit: original posted documents cannot be edited; return-before/after-invoice and credit-note postings tie inventory, GRNI, AP, payment/reconciliation, and close without double counting.

19. Final readiness statement

Stoquify is **ready to begin P0 hardening on top of a credible existing control kernel**. It is **not ready to be represented as a complete enterprise procure-to-pay, receipt-accounting, or certified OHADA purchasing system** until the critical receipt race, GRNI, inspection, match-exception, return/credit, document-evidence, operator-surface, country-pack, and inventory-boundary blockers are closed with the specified evidence.