

Stoquify Agent Runtime Phase 2A Operational Release Evidence Gate Execution Report

Execution date: 2026-07-25
Phase: 2A controlled internal pilot assurance
Phase status: PARTIAL - REPOSITORY CONTROL COMPLETE, EXTERNAL EVIDENCE BLOCKED
Internal activation: Not authorized and not attempted
Phase 3: Not authorized

Executive Result

Stoquify now has one machine-readable, fail-closed operational release register that binds the remaining Phase 2A release evidence into a single review package.

The repository implementation is complete and verified. The register remains correctly **BLOCKED** because real deployment, governance, alerting, ownership, CI, and credential-rotation evidence has not been supplied. Its fail mode exits nonzero with 146 precise evidence blockers, reports no secret values, and always returns `activationAuthorized: false`.

Current-state update: alert evidence is now collected through a separate authenticated, sanitized, hash-bound collector. The register requires both scheduler and alert capture hashes before independent review.

This work does not activate the Command Agent, create approvals, invent owners, deploy infrastructure, or advance Phase 3.

Tickets Attempted and Completed

Ticket	Result
Create value-free operational release register	Complete
Bind release, CI, approvals, owners, scheduler, alerting, and credential evidence	Complete
Cross-check the independent credential-rotation gate and exact register hash	Complete
Reject synthetic identities and raw values masquerading as references	Complete
Enforce a permanently separate activation ceremony	Complete
Add fail-closed package commands and release-verification ordering	Complete
Extend the Phase 2A static ratchet	Complete
Supply real production-like evidence	Blocked on external actors and infrastructure

Architecture and Repository Evidence Inspected

- `docs/agents-runtime/STOQUIFY_AGENT_RUNTIME_PHASED_EXECUTION_REFINED_PROMPT_2026-07-22.md`

- `docs/agents-runtime/STOQUIFY_INTERNAL_ACTIVATION_GATE_BLOCKER_CLOSURE_AND_NEXT_STAGE_EXECUTION_REPORT_FINAL_2026-07-24.md`
- `docs/agents-runtime/STOQUIFY_AGENT_RECONCILER_DEPLOYMENT_CONTRACT_2026-07-24.md`
- `docs/agents-runtime/STOQUIFY_AGENT_RUNTIME_CREDENTIAL_ROTATION_REGISTER_2026-07-25.json`
- `scripts/agent-credential-rotation-gate.js`
- `scripts/agent-phase2a-command-gate.js`
- `services/agents/agent-reconciler-invocation.service.ts`
- `app/api/internal/agents/reconcile-abandoned/route.ts`
- `graphify-out/GRAPH_REPORT.md` and the available ordered code graph

The available graph predates the latest agent-runtime slice, so current source files and executable gates were treated as authoritative.

Files Created or Modified

Created:

- `scripts/agent-operational-release-gate.js`
- `scripts/__tests__/agent-operational-release-gate.test.js`
- `docs/agents-runtime/STOQUIFY_AGENT_RUNTIME_OPERATIONAL_RELEASE_EVIDENCE_2026-07-25.json`
- `docs/agents-runtime/STOQUIFY_AGENT_RUNTIME_OPERATIONAL_RELEASE_EVIDENCE_2026-07-25.md`
- this execution report

Modified:

- `package.json`
- `scripts/agent-phase2a-command-gate.js`
- `scripts/agent-credential-rotation-gate.js`
- `scripts/__tests__/agent-credential-rotation-gate.test.js`

No Prisma schema or migration change was required.

Implemented Control

The new evaluator processes evidence in this order:

1. Validate register shape and reject forbidden value-bearing keys.
2. Require an inactive `PILOT_CERTIFIED` package bound to commit, artifact, manifest, evidence-bundle, and browser-report hashes.
3. Bind clean CI evidence to the same commit, artifact, and browser report.
4. Require distinct, current, real product and security approvals.
5. Require all six real owner responsibilities with primary/backup identities, runbook acceptance, current coverage, and escalation references.
6. Require managed five-minute reconciliation, bounded timeout, concurrency proof, three consecutive completed windows, fresh readiness, heartbeat, and negative-auth/configuration evidence.
7. Require healthy HTTPS alert transport, acknowledgement within SLO, retry, dead-letter, protected recovery, backup escalation, and secret-rotation evidence.

8. Evaluate the credential-rotation register independently and bind its exact SHA-256 and security approval.
9. Require activation fields to remain `requested: false`, `authorized: false`, and `activatedAt: null`.
10. Permit only `READY_FOR_INDEPENDENT_REVIEW`; the gate can never return activation authority.

Evidence fields use value-free URI-style references. Query strings, signed URLs, raw request/response bodies, environment snapshots, authorization headers, database URLs, and credential values are not accepted evidence.

Package Commands

```
npm run agent:operational-release:report
npm run agent:operational-release:gate
```

`verify:release` now runs the credential-rotation gate before the operational release gate. The latter cannot pass by omitting or replacing credential-rotation evidence.

Permissions, Entitlements, Evidence, and Redaction

This slice adds no user-facing tool and exposes no new model capability. Existing tenant, RBAC, module-entitlement, evidence, and redaction boundaries remain unchanged.

The register contains operational metadata and external references only. It stores no business evidence payload, personal contact data, credential value, database target, or authorization header. Directory references identify accountable records; they are not authentication credentials.

Verification

Command	Result
<code>node --check scripts/agent-operational-release-gate.js</code>	Passed
<code>node --check scripts/agent-credential-rotation-gate.js</code>	Passed
Credential authority, credential gate, and operational gate Jest	3 suites, 38 tests passed
All focused operational-evidence Jest	7 suites, 73 tests passed; open-handle detection clean
<code>npm run agent:credential-rotation:report</code>	Correctly blocked: 15 classes, 31 blockers, no secret values
<code>npm run agent:operational-release:report</code>	Correctly blocked: 146 blockers, no activation authority, no secret values
<code>npm run agent:operational-release:gate</code>	Expected nonzero fail-closed result
<code>npm run agent:phase2a:gate</code>	Passed
<code>npm run agent:runtime:gates</code>	Passed
<code>npm run service:boundary:fail</code>	Passed: 0 active violations
<code>npm run error:boundary:fail</code>	Passed: 0 active unsafe findings
<code>npm run typecheck</code>	Passed

Command	Result
<code>npm run prisma:validate</code>	Passed
<code>npm run ci:release:gate</code>	Passed: 11/11
<code>npm run prisma:migration:safety:gate</code>	Passed: 8/8, 34 migrations, 0 risks
<code>npm test -- --runInBand</code>	473 suites and 2,852 tests passed; 3 suites and 15 tests skipped; intermittent forced-worker-exit warning observed after completion

The latest complete Jest run passed all tests but emitted an intermittent forced-worker-exit warning after completion. A focused `--detectOpenHandles` run across all seven evidence suites passed 73 tests cleanly and identified no open handle in the new evidence collectors.

Deviations and Justification

- No deployment-provider manifest was invented because Stoquify has no selected provider configuration in the repository. The evidence contract remains provider-neutral.
- No real identity, approval, owner, schedule, alert acknowledgement, or credential event was fabricated.
- No package was placed in `ACTIVE_INTERNAL`.
- No commit, push, deployment, or external configuration was performed without separate authorization and provider access.

Rollback

Repository rollback is limited to removing the two package commands, the operational register/gate/test, and the Phase 2A static ratchet additions. No database rollback is needed.

Operational rollback is separate: a future independent `GO` must still be followed by a protected activation ceremony with a named rollback owner. This evidence gate cannot perform that ceremony.

Remaining Risks and Blockers

- Clean authorized commit, controlled branch, immutable CI run, and artifact identity
- Real product and independent security approvals
- Six accepted real owner assignments
- Managed five-minute scheduler and three real consecutive windows
- Production-like alert delivery, acknowledgement, retry, dead-letter, recovery, and escalation
- Real credential rotation, workload restart, old-version revocation, and old-version rejection
- Production-only secret/database configuration and the outstanding statutory source/expert evidence in the global release chain

Readiness and Next Step

The repository is ready for operations and governance teams to populate the value-free register. It is not ready for independent `GO` review, internal activation, or Phase 3.

The next execution step is to deploy the exact certified artifact into the selected controlled environment, gather the real evidence references, complete credential rotation, record current owners and approvals, rerun both fail-closed gates, and then rerun `017-aqstoqflow-enterprise-release-gate`.