

Stoquify Agent Runtime Phase 2A CI and Release Evidence Capture Execution Report

Date: 2026-07-25

Decision: Repository implementation complete; external capture blocked pending an immutable CI/release attestation endpoint

Internal activation: Not attempted and not authorized

Phase 3: Not authorized

Executive Result

Stoquify now has a provider-neutral, fail-closed CI and release evidence collector for the Phase 2A controlled-pilot boundary.

The collector binds a clean CI run to the exact inactive `PILOT_CERTIFIED` package, commit, artifact, deployment, package certification, manifest, evidence bundle, browser report, tenant allowlist, and role allowlist.

It rejects failed, dirty, stale, activated, uncertified, or hash-drifting evidence. A successful capture updates only `release` and `ci`.

Implemented Artifacts

- `scripts/agent-ci-release-evidence-capture.js`
- `scripts/__tests__/agent-ci-release-evidence-capture.test.js`
- `docs/agents-runtime/STOQUIFY_AGENT_CI_RELEASE_EVIDENCE_CAPTURE_RUNBOOK_2026-07-25.md`
- `docs/agents-runtime/STOQUIFY_AGENT_RUNTIME_OPERATIONAL_RELEASE_EVIDENCE_2026-07-25.json`
- `scripts/agent-operational-release-gate.js`
- `scripts/__tests__/agent-operational-release-gate.test.js`
- `scripts/agent-phase2a-command-gate.js`
- `.env.example`
- `package.json`

Security and Integrity Controls

Endpoint and authentication

- Query-free HTTPS is required outside local development.
- Embedded credentials, query strings, and fragments are rejected.
- A managed bearer value of at least 32 characters is required.
- An ephemeral invalid value must receive `401`.
- Responses are capped at 150 KB.
- Raw responses, authorization headers, and bearer values are discarded.

Immutable release binding

The capture binds:

- package ID and release version;
- `PILOT_CERTIFIED` state;
- commit SHA;
- artifact digest and reference;
- deployment reference;
- package-certification reference and hash;
- manifest and evidence-bundle hashes;
- sanitized browser-report hash;
- tenant and role allowlist references;
- shared CI/release capture SHA-256.

CI controls

- CI status must be `PASSED`.
- Source tree must be clean.
- CI completion must be in the past and no older than 24 hours.
- Attestation must be in the past, no older than 24 hours, and generated after CI completion.
- Release and CI commit, artifact, artifact-reference, and browser-report values must match.

Drift and activation controls

The updater refuses to overwrite any nonempty release identity with a different value.

It requires:

- current register state `PILOT_CERTIFIED`;
- current and captured `activatedAt` to remain null;
- activation requested and authorized to remain false.

Mutation boundary

The updater can replace only:

- `release`;
- `ci`.

It preserves governance, approvals, owners, scheduler, alerting, credential rotation, declared status, and activation.

Commands Added

```
npm run agent:ci-release:evidence:report
npm run agent:ci-release:evidence:gate
npm run agent:ci-release:evidence:apply
```

Operational Gate Hardening

The operational gate now additionally requires:

- immutable package-certification reference and hash;

- one CI/release capture hash on both sections;
- CI source-system reference;
- attestation reference and digest;
- invalid-auth evidence reference;
- CI and attestation timestamps no older than 24 hours;
- attestation ordering after CI completion;
- artifact-reference equality between CI and release.

The current register remains correctly `BLOCKED` with 146 external evidence requirements and always reports:

```
activationAuthorized: false
```

Focused Verification

Verification	Result
CI/release collector tests	9 passed
Operational gate tests	21 passed
Governance collector tests	9 passed
Alert collector tests	9 passed
Reconciler collector tests	8 passed
Combined evidence suites	7 suites, 73 tests passed
Complete Jest	473 suites and 2,852 tests passed; 3 suites and 15 tests skipped; intermittent forced-worker-exit warning observed after completion
Focused evidence suites with <code>--detectOpenHandles</code>	7 suites and 73 tests passed cleanly; no open handle identified
Phase 2A static ratchet	Passed
Operational release report	<code>BLOCKED</code> , 146 blockers, activation false
Real CI/release collector preflight	Failed closed on <code>CI_RELEASE_EVIDENCE_URL_MISSING</code>
Secret values printed	No

The full regression warning appeared only after all suites had passed. The focused open-handle run found no leak in the seven evidence suites; the repository-level warning remains a separate diagnostic follow-up and is not represented as resolved.

External Attestation Contract

The complete configuration, response schema, source requirements, capture procedure, apply order, and failure modes are defined in:

```
docs/agents-runtime/STOQUIFY_AGENT_CI_RELEASE_EVIDENCE_CAPTURE_RUNBOOK_2026-07-25.md
```

The endpoint must be backed by a protected CI/release or provenance system. A local dirty worktree or mutable artifact is not acceptable evidence.

Remaining External Work

This implementation closes the repository ingestion and validation gap. It does not create an immutable CI run or deployment.

Completion still requires:

- authorization to freeze and commit the reviewed worktree;
- a protected branch and immutable CI run;
- a published artifact and digest;
- deployed-artifact identity;
- certified-package proof;
- sanitized browser-report hash from the same artifact;
- immutable tenant and role allowlist references;
- an authenticated CI/release attestation endpoint.

After those prerequisites exist, run:

```
npm run agent:ci-release:evidence:apply
npm run agent:governance:evidence:apply
npm run agent:reconciler:evidence:apply
npm run agent:alert:evidence:apply
npm run agent:credential-rotation:evidence:apply
npm run agent:credential-rotation:gate
npm run agent:operational-release:gate
```

The release can advance only to independent review. Activation remains a separate protected ceremony, and Phase 3 remains unauthorized.