

Stoquify Agent Runtime Skill 017 Enterprise Release Gate Rerun

Date: 2026-07-25
Selected skill: 017-aqstoqflow-enterprise-release-gate
Active chunk: Agent Runtime Phase 2A, deterministic read-only Command Agent
Promotion target: Controlled internal pilot review
Decision: REJECTED / NO-GO – HIGH-AUTHORITY RELEASE EVIDENCE IS INCOMPLETE
Activation: Not authorized and not attempted
Phase 3: Not authorized

Executive Decision

The enterprise release gate was rerun after the requested operational sequence:

```
npm run agent:reconciler:evidence:apply
npm run agent:credential-rotation:gate
npm run agent:operational-release:gate
```

All three commands failed closed for real missing evidence. The reconciler apply stopped before writing because no deployment base URL exists. The credential register remains blocked across all 15 credential classes. The operational register remains blocked and explicitly reports `activationAuthorized: false`.

This rerun also closed one repository-owned gap discovered during review: Stoquify now has an authenticated, value-free scheduler control-plane attestation collector and a guarded scheduler-only register apply path. The operational gate now requires fresh, hash-bound deployment authority, invalid-auth proof, exact release binding, concurrency evidence, missing-configuration 503 proof, and failure-alert provenance. Its preflight fails closed on `SCHEDULER_EVIDENCE_URL_MISSING` and writes no partial artifact.

Repository-controlled architecture, read-only authority, tenant/RBAC enforcement, typed error boundaries, migration safety, and test gates pass. Promotion is nevertheless rejected because skill 017 requires real governance, deployment, secret, database, statutory, alert, scheduler, and credential evidence. Local fixtures and generated references cannot substitute for those authorities.

Requested Sequence Result

Command	Result
npm run agent:reconciler:evidence:apply	Failed closed: RECONCILER_BASE_URL_MISSING; no secret printed
npm run agent:credential-rotation:gate	BLOCKED; 15 classes; 31 blockers; no secret printed
npm run agent:operational-release:gate	BLOCKED; 152 blockers; ready for independent review false; activation false
npm run agent:scheduler:evidence:apply	Failed closed: SCHEDULER_EVIDENCE_URL_MISSING; no partial artifact; activation false

Command	Result
The failed reconciler apply did not change the operational register:	

Boundary	Verified state
Scheduler readiness hash	null
Captured scheduler windows	0
Credential register hash	null
Operational status	BLOCKED
Activation requested	false
Activation authorized	false
Activation timestamp	null
Release activation timestamp	null

Required Context Reviewed

- Skill 017 instructions and [references/chunk-blueprint.md](#)
- Current graph architecture report: [graphify-out/GRAPH_REPORT.md](#)
- Previous 016/017 rerun evidence
- Current Agent Runtime operational and credential registers
- Current assurance, deployment, collector, test, and browser evidence
- Current branch, commit, and worktree state

The ordered implementation and technical specification files named by the skill were not present at their legacy paths. Their concepts remain visible in the graph report and current Agent Runtime reports.

Prerequisite Skill 016

The preceding Phase 2A guardrail result remains satisfied for the implemented read-only boundary:

- one provider-free TypeScript-native runtime;
- tenant and actor scope derived from trusted context;
- RBAC and module authorization before tool execution;
- no direct agent business-write path;
- no posting, payment, filing, payroll, stock, close, approval, or permission authority;
- evidence, freshness, redaction, audit, replay, and typed-error controls;
- provider-free Phase 2A static ratchet passed;
- tool-registry, prohibited-action, and release-control gates passed.

This prerequisite does not approve promotion. It proves only that the implemented assistant boundary remains appropriately constrained.

Skill 017 Universal Gate Matrix

Gate	Repository result	Promotion result
A. Architecture and context	Passed for the Phase 2A canonical service/action/UI boundary	Blocked by absence of an immutable release identity
B. Tenant, RBAC, and module control	Passed	Passed for implemented scope
C. Event and ledger integrity	Passed as read-only; no business event or posting authority exists	Passed for Phase 2A
D. Error and notification contract	Typed/error boundaries passed locally	Blocked by absent production alert transport and ownership evidence
E. UX completeness	Enabled-pilot desktop/mobile and degradation certification passed locally	Production-like rollout and rollback ownership remain unproven
F. Evidence and observability	Local evidence contracts and fail-closed collectors passed	Blocked by real governance, scheduler, alert, credential, deployment, and acknowledgement evidence
G. Verification	Repository checks passed	Blocked by dirty worktree and absence of protected clean-commit CI/deployment proof

Gates Passed

Verification	Result
Agent tool registry	Passed; read-only and dependency-neutral
Agent prohibited action	Passed; no business-write path in services/agents
Agent release control	Passed
Phase 2A static ratchet	Passed; narrow, read-only, provider-free
Service boundary	Passed; 0 active violations
Raw-error boundary	Passed; 0 active unsafe findings; 88 classified call sites
TypeScript	Passed
Prisma schema	Valid
Local migration safety	8/8 checks; 34 migrations; 0 destructive findings
CI configuration readiness	11/11 repository checks ready
Full Jest evidence	474 suites and 2,862 tests passed; 3 suites and 15 tests skipped
Focused operational evidence	8 suites and 83 tests passed; focused --detectOpenHandles clean
Scheduler deployment collector	9 focused tests passed; guarded scheduler-only apply and fail-closed preflight verified

Verification	Result
Secret values in gate output	None

The full Jest process completed without the previously observed forced-worker-exit warning. The focused operational evidence suites did not expose an open handle.

Gates Blocked

1. Immutable Release Identity

Current Git state:

```
branch: codex/service-boundary-burndown
HEAD: ac30ee75314a0a2a2fcd6bd2ed65afb280aa0d5e
tracked changes: 64
untracked items: 182
clean worktree: false
```

The repository CI configuration is ready, but no protected clean-commit CI run, immutable artifact, deployed artifact digest, branch-protection evidence, or package certification bound to this worktree exists.

2. Operational Evidence

The operational register remains **BLOCKED** with 152 blockers:

Category	Count
Release	14
CI	15
Governance	12
Approvals	14
Owners	36
Scheduler	39
Alerting	17
Credential rotation	5
Total	152

3. Scheduler Deployment

`agent:reconciler:evidence:apply` failed on `RECONCILER_BASE_URL_MISSING`. `agent:scheduler:evidence:apply` independently failed on `SCHEDULER_EVIDENCE_URL_MISSING`. No production-like reconciler endpoint, independent scheduler control-plane endpoint, managed evidence credential, three consecutive five-minute windows, readiness hash, heartbeat, deployment attestation, missing-configuration proof, or scheduler deployment identity was captured.

The new collector is deliberately narrow. A ready capture may update scheduler deployment metadata only; it cannot change readiness, successful windows, governance, approvals, owners, alerting, credential rotation, declared status, release activation, or the false/false/null activation boundary.

4. Credential Classification and Rotation

The credential register remains:

```
status: BLOCKED
credential classes: 15
unresolved classes: 15
blockers: 31
authority evidence hash: null
release binding commit: null
```

No real security owner, approval, authority attestation, rotation/revocation sequence, workload restart, new-version verification, old-version rejection, or frozen-release binding is present.

5. Production Secrets

`npm run release:secrets:preflight:release` is blocked at 2/8 checks. Six checks remain open:

- `PUBLIC_IDENTITY_ABUSE_HASH_SECRET` present and strong;
- `AQSTOQFLOW_RECEIPT_TOKEN_SECRET` present and strong;
- `AQSTOQFLOW_HISTORY_CURSOR_SECRET` present and strong.

No secret value was printed or persisted.

6. Production Database Target

`npm run prisma:migration:release:preflight` is blocked:

- `deployment_target_is_safe`;
- `database_url_missing`.

The migration set itself remains structurally safe: 34 migrations and no destructive SQL finding.

7. Statutory Evidence

`npm run statutory:country-pack:gate` remains 10/12:

- `source_artifact_hash_verification`;
- `source_artifact_expert_approval`.

This is a mandatory expert boundary. Passing static guards would not constitute legal or statutory certification.

8. Release Evidence Index

`npm run release:evidence:gate:release` remains blocked:

- structural: `readiness_json_is_parseable_and_clear`;
- release secret provisioning;
- production database target;

- statutory country-pack source and expert evidence.

Verification Result

REJECTED / NO-GO

Skill 017 stops promotion because multiple HIGH authority invariants fail. The current package may remain **PILOT_CERTIFIED** and inactive, but it is not ready for independent review or internal activation.

No package entered **ACTIVE_INTERNAL**. No activation field changed. No Phase 3 authority was granted.

Files Changed By This Rerun

The review added release-evidence infrastructure only; it did not add agent authority or business-write behavior. Changed evidence-control files include:

- scheduler deployment evidence collector and nine tests;
- operational release gate and focused scheduler attestation test;
- Phase 2A static ratchet;
- package commands and environment contract;
- operational register null placeholders;
- credential rotation register Markdown;
- operational release evidence Markdown;
- CI release-readiness Markdown/JSON;
- release secret preflight Markdown/JSON;
- Prisma deployment-readiness Markdown/JSON;
- statutory country-pack readiness Markdown/JSON;
- OHADA leadership release evidence index Markdown/JSON;
- this skill 017 rerun report in Markdown and PDF.

Required Remediation Order

1. Freeze and authorize a clean reviewed commit.
2. Run protected CI and publish an immutable certified artifact.
3. Apply the CI/release evidence capture.
4. Record real product/security approvals and all six owner acceptances.
5. Provision production-purpose secrets without exposing their values.
6. Configure and verify the non-local production PostgreSQL target.
7. Deploy the reconciler and alert paths with managed authentication.
8. Apply independent scheduler control-plane deployment evidence, then capture three real reconciler windows, readiness, invalid-auth, missing-config, alert acknowledgement, escalation, and recovery evidence.
9. Complete all 15 credential classifications and required rotation/revocation evidence.
10. Attach the statutory source artifact hash and expert approval.

11. Rerun the credential, operational, statutory, release-evidence, and skill 017 gates.

Next Recommended Numbered Skill

Remain on ~~017-aqstoqflow-enterprise-release-gate~~.

Do not advance to another numbered implementation skill and do not activate an agent until every HIGH blocker above is closed with real, immutable, independently reviewable evidence.