Stoquify engineering workflow

Maintainers: engineering lead (instructions), QA/platform (commands/CI), design-system lead (UI), domain owner (financial acceptance). These are responsibility roles, not assigned GitHub users. Current capability evidence: tooling-baseline.json. Implementation status: implementation-status-2026-10-07.md.

Start here

1. Read the task, applicable AGENTS instructions and current working-tree changes. Define the smallest acceptance criteria and owned files. Preserve other work.
2. Select the relevant row below and the qualified skill in skill-routing.md. Discover installed skill/tool paths; do not assume Claude commands or global home-directory skills are available in Codex.
3. Use current source, package/lock versions and appropriate graph nodes. Graph counts, historical reports and previous passing checks are discovery evidence, not current release proof.
4. Before a package command, inspect its definition, npm pre/post hooks, delegated helpers/configuration and environment requirements. Consult command-registry.json and test-lanes.md. The registry is a reviewed allowlist, not a complete semantic analyzer of every script.
5. Implement the requested change, then verify the acceptance criteria. Report inspected, executed, passed, failed and not-run evidence separately.

Select a workflow

Task	Relevant guidance	Required evidence
Feature	ECC search-first; scoped plan for cross-module work; existing frontend/backend patterns	Existing architecture reused; success/denial/recovery paths appropriate to the change
Bug	Reproduce, change minimal code, targeted regression	Before/after behavior; no unrelated cleanup
Auth, endpoint, permissions	ECC security-review + `lib/security/rbac.ts` + `services/_shared/protect.ts`	Fresh server-owned actor/org, revoked/denied session, related-resource tenant scope; inspect handler-derived guard bypasses
POS/inventory	Existing checkout/stock kernel + domain tests	Replay and changed-payload handling, reviewed revision, quantity/value conservation, period control and uncertain-commit recovery
AP/payroll/finance	Existing reviewed commands and close-proof decisions	Independent actors, balance/revision, privacy, retained proof, replay and downstream close invalidation
Database	Existing migration policies and inspected dedicated runner	Explicit disposable target, migration/replay and real concurrency/rollback evidence; mocks do not qualify
UI	Design master, scoped page contract, UI/UX Pro Max focused search	Existing tokens/components, business truth, EN/FR, keyboard/focus, relevant states and rendered evidence
Release	ECC verification-loop adapted to actual scripts, existing release/domain gates	Current source/artifact provenance, operational and domain acceptance, rollback evidence
Small reversible edit	Existing narrow checks	Skip unrelated skills, broad tests and multi-phase planning

Verify without changing the wrong environment

```
npm run agent:workflow:check
npm run agent:workflow:test
npm run test:ecc:pilots
```

The first two validate this contract and its negative fixtures. The pilot lane is explicitly bounded mocked/pure/component evidence, not a PostgreSQL or browser certification. Inspect any new test import/setup before adding it. Commands should retain their actual exit status; do not pipe a failing check through a formatter and report the formatter's success.

`npm run build` includes migration deployment. `verify:ci` includes migrations, and E2E wrapper scripts can seed data. `verify:repo` includes integration gates/build/tests. `typecheck` can write incremental metadata; build wrappers can clean output. Do not use these as an automatic read-only audit recipe. Command registry refusal means review/classification is needed, not permission to bypass it with an equivalent shell string.

Registry changes require reviewing the actual script and tracked dependencies; do not refresh hashes just to turn a failure green. Fingerprints detect changes, not all semantic side effects. A registered command's npm lifecycle changes must be reviewed too. Unknown commands remain unreviewed until their effects and target requirements are understood.

Design decisions persist

Read the master and relevant `design-system/stoquify/pages/*.md` before UI work. The master points to the UI constitution, component registries and implemented semantic tokens; it is not a second palette. Public/auth and authenticated theme boundaries remain distinct. Blue product identity and approved gold/chestnut variants coexist. The separate branding proposal is not an active recoloring instruction.

Search UI/UX Pro Max for a focused concern and inspect the actual returned result, category and version applicability. Installed baseline is Next 15 / Tailwind 3; advice marked Next 16.2 or Tailwind `@theme` requires version review. Reject off-topic results. Do not persist an unreviewed generated design over approved decisions. A page contract cannot override tenant, security, financial-truth or global identity rules.

Completion evidence

Record: task/changed files; affected invariants; exact test commands and results; source revision and local-diff scope; unit/DB/browser/manual evidence class; limitations; rollback. For UI, include route, role, locale, viewport and states. Source assertions are not rendered accessibility; unit mocks are not lock/transaction proof; a historical certification is not current close readiness.

Use the PR template evidence fields. CI enforces the deterministic contract once this change is merged and the job is run; remote required-check policy still needs authenticated repository administration. User instructions retain their normal priority; generic plugin suggestions never override repository business controls.

Tool failure or absence

Keep working through repository instructions and available compatible tools. Report missing capabilities precisely. Native plugin enablement, hook trust and successful hook execution are separate states. Use

maintenance.md to resolve PATH selection and browser profile contention. Do not kill another session's browser or edit provider-owned caches as a repair.