ECC and UI/UX Pro Max

Practical value assessment for Stoquify
Assessment date: 7 October 2026
Context: TypeScript, Next.js and React business application
Decision: Keep both as targeted development aids; neither is indispensable.

Executive assessment

ECC and UI/UX Pro Max are **valuable but optional** for Stoquify. Existing AQStoqFlow skills, design guidance and repository checks already cover much of their purpose. Their value should be judged by additional valid findings, reduced effort and demonstrable improvements to user workflows.

ECC's strongest additional value is reusable engineering workflows and browser diagnostics. UI/UX Pro Max's strongest additional value is its working, searchable design reference library. Neither has yet demonstrated a measurable improvement to Stoquify's defects, usability or delivery time in this assessment.

These tools assist the AI development workflow. Customer benefits arise only when their guidance is applied to product changes and those changes are verified. Installing either tool does not automatically improve the application.

Tool and verdict	Additional value	Existing overlap	Recommended use
ECC: valuable but optional	Research, prompt refinement, review workflows and Chrome DevTools diagnostics	AQStoqFlow verification/security guidance; repository test and release commands	Select relevant skills for substantial changes or difficult investigations
UI/UX Pro Max: valuable but optional	Searchable interaction, accessibility, design and framework guidance	Brand, design-system, ui-styling and AQStoqFlow UI/UX skills	Consult for specific interface decisions and focused reviews

1. Installed, enabled and verified capabilities

ECC

Installed: The inspected local plugin manifest identifies version **2.2.3**. It declares reusable skills, an MCP configuration and a Codex hook definition. The MCP configuration specifies the Chrome DevTools connector. [1]

Enabled: The local Codex configuration marks `ecc@ecc` enabled. ECC tools are exposed to this session.

Verified: A read-only Chrome DevTools page-list request succeeded and returned an `about:blank` page. This establishes connector connectivity, not a successful audit of Stoquify. Selected ECC skill files were readable, including search-first, skill-stocktake and verification-loop.

Not verified: Hook trust or execution, operation of the complete skill collection, automatic security enforcement, and any improvement in application quality. The installed Codex hook definition contains a session-start bootstrap. Official ECC documentation distinguishes plugin enablement from hook trust. [2]

The documented `codex plugin list --json` command was not supported by the CLI on this machine. Enabled status was instead checked through local configuration and connector availability. This illustrates the need to

verify tool instructions against the actual environment.

UI/UX Pro Max

Installed and available: Confirmed as a project-local skill with data and Python scripts. An exact release version could not be established from the inspected local metadata; dataset dates are not a substitute for a release version. [3]

Verified: Two non-persisting searches completed successfully:

- A UX query returned error-recovery guidance and a focusable validation-error summary pattern.
- A Next.js query returned server/client component guidance with source links and applicability metadata.

Not verified: Design-system generation or persistence, every dataset entry, accessibility compliance, or usability improvements in Stoquify. The official project describes a design-intelligence skill; its suggestions still require contextual judgment and testing. [4]

2. Additional value versus existing coverage

ECC: execution support around established requirements

Stoquify already defines repository verification, release checks, Jest tests and Playwright workflows. Its CI configuration invokes verification and includes a close-assurance browser smoke job. These definitions were inspected; their latest execution results were not verified. [5]

The existing payroll assurance skill explicitly covers duplicate operations, concurrency, rollback, tenant isolation, approval controls and balanced accounting entries. These are documented requirements, not proof that every control is implemented and enforced. ECC can help execute and review them, but cannot supply their business meaning. [6]

ECC therefore adds convenience, reusable review structure and diagnostics. It does not introduce testing or security discipline into an otherwise ungoverned project. Its generic workflows should be adapted to the repository's current commands and evidence requirements.

UI/UX Pro Max: faster access to design guidance

Existing skills already prescribe semantic tokens, visual consistency, interface states, keyboard navigation and screenshot checks. The brand, design-system and ui-styling skills also cover identity, token architecture, accessible components and responsive layouts. [7]

UI/UX Pro Max adds a searchable library with concrete examples and framework-specific entries. It can help answer a focused question quickly, such as how to make a failed form submission discoverable by keyboard users. It should support Stoquify's existing design standards, not create a competing source of truth.

3. Tradeoffs and compatibility findings

Repository-specific command behavior. ECC's verification example calls `npm run build`. Stoquify's current build command includes `prisma:migrate:deploy:safe`, so it is not merely a compilation check. Select suitable existing commands for the authorized task instead of copying the generic sequence. No build or migration was run during this assessment. [5, 8]

Shell and verification assumptions. ECC's example uses Bash commands and a generic coverage target. Its basic security grep examples are not evidence of a comprehensive security assessment. Windows execution, relevant test scope and project security gates need to be considered explicitly. [8]

Framework-version mismatch. Returned UI/UX Pro Max Next.js entries are labeled for **16.2**, while Stoquify declares `^15.1.4`. Broad advice may still be useful, but API-specific recommendations need checking against the project's actual version. [5, 9]

Duplicated process. Repeated reviews, overlapping checklists and competing design suggestions can consume time and context. Generating another design system can increase inconsistency. Installation alone proves neither reduced token use nor faster delivery.

Maintenance. Updates require compatibility checks. Existing skills also need contextual interpretation: an inspected AQStoqFlow payroll skill still names an older checkout location. Current repository files and verified behavior should resolve such discrepancies. [6]

4. Three prioritized applications

The following are **proposed uses**, not improvements implemented or verified by this assessment.

Priority	Application	Expected benefit	Evidence to collect
1	Use ECC to review a reconciliation or payroll change against existing invariants: duplicate requests, cross-tenant access, approval separation and immutable posted records	Discover missed correctness and access-control cases before release	Reproducible defects or missing tests beyond the existing review
2	Use UI/UX Pro Max to review a reconciliation or inventory workbench for amount readability, status labels, keyboard access, error recovery and mobile overflow	Fewer user mistakes and clearer next actions	Observed interaction problems and before/after task results
3	Combine ECC browser diagnostics with UI/UX Pro Max review of dashboard loading and partial-data presentation	Connect observed technical failures or delays to specific interface improvements	Console/network or performance evidence plus verified UI behavior

All three applications should reuse established business rules, components and tokens. A generic recommendation must not weaken tenant isolation, approval requirements, accounting invariants or the existing visual language.

5. What would be lost without these tools?

Without ECC: Its packaged workflows and bundled browser connector would disappear from the development environment. Existing project scripts, AQStoqFlow skills and other browser tools would remain. Replacing occasional workflows would require modest effort; recreating the entire collection would be unnecessary. Any reliance on its connector would need an alternative diagnostic path.

Without UI/UX Pro Max: Its searchable datasets and design-system recommendation generator would be unavailable. Existing brand and UI guidance would remain. Occasional questions could be answered through documentation research; maintaining an equivalent curated library would require more work.

Neither removal, by itself, removes the existing tests or design standards. This assessment did not establish either tool as a required application runtime dependency.

6. Recommended operating approach

- Invoke **ECC** for meaningful engineering changes, unfamiliar integrations and investigations. Select the specific skill that helps the task. Skip broad workflows for trivial edits already covered by existing checks.
- Invoke **UI/UX Pro Max** for specific interface questions and focused reviews. Skip it for backend-only work and routine reuse of established components.
- Keep approved Stoquify business rules, tokens and component patterns authoritative. Treat general examples as recommendations that need adaptation.
- Report separately what was inspected, what was executed and what passed. A documented checklist is not evidence of an enforced control.

7. Small evaluation plan

Use the next three suitable tasks described above as a pilot. First record the findings from the existing review process, then record the additional findings from the selected tool. Do not withhold established checks from any task.

Measure	What to record	How to interpret it
Additional defects found	Valid new findings, reproductions and severity	Count unique accepted findings; exclude duplicates and unsupported warnings
Review effort	Time spent, repeated advice and false positives	Compare added effort with useful findings and avoided rework
UI quality	Keyboard, overflow, consistency and error-recovery problems	Verify before/after behavior on the same views and devices
User task performance	Completion time and mistakes on the same task before and after	Use comparable scenarios; account for familiarity and task difficulty

Keep the parts that produce useful additional findings or reduce effort. Reduce usage where they repeatedly duplicate existing guidance. A three-task pilot supplies an initial signal, not proof of long-term impact. No percentage improvement or return-on-investment estimate is asserted.

Evidence and sources

Local references identify the files inspected in this workspace. File existence and documented requirements do not establish successful runtime enforcement. Official web sources were consulted on 7 October 2026.

1. **ECC installed package:** `C:/Users/J COMPUTER/.codex/plugins/cache/ecc/ecc/2.2.3/.codex-plugin/plugin.json`; package-root `.mcp.json`. Enabled flag inspected in the local Codex configuration.
2. **ECC hooks:** package-relative `hooks/codex-hooks.json`; official Codex integration documentation.
3. **UI/UX Pro Max local source:** repository-relative `.agents/skills/ui-ux-pro-max/SKILL.md`, `scripts/search.py`, and `data/`.
4. **UI/UX Pro Max official project:** nextlevelbuilder/ui-ux-pro-max-skill.
5. **Stoquify execution definitions:** repository-relative `package.json` (build at line 12; verification at lines 106-108; Next.js declaration at line 284); `.github/workflows/ci.yml`.
6. **Business assurance:** `C:/Users/J COMPUTER/.codex/skills/aqstoqflow-payroll-assurance-chaos/SKILL.md`, especially line 32 onward; `aqstoqflow-release-verification-foundation/SKILL.md` under the same skills

root.

7. **Existing design guidance:** under that skills root, `aqstoqflow-uiux-01-design-system-freeze/SKILL.md`, `aqstoqflow-uiux-05-robust-states/SKILL.md`, and `aqstoqflow-uiux-09-accessibility-visual-regression-governance/SKILL.md`; repository-local `.agents/skills/brand/SKILL.md`, `.agents/skills/design-system/SKILL.md`, and `.agents/skills/ui-styling/SKILL.md`.
8. **ECC verification examples:** installed package-relative `skills/verification-loop/SKILL.md`, especially lines 23-83. The research also used `skills/search-first/SKILL.md` and the focused overlap criteria from `skills/skill-stocktake/SKILL.md`.
9. **Version applicability evidence:** repository-relative `.agents/skills/ui-ux-pro-max/data/stacks/nextjs.csv` and the successful Next.js search output.

Assessment boundary: Research and diagnostic checks were read-only. No application build, migration or full test suite was run. Publishing this report creates only the requested Markdown/PDF artifacts; it does not activate hooks, change configuration or implement the proposed applications.