Stoquify Functionality and Surface Registry — 2026-08-03

Coverage

This registry combines current source inventory, specialist review, focused tests, and existing module-surface evidence. `what-next/module-surface-inventory.md` reports 386 surfaces: 352 mapped, 259 enforcement candidates, six unmapped, and four missing permission declarations. Runtime promotion remains `NO-GO`; mapping is not enforcement.

Module registry

Domain	Primary roles	Canonical surfaces	Service/data owner	Value	Maturity	Danger/gap
Identity and tenant	Admin, owner, all users	auth, users, roles, organizations	BetterAuth, user/organization services; `User`, `Organization`, `Invite`	USEFUL	2/5	Plain invite tokens, MFA incomplete, no structural DB tenant backstop
Modules/packages	Owner, admin	settings/modules, public packages	module catalog/entitlement services	USEFUL	2/5	Observe mode, legacy full-suite default, no durable subscription truth
POS	Cashier, branch manager	`/dashboard/pos/*`	POS/session/drawer/receipt services; sales/payment models	STRONG + DANGEROUS	3/5	Provider finality, balance races; store credit disabled
Offline POS	Cashier, operations	POS offline status/replay	offline-sync service/device/event models	USEFUL + DANGEROUS	3/5	Original actor/module authority incomplete
Inventory	Stock manager, branch manager	`/dashboard/inventory/*`	inventory stock/count/transfer/valuation services	STRONG	4/5	Tenant backstop applies; some replay/race follow-up remains
Purchasing	Buyer, approver, stock	purchase orders, receipt	purchase-order and inventory services	STRONG	3/5	Bulk bypass fixed; approval CAS residual; duplicate routes
Accounts payable	AP, finance approver	purchases/payables, finance/payables	purchasing/AP controls, posting, reconciliation	STRONG	3/5	Active-exception uniqueness race; provider evidence external
Payments/reconciliation	Finance, accountant	finance/reconciliation	provider event, statement, reconciliation, suspense services	STRONG independently	3/5	Not authoritative for POS status; provider/runtime proof missing
Finance dashboards	Owner, finance	finance, cash command, reports	finance/dashboard/snapshot services	DANGEROUS	2/5	Conflicting status semantics and capped aggregates

Domain	Primary roles	Canonical surfaces	Service/data owner	Value	Maturity	Danger/gap
Accounting/close	Accountant, controller	accounting, trial balance, close, accountant portal	posting, source links, close/data-trust services	STRONG	4/5	Depends on payment truth, migration, statutory, and external evidence
HRIS	HR, manager, employee	`/dashboard/people/*`	employee/contract/time/leave/document services	STRONG in tested slice	4/5	Broad privacy/runtime/role coverage incomplete
Payroll	Payroll, accountant, employee	`/dashboard/payroll/*`	payroll kernel, evidence, provider, declaration services	STRONG but blocked	3/5	Provider/statutory/runtime certification unavailable
Compliance/country packs	Accountant, compliance	compliance, tax, country pack	compliance/regulatory services	USEFUL, fail-closed	3/5	Expert approval and authority conformance blocked
Assurance/incidents	Operations, finance, audit	assurance, manager action center	assurance registry/incident services	USEFUL	3/5	Static readiness only; runtime scheduler/alert delivery unproven
Owner command	Owner, branch manager	dashboard, Daily Digest, Owner War Room, action center	dashboard/snapshot/signal services	USEFUL	3/5	Underlying metric truth and permissions affect trust
AI/agents	Authorized reviewers/operators	agent command/proposals	agent control plane, proposal, tool services	USEFUL, bounded	3/5	Creator self-approval residual; execution authority currently none
Public receipt	Customer, admin	`/api/receipts/[receiptId]`	receipt/token registry	STRONG	4/5	Runtime/load proof absent
Uploads/documents	Authenticated tenant roles	`/api/uploads/[...path]`, UploadThing	storage/upload/document services	USEFUL + DANGEROUS	2/5	Public caching, extension MIME, whole-file buffering, retention gaps
Communication/WhatsApp	Customer, operations	receipt delivery/outbox	communication/provider services	USEFUL	3/5	POS↔communication ownership coupling; provider runtime proof absent
Settings/admin	Admin, owner	users, roles, locations, notifications, security	user/location/RBAC/config services	WEAK	2/5	Broken user edit, English shell, setup links ignore access/package

Route and surface decisions

Decision	Surface	Reason
KEEP/STRENGTHEN	`/dashboard`, Owner War Room, Manager Action Center, Daily Digest	High-value role command surfaces; converge metric truth underneath
KEEP/STRENGTHEN	Canonical inventory, POS, purchase-order, finance, accounting, people, payroll, assurance, settings families	Distinct recurring jobs and service-owned workflows

Decision	Surface	Reason
KEEP AS GUIDE	Workflow Atlas	Valuable role-first education; should not become another daily launcher
DIAGNOSTIC ONLY	Module Control Center	Current product truth says hard enforcement is off/mixed
CONSOLIDATE	Main registration and `/register-v2`; landing and `/ohada-os`	Competing funnels and inconsistent context capture
REDIRECT	`/dashboard/suppliersSystem` → `/dashboard/purchases/suppliers`	Duplicate supplier destination
REDIRECT	`/dashboard/purchases/[id]` → `/dashboard/purchase-orders/[id]`	Parallel purchase-detail implementation
REDIRECT	duplicate location/tax-rate create routes	Same job and implementation
REDIRECT	`/dashboard/cashDrawer` → `/dashboard/finance/cash-drawer`	Canonical finance route exists
RETIRE/RESTRICT	`/dashboard/notifications-demo`	Production-facing test/demo surface
RETIRE	`/update`	Returns `null` and provides no job
CONSOLIDATE	legacy `/dashboard/items` and inventory item variants	Duplicate training/support paths
FIX	`/dashboard/settings/users/update/{id}`	UI links to a missing destination

Role, permission, and entitlement matrix

Role	Core job	Permission shape	Entitlement expectation	Current gap
Owner/operator	See risk, decide, delegate, prove	Cross-domain read plus scoped approvals	Owned modules only	Setup and navigation can expose unavailable/denied destinations
Cashier	Shift, sale, tender, receipt, correction	POS/session/drawer mutation	POS	Offline actions and provenance not fully aligned
Branch manager	Monitor branch, approve exceptions, close	Location-scoped oversight/approval	POS, inventory, assurance	Metric truth and location scoping need runtime proof
Inventory manager	Receive, count, move, adjust, value	Inventory write/approve	Inventory	Canonical route duplication and tenant backstop
Purchasing/AP	Order, receive, match, approve, release	Maker/checker separated	Purchasing, AP, payments	Residual approval/exception races
Accountant/controller	Reconcile, post, close, export	Finance/accounting/close, fresh auth	Finance, accounting, compliance	Payment semantics and statutory evidence blocked
HR/payroll	Employee truth, run, approve, pay, declare	Sensitive data plus maker/checker/fresh auth	HRIS, payroll	MFA incomplete; provider/statutory proof blocked

Role	Core job	Permission shape	Entitlement expectation	Current gap
Employee	Own profile, documents, payslip	Self-only reads/actions	HR self-service	Good tested slice; broader tenant/privacy proof limited
Compliance/ auditor	Review source, evidence, exceptions	Read/review/sign-off	Compliance/assurance	Expert authority and retention evidence incomplete
Admin	Users, roles, locations, security, packages	High privilege/fresh auth	Core plus subscribed admin modules	Broken route, MFA incomplete, module truth permissive

TanStack Query and client-state matrix

The static specialist pass classified 137 TanStack operations: 51 queries/infinite queries and 86 mutations. These counts describe recognized operations, not runtime completeness.

Pattern	Evidence	Assessment	Required control
Global QueryClient	`components/Providers.tsx:16-40`; `lib/providers/query-provider.tsx:14-58`	USEFUL + DANGEROUS	Remount/clear on session/org change or prefix every key with trusted context
Shared query-key catalogue	`types/queryKeys.ts:2-93`	USEFUL but partial	One canonical factory per domain/context
Customer keys	`hooks/useCustomerQueries.ts:24-87`	Missing org dimension	Tenant/session prefix and switch test
Category keys	`hooks/useCategories.ts:35-106`	Missing org dimension	Tenant/session prefix and filter-complete keys
Recent purchase-order boundary	`hooks/__tests__/useRecentPurchaseOrderQueries.boundary.test.tsx`	Tested	Preserve canonical action backing and invalidation
POS receipt operations	`hooks/posHooks/__tests__/usePosOperations-receipts.test.tsx`	Tested	Preserve scoped receipt/token actions and invalidation
Inventory-loss workbench	`hooks/__tests__/useInventoryLossWorkbench.test.tsx`	Useful evidence	Expand context/invalidation matrix across mutations
Mutation invalidation	86 recognized mutations	Fragmented local patterns	Registry of writers → affected projections → rollback/invalidation

No source-backed global reset was proven for authenticated organization changes. The risk is classified likely, not runtime-confirmed.

Prisma ownership anchors

Context	Models/lines in `prisma/schema.prisma`	Ownership note
Identity/tenant	`User` 107; `Organization` 237; `Invite` 404	Identity/user services; invite token storage requires hashing
Inventory	`Item` 736; `InventoryLevel` 840; `InventoryTransaction` 876	Inventory services with CAS/event patterns

Context	Models/lines in `prisma/schema.prisma`	Ownership note
Purchasing/AP	`PurchaseOrder` 1127; `GoodsReceipt` 1221; `SupplierInvoice` 1414; `SupplierPayment` 1545	Purchase-order and AP controls
HR/payroll	`PayrollEmployee` 1800; `PayrollRun` 2650; `PayrollDeclaration` 2848; `PayrollPaymentBatch` 2932	HRIS/payroll services
POS	`SalesOrder` 3105; receipt token 3169; session 3649; drawer 3709; offline device 3772; payment/refund 4081/4177	POS, receipt, offline, payment services
Payment/reconciliation	Provider event 4527; statement 4583; transaction 4671; reconciliation run 4837; exception 4896	Payment/reconciliation services
Accounting	Period 5216; close run 5347; accounts 5669; journal 5769; posting/link 5867/5913	Accounting/close services
Events/assurance/agents	Business event/outbox 6104/6152; assurance incident 6817; agent run/proposal 7329/7495	Events, assurance, agent control plane

KPI semantic contradiction register

Concept	Main dashboard	Tenant/branch snapshot	Finance	Verdict
Cash collected	`PAID`	`PAID + PARTIAL`	all non-`CANCELLED` sales payments	DANGEROUS; converge before external trust claim
Refund effect	Status-filtered	Projection-specific	separately aggregated while source payments may remain included	DANGEROUS
Receivables	Dashboard-specific	Snapshot contract	payments subtracted with finance status rule	DANGEROUS
Completeness	Unclear	freshness/source metadata	sums capped arrays	DANGEROUS; use DB aggregate and partial labels

Dependency and ownership register

Issue	Evidence	Priority
POS and communication bidirectional context	`services/pos/receipt.service.ts:8-9`; communication imports POS receipt/schema contracts	P2; move contracts to neutral boundary
Local query-key factories	Hook graph and current hooks	P1/P2; canonicalize with tenant/session prefix
ADR ownership inventory drift	ADR-0011 omits current contexts/report/job ownership	P2; update after canonical ownership decisions
Duplicate Redis clients	`redis` and `ioredis` dependencies	P3 hypothesis; confirm imports/runtime need before removal
Generic `add` / `init` packages	Package metadata, no reviewed production imports	P3 hypothesis; verify bundle/import graph before removal

Evidence status

- STRONG does not mean production-certified.
- USELESS is reserved for null/demo/duplicate surfaces lacking a distinct job.
- MISSING commercial/adoption evidence is not converted into a build recommendation until user or operating evidence exists.