



**Student Name:** Kovvuri P C Durga Reddy

**Branch:** MCA(AI&ML)

Semester: 1st

**Subject Name: PYTHON PROGRAMMING** 

**UID: 24MCI10216** 

**Section/Group:** MCA(AIML)-4A **Date of Performance:** 20-10-2024

Subject Code: 24CAH-606

# **TITLE:-** Serpent Challenge: Eat to Survive!

### Aim of the practical:

The purpose of the project is to develop a 2D Snake Game in Pygame with more focus on the player controls and the game mechanics, and also on collision detection. This undertaking makes practical improvement of programming skills based on basic principles of game building which involves operating with events, drawing of graphics, and controlling the state of the game to develop a rich interactive experience which helps in understanding the basic tenets of coding.

#### Task to be done:

- First we have to import the pygame and random library.
- We have to set screen size and diplay the snkae size and food.
- After we have to add the clock function for the time.
- We have to give the command for the directions.
- We have to use pygame font module for the score.

#### **CODE FOR EXPERIMENT:**

#### **Input:-**

import pygame import random

pygame.init()

# Constants


width, height = 800,600

game\_screen = pygame.display.set\_mode((width, height))





```
pygame.display.set_caption("Snake Game")
# Snake and food initialization
snake_x, snake_y = width // 2, height // 2
change_x, change_y = 0, 0
food_x = random.randrange(0, width // 20) * 20
food_y = random.randrange(0, height // 20) * 20
clock = pygame.time.Clock()
snake_body = [(snake_x, snake_y)]
score = 0
# Font for score display
font = pygame.font.Font(None, 36)
def display snake():
  global snake_x, snake_y, food_x, food_y, score
  snake_x = (snake_x + change_x) % width
  snake_y = (snake_y + change_y) % height
  if (snake_x, snake_y) in snake_body[1:]:
    print("GAME OVER!!!")
    return False # Game over, return False
  snake_body.append((snake_x, snake_y))
  if (food_x == snake_x and food_y == snake_y):
    food_x = random.randrange(0, width // 20) * 20
    food y = random.randrange(0, height // 20) * 20
    score += 1 # Increase score when food is eaten
  else:
    del snake_body[0]
  game screen.fill((0, 0, 0))
  pygame.draw.rect(game_screen, (0, 255, 0), [food_x, food_y, 20, 20])
  for (x, y) in snake_body:
    pygame.draw.rect(game_screen, (255, 255, 255), [x, y, 20, 20])
```





```
# Render and display the score
  score_surface = font.render(f'Score: {score}', True, (255, 255, 255))
  game_screen.blit(score_surface, (10, 10))
  pygame.display.update()
  return True # Game continues, return True
# Main game loop
running = True
while running:
  events = pygame.event.get()
  for event in events:
    if event.type == pygame.QUIT:
       running = False
    if event.type == pygame.KEYDOWN:
       if event.key == pygame.K_LEFT and change_x == 0:
         change x = -20
         change_y = 0
       elif event.key == pygame.K_RIGHT and change_x == 0:
         change_x = 20
         change_y = 0
       elif event.key == pygame.K_UP and change_y == 0:
         change_x = 0
         change_y = -20
       elif event.key == pygame.K_DOWN and change_y == 0:
         change_x = 0
         change_y = 20
  if not display_snake(): # Check if game should continue
    break # Exit the loop if game is over
  clock.tick(10)
# Game over message
game screen.fill((0, 0, 0))
game_over_surface = font.render(f'GAME OVER! Your score: {score}', True, (255, 255,
255))
game_screen.blit(game_over_surface, (width // 2 - game_over_surface.get_width() // 2,
height // 2)
```







pygame.display.update()

# Wait for a few seconds before quitting pygame.time.wait(3000) pygame.quit()

## Output:-







### **Learning outcomes (What I have learned):**

- o Learned how to use the pygame library.
- o Learned how to thick of the body.
- o Learned about clock tick function and uses.
- o Understand the basics of pygame module.
- o Learned hoe some basic concepts to create 2d games.