



Add Virtual Drive to Windows VM

Add volume to VirtualBox

1. Open VirtualBox. Right click on the Virtual Machine (VM) and select settings. Go to storage and select “add hard disk”.




2. Select a size for the hard drive, then select VDI “virtual disk image”. The Virtual Disk Image format allows for resizing as needed. Click Finish.



Add Virtual Drive to Windows VM


3. Select the VDI file and hit “choose”. The new hard drive VDI is not in the list of storage devices.



4. Hit OK on the settings dialog and start the VM.


5. Once logged in, right click on the windows icon and select disk management.

6. Under initialize disk, select GPT (GUID partition table).




Add Virtual Drive to Windows VM

7. Right click on the unallocated disk and select “new simple volume”. Choose the maximum size, and assign a drive letter. These are all options in the new simple volume wizard. Choose the default for an NTFS file system and to perform a quick format. Hit next, then finish after reviewing the options.



At this point the new E:\ drive should show up in file manager under this PC.



Add Virtual Drive to Windows VM

80GB hard drive space

Attach to the network adapter.

Start with GUI.

Select Sign in options (instead of microsoft login), select the domain join.

For name, enter “admin”, enter password.

Enter security question answers.

Turn off location. Complete setup.

Allow update downloads/updates to complete.

Add Virtual Drive to Windows VM

Promote Server to Domain Controller

1. Go into the domain controller and verify the system name has been updated to dclab.
2. Go into server manager, Manage > add roles and features.
3. Under server roles, select active directory domain services.
4. Select defaults and install.
5. Once complete, click the message “promote this server to a domain controller”.

6. Add a new forest, provide a root domain name.

7. Accept defaults on the domain controller options and create a Directory Services Restore Mode (DSRM) password.

8. Accept defaults for the AD DS and log file locations

9. Install. Installs DNS. Restarts system.

Add a new user in Active Directory on the Domain Controller

1. Under server manager, select tools > active directory users and computers
2. Right click on users and select add new user.
3. enter users first and last name and logon name.

Add Virtual Drive to Windows VM

4. Select next and enter the password. Deselect the option that forces the user to change passwords before logging in.

Add Virtual Drive to Windows VM

5. Right click on the user name, select properties, and go to the “member of” tab.

6. Select “add” and enter “domain admin”. Hit check names to find the group in the dialog.

7. Hit ok and then select apply on the next dialog box.

Add Virtual Drive to Windows VM