S.No: 16 Exp. Name: Implementation of Circular Queue using Dynamic Array Date:2023-05-20

Aim:

Write a program to implement circular queue using dynamic array.

ID: 224G1A0565 Page No: 1

```
Sample Input and Output:
    Enter the maximum size of the circular queue : 3
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 2
    Circular queue is underflow.
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 3
    Circular queue is empty.
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option: 1
    Enter element : 111
    Successfully inserted.
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 1
    Enter element : 222
    Successfully inserted.
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 1
    Enter element: 333
    Successfully inserted.
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 1
    Enter element : 444
    Circular queue is overflow.
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 3
    Elements in the circular queue : 111 222 333
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 2
    Deleted element = 111
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 1
    Enter element: 444
    Successfully inserted.
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option: 3
    Elements in the circular queue : 222 333 444
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 2
    Deleted element = 222
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option: 2
    Deleted element = 333
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 2
    Deleted element = 444
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 3
    Circular queue is empty.
    1. Enqueue 2. Dequeue 3. Display 4. Exit
    Enter your option : 4
```

Source Code:

```
#include<stdio.h>
#include<stdlib.h>
int *cqueue;
int front,rear;
int maxSize;
void intCircularQueue()
   cqueue=(int *)malloc(maxSize*sizeof(int));
   front=-1;
   rear=-1;
}
void dequeue()
   if(front==-1)
      printf("Circular queue is underflow.\n");
   }
   else
   {
      printf("Deleted element = %d\n",*(cqueue+front));
      if(rear==front)
         rear=front=-1;
      }
      else if(front==maxSize-1)
         front = 0;
      }
      else
         front++;
}
void enqueue(int x)
   if(((rear == maxSize-1)&&(front == 0)) ||(rear + 1 == front))
   {
      printf("Circular queue is overflow.\n");
   }
   else
      if(rear == maxSize - 1)
         rear = -1;
      else if (front == -1)
         front = 0;
      }
      rear++;
      cqueue[rear] = x;
      printf("Successfully inserted.\n");
```

```
void display()
   int i;
   if(front == -1 && rear == -1)
      printf("Circular queue is empty.\n");
   }
   else
   {
      printf("Elements in the circular queue : ");
      if (front <= rear)</pre>
      {
         for(i = front; i <= rear;i++)</pre>
            printf("%d ",*(cqueue + i));
         }
      }
      else
         for (i = front; i <= maxSize-1; i++)</pre>
            printf("%d ",*(cqueue + i));
         for (i = 0; i <= rear; i++)
            printf("%d ",*(cqueue + i));
         }
      printf("\n");
   }
}
int main()
{
   int op,x;
   printf("Enter the maximum size of the circular queue : ");
   scanf("%d",&maxSize);
   intCircularQueue();
   while(1)
   {
      printf("1.Enqueue 2.Dequeue 3.Display 4.Exit\n");
      printf("Enter your option : ");
      scanf("%d",&op);
      switch(op)
      {
         case 1:
                 printf("Enter element : ");
                 scanf("%d",&x);
                 enqueue(x);
                 break;
         case 2:
                 dequeue();
                 break;
         case 3:
                 display();
                 break;
```

```
case 4:
                 exit(0);
      }
   }
}
```

Execution Results - All test cases have succeeded!

```
Test Case - 1
User Output
Enter the maximum size of the circular queue : 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
Enter your option : 2
Circular queue is underflow. 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 3
Enter your option: 3
Circular queue is empty. 1
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 111
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 222
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 333
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 444
Circular queue is overflow. 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 3
Enter your option: 3
Elements in the circular queue : 111 222 333 2
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
Enter your option : 2
Deleted element = 1111
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 444
Successfully inserted. 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 3
Enter your option: 3
Elements in the circular queue : 222 333 444 2
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
Enter your option : 2
Deleted element = 222.2
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
```

Enter your option : 2
Deleted element = 333 2
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
Enter your option : 2
Deleted element = 444 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 3
Enter your option : 3
Circular queue is empty. 4
1.Enqueue 2.Dequeue 3.Display 4.Exit 4
Enter your option : 4