### **DBMS**

## Mini Project Phase 2

# Online Bookstore Database

Krunal Rank - U18C0081

### **CONTENT**

Sr. No.	Title	Page
1	Implementation of Relation Models in SQL	2
2	Implementation of PLSQL Functions/Triggers	20

### Implementation of Relation Models in SQL

As seen from the Relation Models section, all the constraints have been properly mentioned.

Most of the Constraints such as PRIMARY KEY, FOREIGN KEY, NOT NULL, UNIQUE and DEFAULT have been included.

Certain constraints such as ENUM and SET have not been used because they are not needed in current implementation due to the Relations being in BCNF.

The Following SQL Code correctly Implements the Relations along with certain Joins and Views:-

## **TABLE CREATION** CREATE TABLE Authors( AuthorID NUMBER(15) GENERATED ALWAYS AS IDENTITY (START WITH 10000000001 INCREMENT BY 1) NOT NULL, AuthorFName VARCHAR(255) NOT NULL, AuthorLName VARCHAR(255) NOT NULL, AuthorAddress VARCHAR(255) NOT NULL, AuthorURL VARCHAR(255) NOT NULL, PRIMARY KEY(AuthorID) ); CREATE TABLE AuthorPhones( AuthorID NUMBER(15) NOT NULL, AuthorPhone NUMBER(14) NOT NULL, PRIMARY KEY(AuthorID, AuthorPhone), FOREIGN KEY(AuthorID) REFERENCES Authors(AuthorID) ON DELETE CASCADE ); CREATE TABLE Publishers( PublisherID NUMBER(15) GENERATED ALWAYS AS IDENTITY (START WITH 2000000001 INCREMENT BY 1), PublisherName VARCHAR(255) NOT NULL,

KRUNAL RANK 2

PublisherAddress VARCHAR(255) NOT NULL,

```
PublisherURL VARCHAR(255) NOT NULL,
   PRIMARY KEY(PublisherID)
);
CREATE TABLE PublisherPhones(
   PublisherID NUMBER(15) NOT NULL,
   PublisherPhone NUMBER(14) NOT NULL,
    PRIMARY KEY(PublisherID, PublisherPhone),
    FOREIGN KEY(PublisherID) REFERENCES Publishers(PublisherID) ON DELETE
CASCADE
);
CREATE TABLE Customers(
   CustomerID NUMBER(15) GENERATED ALWAYS AS IDENTITY (START WITH 30000000001
INCREMENT BY 1),
   CustomerFName VARCHAR(255) NOT NULL,
   CustomerLName VARCHAR(255) NOT NULL,
   CustomerAddress VARCHAR(255) NOT NULL,
   CustomerEmail VARCHAR(255) NOT NULL,
   CustomerUsername VARCHAR(255) NOT NULL UNIQUE,
   CustomerPassword VARCHAR(255) NOT NULL,
   PRIMARY KEY(CustomerID)
);
CREATE TABLE CustomerPhones(
   CustomerID NUMBER(15) NOT NULL,
   CustomerPhone NUMBER(14) NOT NULL,
   PRIMARY KEY(CustomerID, CustomerPhone),
   FOREIGN KEY(CustomerID) REFERENCES Customers(CustomerID) ON DELETE CASCADE
);
CREATE TABLE Warehouses(
```

```
WarehouseID NUMBER(15) GENERATED ALWAYS AS IDENTITY (START WITH 4000000001
INCREMENT BY 1) NOT NULL,
   WarehousePhone NUMBER(14) NOT NULL UNIQUE,
   WarehouseAddress VARCHAR(255) NOT NULL,
   PRIMARY KEY(WarehouseID)
);
CREATE TABLE Books(
   ISBN VARCHAR(255) PRIMARY KEY,
   PublisherID NUMBER(15) NOT NULL,
   AuthorID NUMBER(15) NOT NULL,
   ReleaseDate DATE DEFAULT CURRENT_DATE,
   Title VARCHAR(255) NOT NULL,
   Price NUMBER(10,2) NOT NULL,
   FOREIGN KEY(AuthorID) REFERENCES Authors(AuthorID) ON DELETE CASCADE,
    FOREIGN KEY(PublisherID) REFERENCES Publishers(PublisherID) ON DELETE
CASCADE
);
CREATE TABLE ShoppingBasket Book(
   CustomerID NUMBER(15) NOT NULL,
   ISBN VARCHAR(255) NOT NULL,
   BookCount NUMBER(15) NOT NULL,
   PRIMARY KEY(CustomerID, ISBN),
   FOREIGN KEY(CustomerID) REFERENCES Customers(CustomerID) ON DELETE CASCADE,
   FOREIGN KEY(ISBN) REFERENCES Books(ISBN) ON DELETE CASCADE
);
CREATE TABLE Warehouse Book(
   WarehouseID NUMBER(15) NOT NULL,
    ISBN VARCHAR(255) NOT NULL,
```

```
BookCount NUMBER(15) NOT NULL,

PRIMARY KEY(WarehouseID,ISBN),

FOREIGN KEY(WarehouseID) REFERENCES Warehouses(WarehouseID) ON DELETE CASCADE,

FOREIGN KEY(ISBN) REFERENCES Books(ISBN) ON DELETE CASCADE

);
```

#### POPULATING TABLES WITH CORRECT DATA

INSERT INTO Authors(AuthorFName, AuthorLName, AuthorAddress, AuthorURL) VALUES
('Joanne', 'Rowling', '557 Broadway New York', 'www.jkrowling.com');

INSERT INTO Authors(AuthorFName, AuthorLName, AuthorAddress, AuthorURL) VALUES
('Mark', 'Twain', '351 Farmington Avenue', 'www.marktwainproject.com');

INSERT INTO Authors(AuthorFName, AuthorLName, AuthorAddress, AuthorURL) VALUES
('Rick', 'Riordan', '125 West End Avenue', 'www.rickriordan.com');

INSERT INTO Authors(AuthorFName, AuthorLName, AuthorAddress, AuthorURL) VALUES
('Enid', 'Blyton', '83 Shortlands Road, Shortlands', 'www.enidblyton.net');

INSERT INTO Authors(AuthorFName, AuthorLName, AuthorAddress, AuthorURL) VALUES
('Arundhati', 'Roy', '55 LaxmanNagar New Delhi', 'www.weroy.com');

SELECT \* FROM Authors;

1	10000000001	Joanne	Rowling	557 Broadway New York	www.jkrowling.com
2	10000000002	Mark	Twain	351 Farmington Avenue	www.marktwainproject.com
3	10000000003	Rick	Riordan	125 West End Avenue	www.rickriordan.com
4	1000000004	Enid	Blyton	83 Shortlands Road, Shortlands	www.enidblyton.net
5	10000000005	Arundhati	Roy	55 LaxmanNagar New Delhi	www.weroy.com

```
INSERT INTO AuthorPhones VALUES(1000000001,2884713658);
INSERT INTO AuthorPhones VALUES(10000000002,7865412019);
INSERT INTO AuthorPhones VALUES(10000000002,2881069845);
INSERT INTO AuthorPhones VALUES(10000000004,1100548762);
INSERT INTO AuthorPhones VALUES(10000000004,7842361220);
INSERT INTO AuthorPhones VALUES(10000000004,1100745288);
INSERT INTO AuthorPhones VALUES(10000000005,7063254112);
SELECT * FROM AuthorPhones;
```

1	10000000001	2884713658
2	10000000002	7865412019
3	10000000002	2881069845
4	10000000004	1100548762
5	10000000004	7842361220
6	10000000004	1100745288
7	10000000005	7063254112

```
INSERT INTO Publishers(PublisherName,PublisherAddress,PublisherURL)
VALUES('IndianInk','India','www.indianink.com');
INSERT INTO Publishers(PublisherName,PublisherAddress,PublisherURL)
VALUES('Bloomsburry Publishing','UK','www.bloomsburry.com');
INSERT INTO Publishers(PublisherName,PublisherAddress,PublisherURL)
VALUES('Miramax Books','US','www.miramax.com');
INSERT INTO Publishers(PublisherName,PublisherAddress,PublisherURL)
VALUES('Disney','Hollywood, LA','www.disney.com');
INSERT INTO Publishers(PublisherName,PublisherAddress,PublisherURL)
VALUES('S Chand','Mumbai, India','www.schandpublishing.com');
INSERT INTO Publishers(PublisherName,PublisherAddress,PublisherURL)
VALUES('Hachette','UK','www.hachette.com');
SELECT * FROM Publishers;
```

		PUBLISHERNAME	₱ PUBLISHERADDRESS	
1	20000000001	IndianInk	India	www.indianink.com
2	20000000002	Bloomsburry Publishing	UK	www.bloomsburry.com
3	20000000003	Miramax Books	US	www.miramax.com
4	20000000004	Disney	Hollywood, LA	www.disney.com
5	20000000005	S Chand	Mumbai, India	www.schandpublishing.com
6	20000000006	Hachette	UK	www.hachette.com

```
INSERT INTO PublisherPhones VALUES(2000000001,2881076632);
INSERT INTO PublisherPhones VALUES(2000000001,2881036547);
INSERT INTO PublisherPhones VALUES(20000000002,1124533125);
```

```
INSERT INTO PublisherPhones VALUES(2000000003,3665544712);
INSERT INTO PublisherPhones VALUES(20000000004,1004569774);
INSERT INTO PublisherPhones VALUES(20000000005,6644722331);
INSERT INTO PublisherPhones VALUES(20000000005,3655110124);
INSERT INTO PublisherPhones VALUES(20000000006,4975233110);
SELECT * FROM PublisherPhones;
```

	₱ PUBLISHERID	₱ PUBLISHERPHONE
1	20000000001	2881076632
2	20000000001	2881036547
3	20000000002	1124533125
4	20000000003	3665544712
5	20000000004	1004569774
6	20000000006	4975233110
7	20000000005	6644722331
8	20000000005	3655110124

#### **INSERT INTO**

Customers(CustomerFName, CustomerLName, CustomerAddress, CustomerEmail, CustomerUse rname, CustomerPassword)

```
VALUES('Krunal','Rank','Jamnagar,
India','krunalrnak@gmail.com','krunalrank123','K@runal0609');
```

#### **INSERT INTO**

Customers(CustomerFName, CustomerLName, CustomerAddress, CustomerEmail, CustomerUse
rname, CustomerPassword)

```
VALUES('Tanmay','Shah','Jamnagar,
India','tanmayshah29@gmail.com','tanmay2901','ultimate@360');
```

#### **INSERT INTO**

Customers(CustomerFName, CustomerLName, CustomerAddress, CustomerEmail, CustomerUse
rname, CustomerPassword)

```
VALUES('Hardev','Khandhar','Jamnagar,
India','hardevkhandhar71@gmail.com','hardevk','Hardev@Kh');
```

#### **INSERT INTO**

Customers(CustomerFName, CustomerLName, CustomerAddress, CustomerEmail, CustomerUse
rname, CustomerPassword)

```
VALUES('Neil','Pandya','Ahmedabad,
India','pandyaneil08@gmail.com','neilP','neilPandya@0710');
```

#### INSERT INTO

Customers(CustomerFName, CustomerLName, CustomerAddress, CustomerEmail, CustomerUse
rname, CustomerPassword)

```
VALUES('Mihir','Khambhati','Ankleshwar,
Gujarat','mihirk1313@gmail.com','mihir1313','KhambhatiM@1313');
```

#### **INSERT INTO**

Customers(CustomerFName, CustomerLName, CustomerAddress, CustomerEmail, CustomerUse rname, CustomerPassword)

```
VALUES('Miley','Joshi','Texas,
US','mileyj@hotmail.com','MileyJ','MileyJoshi@Texas');
SELECT * FROM Customers;
```

					DDRESS			
1	30000000001	Krunal	Rank	Jamnagar, I	ndia	krunalrnak@gmail.com	krunalrank123	K@runa10609
2	30000000002	Tanmay	Shah	Jamnagar, I	ndia	tanmayshah29@gmail.com	tanmay2901	ultimate@360
3	3000000003	Hardev	Khandhar	Jamnagar, I	ndia	hardevkhandhar71@gmail.com	hardevk	Hardev@Kh
4	30000000004	Neil	Pandya	Ahmedabad,	India	pandyaneil08@gmail.com	neilP	neilPandya@0710
5	30000000005	Mihir	Khambhati	Ankleshwar,	Gujarat	mihirk1313@gmail.com	mihir1313	KhambhatiM@1313
6	30000000006	Miley	Joshi	Texas, US		mileyj@hotmail.com	MileyJ	MileyJoshi@Texas

```
INSERT INTO CustomerPhones VALUES(3000000001,9979891142);
INSERT INTO CustomerPhones VALUES(30000000001,7016507648);
INSERT INTO CustomerPhones VALUES(30000000002,6355487754);
INSERT INTO CustomerPhones VALUES(30000000003,7444689954);
INSERT INTO CustomerPhones VALUES(30000000004,3667844566);
INSERT INTO CustomerPhones VALUES(30000000005,9999633145);
INSERT INTO CustomerPhones VALUES(30000000006,4477233145);
SELECT * FROM CustomerPhones;
```

1	30000000001	9979891142
2	30000000001	7016507648
3	30000000002	6355487754
4	30000000003	7444689954
5	30000000004	3667844566
6	30000000005	9999633145
7	30000000006	4477233145

```
INSERT INTO Warehouses(WarehousePhone,WarehouseAddress)
VALUES(2886423114,'Mumbai, India');
INSERT INTO Warehouses(WarehousePhone,WarehouseAddress)
VALUES(2369984512,'Delhi, India');
INSERT INTO Warehouses(WarehousePhone,WarehouseAddress)
VALUES(1014662133,'Texas, US');
INSERT INTO Warehouses(WarehousePhone,WarehouseAddress)
VALUES(1001355645,'New York, US');
INSERT INTO Warehouses(WarehousePhone,WarehouseAddress)
VALUES(5423300112,'Beijing, China');
INSERT INTO Warehouses(WarehousePhone,WarehouseAddress)
VALUES(4231100148,'London, UK');
SELECT * FROM Warehouses;
```

1	40000000001	2886423114	Mumbai, India
2	40000000002	2369984512	Delhi, India
3	40000000003	1014662133	Texas, US
4	40000000004	1001355645	New York, US
5	40000000005	5423300112	Beijing, China
6	40000000006	4231100148	London, UK

```
INSERT INTO Books VALUES('9780747532743',20000000002,10000000001,'25-01-2004','Harry Potter and the Philosophers Stone',449.99);
INSERT INTO Books VALUES('9780747532744',20000000002,10000000001,'17-07-2004','Harry Potter and the Chamber of Secrets',500.50);
INSERT INTO Books VALUES('9780747532745',20000000002,10000000001,'15-03-2005','Harry Potter and the Prisoner of Azkaban',510.31);
INSERT INTO Books VALUES('9780747532746',20000000002,10000000001,'07-06-2005','Harry Potter and the Goblet of Fire',530.27);
INSERT INTO Books VALUES('9780747532747',20000000002,10000000001,'25-12-2005','Harry Potter and the Order of Pheonix',570.00);
INSERT INTO Books VALUES('9780747532748',20000000002,10000000001,'20-08-2006','Harry Potter and the Half Blood Prince',630.47);
INSERT INTO Books VALUES('9780747532749',20000000002,10000000001,'14-07-2007','Harry Potter and the Deathly Hallows',700.00);
```

INSERT INTO Books VALUES('9780141346816',20000000003,10000000003,'27-03-2005','Perccy Jackson The Lightning Thief',890.30);

INSERT INTO Books VALUES('9781484707234',20000000003,10000000003,'18-04-2011','Perccy Jackson The Last Olympian',900.00);

INSERT INTO Books VALUES('9780520266124',20000000005,10000000002,'23-05-1876','The Adventures of Tom Sawyer',900.50);

INSERT INTO Books VALUES('9780525120014',20000000005,10000000002,'15-06-1878','Huckleberry Finn',230.99);

INSERT INTO Books VALUES('9780532021509',20000000001,10000000005,'21-07-1997','The God of Small Things',500.00);

INSERT INTO Books VALUES('9780350016478',20000000001,10000000005,'05-03-2017','The Ministry of Utmost Happiness',500.45);

INSERT INTO Books VALUES('9780042100364',20000000001,10000000005,'03-04-1998','The End of Imagination',360.00);

INSERT INTO Books VALUES('9785633100784',20000000006,10000000004,'03-04-1998','The Magic Faraway Tree',120.00);

INSERT INTO Books VALUES('9780566210017',20000000006,10000000004,'28-02-1938','The Secret Island',150.00);

INSERT INTO Books VALUES('9780332100140',20000000006,10000000004,'12-05-1947','The Valley of Adventure',130.97);

SELECT \* FROM Books;

		₱ PUBLISHERID			∯ TITLE	PRICE     PRICE
1	9780747532743	20000000002	10000000001	25-01-04	Harry Potter and the Philosophers Stone	449.99
2	9780747532744	20000000002	10000000001	17-07-04	Harry Potter and the Chamber of Secrets	500.5
3	9780747532745	20000000002	10000000001	15-03-05	Harry Potter and the Prisoner of Azkaban	510.31
4	9780747532746	20000000002	10000000001	07-06-05	Harry Potter and the Goblet of Fire	530.27
5	9780747532747	20000000002	10000000001	25-12-05	Harry Potter and the Order of Pheonix	570
6	9780747532748	20000000002	10000000001	20-08-06	Harry Potter and the Half Blood Prince	630.47
7	9780747532749	20000000002	10000000001	14-07-07	Harry Potter and the Deathly Hallows	700
8	9780141346816	20000000003	10000000003	27-03-05	Perccy Jackson The Lightning Thief	890.3
9	9781484707234	20000000003	10000000003	18-04-11	Perccy Jackson The Last Olympian	900
10	9780520266124	20000000005	10000000002	23-05-76	The Adventures of Tom Sawyer	900.5
11	9780525120014	20000000005	10000000002	15-06-78	Huckleberry Finn	230.99
12	9780532021509	20000000001	10000000005	21-07-97	The God of Small Things	500
13	9780350016478	20000000001	10000000005	05-03-17	The Ministry of Utmost Happiness	500.45
14	9780042100364	20000000001	10000000005	03-04-98	The End of Imagination	360
15	9785633100784	20000000006	10000000004	03-04-98	The Magic Faraway Tree	120
16	9780566210017	20000000006	10000000004	28-02-38	The Secret Island	150
17	9780332100140	20000000006	10000000004	12-05-47	The Valley of Adventure	130.97

```
INSERT INTO Warehouse Book VALUES(4000000001, '9780747532743', 200);
INSERT INTO Warehouse Book VALUES(40000000002, '9780747532743', 230);
INSERT INTO Warehouse Book VALUES(40000000003, '9780747532743', 300);
INSERT INTO Warehouse Book VALUES(4000000004, '9780747532743', 120);
INSERT INTO Warehouse Book VALUES(40000000005, '9780747532743', 350);
INSERT INTO Warehouse Book VALUES(4000000006, '9780747532743', 200);
INSERT INTO Warehouse_Book VALUES(4000000001, '9780747532744',250);
INSERT INTO Warehouse_Book VALUES(40000000002, '9780747532744', 100);
INSERT INTO Warehouse_Book VALUES(40000000003, '9780747532744', 310);
INSERT INTO Warehouse Book VALUES(40000000004, '9780747532744', 250);
INSERT INTO Warehouse Book VALUES(40000000005, '9780747532744', 311);
INSERT INTO Warehouse Book VALUES(4000000006, '9780747532744', 250);
INSERT INTO Warehouse Book VALUES(4000000001, '9780747532745', 120);
INSERT INTO Warehouse Book VALUES(40000000002, '9780747532745', 310);
INSERT INTO Warehouse Book VALUES(4000000003, '9780747532745', 120);
INSERT INTO Warehouse Book VALUES(4000000004, '9780747532745', 120);
INSERT INTO Warehouse Book VALUES(40000000005, '9780747532745', 120);
INSERT INTO Warehouse Book VALUES(4000000006, '9780747532745', 200);
INSERT INTO Warehouse Book VALUES(4000000001, '9780747532746', 200);
INSERT INTO Warehouse Book VALUES(4000000003, '9780747532746', 130);
INSERT INTO Warehouse Book VALUES(40000000005, '9780747532746', 150);
INSERT INTO Warehouse Book VALUES(40000000006, '9780747532746', 90);
INSERT INTO Warehouse Book VALUES(4000000001, '9780747532747', 200);
INSERT INTO Warehouse Book VALUES(4000000001, '9780747532748', 100);
INSERT INTO Warehouse Book VALUES(4000000003, '9780747532748', 100);
INSERT INTO Warehouse Book VALUES(4000000004, '9780747532748', 100);
```

```
INSERT INTO Warehouse Book VALUES(40000000005, '9780747532748', 100);
INSERT INTO Warehouse Book VALUES(40000000005, '9780747532749', 10);
INSERT INTO Warehouse Book VALUES(4000000001, '9780141346816', 50);
INSERT INTO Warehouse Book VALUES(40000000002, '9780141346816', 45);
INSERT INTO Warehouse Book VALUES(4000000003, '9780141346816', 150);
INSERT INTO Warehouse Book VALUES(4000000004, '9780141346816', 120);
INSERT INTO Warehouse_Book VALUES(40000000005, '9780141346816',200);
INSERT INTO Warehouse_Book VALUES(4000000006, '9780141346816',150);
INSERT INTO Warehouse Book VALUES(4000000001, '9781484707234', 70);
INSERT INTO Warehouse Book VALUES(40000000002, '9781484707234', 120);
INSERT INTO Warehouse Book VALUES(40000000003, '9781484707234', 130);
INSERT INTO Warehouse Book VALUES(40000000005, '9781484707234', 100);
INSERT INTO Warehouse Book VALUES(4000000001, '9780520266124', 70);
INSERT INTO Warehouse Book VALUES(40000000002, '9780520266124', 120);
INSERT INTO Warehouse Book VALUES(4000000003, '9780520266124', 130);
INSERT INTO Warehouse Book VALUES(40000000005, '9780520266124', 100);
INSERT INTO Warehouse Book VALUES(4000000001, '9780525120014',50);
INSERT INTO Warehouse Book VALUES(40000000002, '9780525120014', 45);
INSERT INTO Warehouse Book VALUES(4000000003, '9780525120014', 150);
INSERT INTO Warehouse Book VALUES(4000000004, '9780525120014', 120);
INSERT INTO Warehouse Book VALUES(40000000005, '9780525120014', 200);
INSERT INTO Warehouse Book VALUES(4000000006, '9780525120014', 150);
INSERT INTO Warehouse Book VALUES(40000000001, '9780532021509', 50);
INSERT INTO Warehouse Book VALUES(40000000002, '9780532021509', 45);
```

```
INSERT INTO Warehouse Book VALUES(4000000003, '9780532021509', 150);
INSERT INTO Warehouse Book VALUES(4000000004, '9780532021509', 120);
INSERT INTO Warehouse Book VALUES(40000000005, '9780532021509', 200);
INSERT INTO Warehouse Book VALUES(4000000006, '9780532021509', 150);
INSERT INTO Warehouse Book VALUES(4000000001, '9780350016478', 175);
INSERT INTO Warehouse Book VALUES(4000000002, '9780350016478', 150);
INSERT INTO Warehouse Book VALUES(4000000003, '9780350016478', 100);
INSERT INTO Warehouse_Book VALUES(40000000004, '9780350016478', 200);
INSERT INTO Warehouse_Book VALUES(40000000005, '9780350016478', 100);
INSERT INTO Warehouse Book VALUES(4000000006, '9780350016478', 150);
INSERT INTO Warehouse Book VALUES(4000000001, '9780042100364', 175);
INSERT INTO Warehouse Book VALUES(4000000002, '9780042100364', 150);
INSERT INTO Warehouse Book VALUES(4000000006, '9780042100364', 150);
INSERT INTO Warehouse Book VALUES(4000000004, '9785633100784', 200);
INSERT INTO Warehouse Book VALUES(40000000005, '9785633100784', 100);
INSERT INTO Warehouse Book VALUES(4000000006, '9785633100784', 150);
INSERT INTO Warehouse Book VALUES(4000000001, '9780566210017', 200);
INSERT INTO Warehouse Book VALUES(4000000002, '9780566210017', 140);
INSERT INTO Warehouse Book VALUES(4000000003, '9780566210017', 300);
INSERT INTO Warehouse_Book VALUES(40000000004, '9780566210017',170);
INSERT INTO Warehouse Book VALUES(40000000005, '9780566210017', 280);
INSERT INTO Warehouse Book VALUES(4000000006, '9780566210017', 190);
INSERT INTO Warehouse Book VALUES(4000000001, '9780332100140', 120);
INSERT INTO Warehouse Book VALUES(4000000002, '9780332100140',130);
INSERT INTO Warehouse Book VALUES(4000000003, '9780332100140',400);
INSERT INTO Warehouse Book VALUES(4000000004, '9780332100140', 320);
```

```
INSERT INTO Warehouse_Book VALUES(40000000005,'9780332100140',250);
INSERT INTO Warehouse_Book VALUES(4000000006,'9780332100140',180);
```

SELECT \* FROM Warehouse\_Book;

			⊕ BOOKCOUNT
1	40000000001	9780747532743	200
2	40000000002	9780747532743	230
3	40000000004	9780747532743	120
4	40000000005	9780747532743	350
5	40000000006	9780747532743	15
6	40000000001	9780747532744	250
7	40000000002	9780747532744	100
8	40000000003	9780747532744	310
9	40000000004	9780747532744	250
10	40000000005	9780747532744	311
11	40000000006	9780747532744	250
12	40000000001	9780747532745	120
13	40000000002	9780747532745	310
14	40000000003	9780747532745	120
15	40000000004	9780747532745	120
16	40000000005	9780747532745	120
17	40000000006	9780747532745	200
18	40000000001	9780747532746	200
19	40000000003	9780747532746	130
20	40000000005	9780747532746	150
21	40000000006	9780747532746	90

```
INSERT INTO ShoppingBasket_Book VALUES(3000000001,'9780747532743',1);
INSERT INTO ShoppingBasket_Book VALUES(30000000001,'9780747532744',1);
INSERT INTO ShoppingBasket_Book VALUES(30000000001,'9780747532745',1);
INSERT INTO ShoppingBasket_Book VALUES(30000000001,'9780747532746',1);
INSERT INTO ShoppingBasket_Book VALUES(30000000001,'9780747532747',1);
INSERT INTO ShoppingBasket_Book VALUES(30000000001,'9780747532748',1);
INSERT INTO ShoppingBasket_Book VALUES(30000000001,'9780747532748',1);
```

INSERT INTO ShoppingBasket\_Book VALUES(30000000002,'9780042100364',2);

```
INSERT INTO ShoppingBasket_Book VALUES(30000000002,'9780520266124',1);
INSERT INTO ShoppingBasket Book VALUES(30000000003,'9780532021509',1);
INSERT INTO ShoppingBasket_Book VALUES(30000000003,'9780350016478',2);
INSERT INTO ShoppingBasket_Book VALUES(30000000003,'9781484707234',2);
INSERT INTO ShoppingBasket Book VALUES(30000000005,'9780525120014',1);
INSERT INTO ShoppingBasket_Book VALUES(30000000005,'9780332100140',2);
INSERT INTO ShoppingBasket_Book VALUES(30000000005,'9780747532747',1);
INSERT INTO ShoppingBasket_Book VALUES(3000000006,'9781484707234',3);
```

SELECT \* FROM ShoppingBasket\_Book;

1	30000000001	9780747532743	1
2	30000000001	9780747532744	1
3	30000000001	9780747532745	1
4	30000000001	9780747532746	1
5	30000000001	9780747532747	1
6	30000000001	9780747532748	1
7	30000000001	9780747532749	1
8	30000000001	9780042100364	2
9	30000000001	9780520266124	1
10	30000000002	9780042100364	2
11	30000000002	9780520266124	1
12	3000000003	9780532021509	1
13	3000000003	9780350016478	2
14	30000000003	9781484707234	2
15	30000000005	9780525120014	1
16	30000000005	9780332100140	2
17	30000000005	9780747532747	1
18	30000000006	9781484707234	3

#### RECOMMENDED JOINS AND VIEWS


The View BookDetailsView shows detailed view of the Books along with the Author Name and Publisher Name:

CREATE OR REPLACE VIEW BookDetailsView AS

SELECT Books.ISBN ,Books.Title , Authors.AuthorFName, Authors.AuthorLName , Publishers.PublisherName, Book.Price

FROM Books NATURAL JOIN Authors NATURAL JOIN Publishers;

SELECT \* FROM BookDetailsView;



The View AuthorDetailsView shows detailed view of the Authors along with the Author Phone Numbers and the number of Books written by the Author:

```
CREATE OR REPLACE VIEW AuthorDetailsView AS
```

```
WITH TTABLE(AuthorID, Phone) AS

(SELECT AuthorID, RTRIM (XMLAGG (XMLELEMENT (e, AuthorPhone || ',
')).EXTRACT ('//text()'), ',') Phone

FROM AuthorPhones GROUP BY AuthorID),

TTABLE2(AuthorID, BooksWritten) AS

(SELECT AuthorID, COUNT(*) FROM Books GROUP BY AuthorID)
```

Authors.AuthorID, AuthorFName, AuthorLName, AuthorURL, TTABLE. Phone, AuthorAddress, BooksWritten

FROM Authors LEFT JOIN TTABLE ON(Authors.AuthorID = TTABLE.AuthorID)
LEFT JOIN TTABLE2 ON (Authors.AuthorID=TTABLE2.AuthorID);

#### SELECT \* FROM AuthorDetailsView;

		AUTHOR			₱ PHONE		BOOKSWR
1	10000000001	Joanne	Rowling	www.jkrowling.com	2884713658 ,	557 Broadway New	7
2	10000000002	Mark	Twain	www.marktwainproject.com	2881069845 , 7865412019 ,	351 Farmington Av	2
3	10000000004	Enid	Blyton	www.enidblyton.net	1100548762 , 7842361220 , 11007452	83 Shortlands Roa	3
4	10000000005	Arundhati	Roy	www.weroy.com	7063254112 ,	55 LaxmanNagar Ne	3
5	10000000003	Rick	Riordan	www.rickriordan.com	(null)	125 West End Avenue	2

The View PublisherDetailsView shows detailed view of the Publishers along with the Publisher Phone Numbers and the number of Books published by the Publisher:

CREATE OR REPLACE VIEW PublisherDetailsView AS

WITH TTABLE(PublisherID, Phone) AS

FROM PublisherPhones

GROUP BY PublisherID),

TTABLE2(PublisherID, BooksPublished) AS

(SELECT PublisherID, COUNT(\*) FROM Books GROUP BY PublisherID)

SELECT

Publishers.PublisherID,PublisherName,PublisherURL,TTABLE.Phone,PublisherAddress,BooksPublished

FROM Publishers LEFT JOIN TTABLE ON(Publishers.PublisherID = TTABLE.PublisherID) LEFT JOIN TTABLE2 ON(Publishers.PublisherID = TTABLE2.PublisherID);

SELECT \* FROM PublisherDetailsView;

		♦ PUBLISHERURL	♦ PHONE	₱ PUBLISHERADDRESS	BOOKSPUBLISHED
1	20000000001 IndianInk	www.indianink.com	2881036547 , 2881076632 ,	India	3
2	20000000002 Bloomsburry Publishing	www.bloomsburry.com	1124533125 ,	UK	7
3	20000000003 Miramax Books	www.miramax.com	3665544712 ,	US	2
4	20000000004 Disney	www.disney.com	1004569774 ,	Hollywood, LA	(null)
5	20000000005 S Chand	www.schandpublishing.com	3655110124 , 6644722331 ,	Mumbai, India	2
6	20000000006 Hachette	www.hachette.com	4975233110 ,	UK	3

The view CustomerDetailsView shows detailed information about Customers that even includes their Phone Numbers:

CREATE OR REPLACE VIEW CustomerDetailsView AS

WITH TTABLE(CustomerID, Phone) AS

FROM CustomerPhones

GROUP BY CustomerID)

**SELECT** 

Customers.CustomerID,CustomerFName,CustomerLName,CustomerUsername,CustomerPassword,CustomerEmail,TTABLE.Phone,CustomerAddress

FROM Customers LEFT JOIN TTABLE ON(Customers.CustomerID =
TTABLE.CustomerID);

SELECT \* FROM Customers;



### Implementation of PLSQL Functions/Triggers

PLSQL Functions and Triggers allow us to easily regulate changes in data and view these changes in a compact manner.

Most of the PLSQL Triggers are used before, during or after the execution of an SQL statement which provides the Database Administrator with numerous functionalities.

I have implemented following PLSQL Functionalities for convenient searching of Data in the Relations formed in the previous section:-

The below Procedure is used for Displaying Shopping Cart of a given User based on Username as Input:

```
CREATE OR REPLACE PROCEDURE show_shopping_basket(customer_username IN VARCHAR)
IS
total NUMBER(10,2);
BEGIN
   DBMS OUTPUT.PUT LINE('Shopping Basket: '||customer username);
   total := 0.00;
    FOR rec IN (SELECT ISBN, Title, Price, BookCount FROM Books NATURAL JOIN
ShoppingBasket Book NATURAL JOIN Customers WHERE CustomerUsername =
customer_username)
   L00P
        total := total + (rec.Price * rec.BookCount);
        DBMS_OUTPUT.PUT_LINE(rec.ISBN||' '||rec.Title||' '||rec.Price||'
'||rec.BookCount);
        END LOOP;
   DBMS OUTPUT.PUT LINE('Shopping Basket Total: Rs.'||total);
END;
/
DECLARE
    customer_username VARCHAR(255):= '&customer_username';
BEGIN
    show_shopping_basket(customer_username);
END;
```

```
Shopping Basket: krunalrank123
9780747532743 Harry Potter and the Philosophers Stone 449.99 1
9780747532744 Harry Potter and the Chamber of Secrets 500.5 1
9780747532745 Harry Potter and the Prisoner of Azkaban 510.31 1
9780747532746 Harry Potter and the Goblet of Fire 530.27 1
9780747532747 Harry Potter and the Order of Pheonix 570 1
9780747532748 Harry Potter and the Half Blood Prince 630.47 1
9780747532749 Harry Potter and the Deathly Hallows 700 1
9780520266124 The Adventures of Tom Sawyer 900.5 1
9780042100364 The End of Imagination 360 2
Shopping Basket Total: Rs.5512.04

PL/SQL procedure successfully completed.
```

The below Trigger warns the Administrator when the Book Count of a particular warehouse for a particular existing Book falls below 20 and asks for Restocking books:

```
CREATE OR REPLACE TRIGGER show low book levels
AFTER INSERT OR UPDATE ON Warehouse Book
FOR EACH ROW
WHEN (NEW.BookCount<20)
DECLARE
    CURSOR cur IS
    SELECT ISBN,Title FROM Books WHERE ISBN = :NEW.ISBN;
BEGIN
    FOR rec IN cur
    L00P
        DBMS_OUTPUT.PUT_LINE(rec.ISBN||' '||rec.Title||' '||'have been reduced
below 20 at Warehouse '||:NEW.WarehouseID||'! Restock required!');
    END LOOP;
END;
/
Update Warehouse Book set BookCount=15 WHERE ISBN = '9780747532743' AND
WarehouseID=40000000006;
```

9780141346816 Perccy Jackson The Lightning Thief have been reduced below 20 at Warehouse 40000000002! Restock required!

1 row updated.

The Mini Project has been successfully completed under the guidance of SVNIT Computer Engineering Department faculties for Course BTech 2<sup>nd</sup> Year DBMS Course

THANK YOU