## Internet Technology and Applications Practicals Assignment 1

Krunal Rank U18C0081

1. Write a program to find a maximum of 3 numbers using User Input.

Program exited due to unforeseen error!

Error: Please enter 3 numbers.

```
const prompt = require('prompt-sync')();
try {
   const inputString = prompt('Please enter 3 numbers separated by spaces: ')
   const arr = inputString.split(' ').map(x => parseInt(x))
   if(arr.length!=3) throw 'Please enter 3 numbers.'
   const maxElem = Math.max(...arr)
   console.log('The Maximum of given numbers is ' + maxElem + '!')
   console.log('Program exited due to unforeseen error!')
   console.log('Error: '+e)
 krhero@hellblazer:/mnt/0FB812900FB81290/BTech/Assignments/3rd_Year/ITA/Assignment1$ node 1.js
Please enter 3 numbers separated by spaces: 5 8 9
The Maximum of given numbers is 9!
krhero@hellblazer:/mnt/0FB812900FB81290/BTech/Assignments/3rd Year/ITA/Assignment1$ node 1.js
Please enter 3 numbers separated by spaces: 5 8
Program exited due to unforeseen error!
Error: Please enter 3 numbers.
krhero@hellblazer:/mnt/0FB812900FB81290/BTech/Assignments/3rd_Year/ITA/Assignment1$ node 1.js
Please enter 3 numbers separated by spaces: 1 krunal
```

2. Write a Javascript script to validate MIS details of the students and show error messages if any field is left empty.

```
<html>
      Assignment 2
Clink rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
   integrity="sha384-BVYiiSIFeK1dGmJRAkycuHAHRg320mUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
crossorigin="anonymous">
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap-theme.min.css"
  integrity="sha384-rHyoN1iRsVXV4nD0JutlnGas1CJuC7uwjduW9SVrLvRYooPp2bWYgmgJQIXw1/Sp"
crossorigin="anonymous">
      margin: 0;
      padding: 0;
      background-color: #2c6ed5;
      align-items: center;
      text-align: center;
      display: flex;
<body class='base'>
  <div class="container">
      <h1 style='text-align: center; color :#fff'>NIT Surat</h1>
      <h3 style='text-align: center; color :#fff'>MIS Registration</h3>
                  <form class="well form-horizontal">
                               <div class="form-group">
```

```
<label class="col-md-4 control-label">Full
Name</label>
class="input-group-addon"><i
glyphicon-user"></i></span><input id="fullName"</pre>
class="form-control"
                                                required="true" value=""
type="text"></div>
                                <div class="form-group">
                                    <label class="col-md-4 control-label">Address Line
1 < /1abel>
class="input-group-addon"><i
glyphicon-home"></i></span><input id="addressLine1"
                                                name="addressLine1" placeholder="Address
Line 1" class="form-control"
                                                required="true" value=""
type="text"></div>
                                <div class="form-group">
                                    <label class="col-md-4 control-label">Address Line
2</label>
class="input-group-addon"><i
glyphicon-home"></i></span><input id="addressLine2"</pre>
Line 2" class="form-control"
                                                required="true" value=""
type="text"></div>
                                <div class="form-group">
                                    <label class="col-md-4 control-label">City</label>
```

```
class="glyphicon
glyphicon-home"></i></span><input id="city"</pre>
class="form-control" required="true"
                                                 value="" type="text"></div>
                                <div class="form-group">
                                    <label class="col-md-4"</pre>
control-label">State/Province/Region</label>
                                    <div class="col-md-8 inputGroupContainer">
class="input-group-addon"><i
glyphicon-home"></i></span><input id="state"</pre>
                                                 name="state"
placeholder="State/Province/Region" class="form-control"
                                                 required="true" value=""
type="text"></div>
                                <div class="form-group">
                                    <label class="col-md-4 control-label">Postal
Code/ZIP</label>
class="input-group-addon"><i
glyphicon-home"></i></span><input id="postcode"</pre>
Code/ZIP" class="form-control"
                                                 required="true" value=""
type="text"></div>
                                    <label class="col-md-4 control-label">Email</label>
class="input-group-addon"><i
                                                     class="glyphicon
glyphicon-envelope"></i></span><input id="email"</pre>
                                                 name="email" placeholder="Email"
class="form-control" required="true"
                                                 value="" type="text"></div>
```


```
<div class="form-group">
                                    <label class="col-md-4 control-label">Phone
Number</label>
class="input-group-addon"><i
glyphicon-earphone"></i></span><input</pre>
placeholder="Phone Number"
                                                class="form-control" required="true"
value="" type="text"></div>
                                <div class="form-group">
                                        <button style='width: 100%' type='button'</pre>
class='btn btn-primary' id='submit'>
                                            Submit</button>
       <div class="modal-dialog">
           <div class="modal-content ">
               <div class="modal-header">
                   <button type="button" class="close"</pre>
data-dismiss="modal">×</button>
                   <h4 class="modal-title"></h4>
               <div class="modal-body">
               <div class="modal-footer">
                   <button type="button" class="btn btn-primary"</pre>
data-dismiss="modal">Close</button>
```

```
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
   integrity="sha384-Tc5IQib027qvyjSMfHjOMaLkfuWVxZxUPnCJA712mCWNIpG9mGCD8wGNIcPD7Txa"
crossorigin="anonymous">
  $('#submit').on('click', () => {
       const fullName = $('#fullName').val()
       const addressLine1 = $('#addressLine1').val()
       const addressLine2 = $('#addressLine2').val()
       const city = $('#city').val()
       const state = $('#state').val()
       const postcode = $('#postcode').val()
       const email = $('#email').val()
       const phoneNumber = $('#phoneNumber').val()
       let error = ''
       if (!/^[A-Za-z\s] \{4,\}\/.test(fullName)) {
          error +=
with at least 4 characters!<br>'
       if (!/^[A-Za-z0-9], [4,])/.test(addressLine1)) {
          error +=
       if (!/^[A-Za-z\s]{2,}$/.test(city)) {
       if (!/^[A-Za-z\s]{3,}$/.test(state)) {
          error +=
       if (!parseInt(postcode) || postcode.length != 6) {
```

```
(!/^[a-zA-Z0-9.!\#\$\%\&'*+/=?^ `{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)*$/.test(email)) {
       if (phoneNumber.length != 10) {
Number!<br>'
           for (let i = 0; i < phoneNumber.length; i++) {</pre>
               if (!parseInt(phoneNumber[i])) {
Number!<br>'
           $('#myModal').addClass('bg-success')
           $('.modal-title').html('Form Submitted')
           $('#modal-body-content').html('Your Details have been saved Successfully!')
           $('#myModal').addClass('bg-danger')
           $('#modal-body-content').html(error)
       $('#myModal').modal('show')
```

## NIT Surat

## MIS Registration






3. Make a simple Interest Calculator using Javascript. The result should be displayed in a new window.

```
Assignment 1
k rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
   integrity="sha384-BVYiiSIFeK1dGmJRAkycuHAHRg32OmUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
crossorigin="anonymous">
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap-theme.min.css"
   integrity="sha384-rHyoN1iRsVXV4nD0JutlnGaslCJuC7uwjduW9SVrLvRYooPp2bWYgmgJQIXw1/Sp"
crossorigin="anonymous">
      margin: 0;
      padding: 0;
      background-color: #2c6ed5;
   .base2 {
      align-items: center;
      text-align: center;
      display: flex;
(body class='base'>
  <div class="container">
       <h1 style='text-align: center; color :#fff'>Simple Interest Calculator</h1>
                  <form class="well form-horizontal">
                              <div class="form-group">
                                   <label class="col-md-4 control-label">Principle (in
Rs)</label>
```

```
class="input-group-addon"><i
glyphicon-euro"></i></span><input id="principle"</pre>
Principle..." class="form-control"
                                                 required="true" value=""
type="text"></div>
                                    <label class="col-md-4 control-label">Interest Rate
(in %) < /label>
class="input-group-addon"><i
                                                     class="glyphicon
glyphicon-asterisk"></i></span><input id="rate"</pre>
Rate..." class="form-control"
                                                 required="true" value=""
type="text"></div>
                                    <label class="col-md-4 control-label">Duration (in
Years)</label>
class="input-group-addon"><i
glyphicon-time"></i></span><input id="duration"</pre>
Duration..." class="form-control"
                                                 required="true" value=""
type="text"></div>
                                <div class="form-group">
                                         <button style='width: 100%' type='button'</pre>
class='btn btn-primary' id='submit'>
                                             Get Interest</putton>
```

```
integrity="sha384-Tc5IQib027qvyjSMfHjOMaLkfuWVxZxUPnCJA712mCWNIpG9mGCD8wGNIcPD7Txa"
crossorigin="anonymous">
           let principle = parseFloat($('#principle').val())
           let rate = parseFloat($('#rate').val())
           let duration = parseFloat($('#duration').val())
           if(!principle || !rate || !duration) {
          let interest = principle*rate*duration/100
           var newWindow = window.open("Simple Interest", "Simple Interest",
"width=200, height=100");
           newWindow.document.write("Simple Interest:Rs. "+interest+" ");
       }catch(e){
          alert(e)
   })
```



4. Create a home page for SVNIT college displaying amenities of the college in an automatic carousel using Javascript.

```
Assignment 1
Clink rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
  integrity="sha384-BVYiiSIFeK1dGmJRAkycuHAHRq320mUcww7on3RYdq4Va+PmSTsz/K68vbdEjh4u"
crossorigin="anonymous">
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap-theme.min.css"
  integrity="sha384-rHyoN1iRsVXV4nD0JutlnGaslCJuC7uwjduW9SVrLvRYooPp2bWYgmgJQIXwl/Sp"
crossorigin="anonymous">
   integrity="sha384-Tc5IQib027qvyjSMfHjOMaLkfuWVxZxUPnCJA712mCWNIpG9mGCD8wGNIcPD7Txa"
crossorigin="anonymous">
       text-align: center;
       background-size: cover;
       color: #fff;
       font-family: sans-serif;
       margin: 0;
       padding-top: 0;
  h4 {
       font-size: 24px;
       padding: 10px 25px;
```

```
background-color: #4CA74C;
    color: #fff;
   border-radius: 25px;
   text-decoration: none;
#mySlider {
   overflow: hidden;
   position: relative;
   height: 100vh;
   overflow: hidden;
   background-size: cover;
   position: absolute;
   left: 100%;
   width: 100%;
   top: 0px;
   background-color: rgba(0, 0, 0, 0.5);
   height: 100vh;
   display: flex;
   align-items: center;
   padding: 50px;
#sliderNav {
   position: relative;
   top: -175px;
#sliderNav:hover {
#sliderPrev {
   position: relative;
    float: left;
```

```
left: 50px;
#sliderNext {
   position: relative;
   right: 50px;
   100% {
       left: 0;
    100% {
       left: 0;
   left: -100%;
   -webkit-animation: slideIn 1s forwards;
   animation: slideIn 1s forwards;
   left: 100%;
   -webkit-animation: slideIn 1s forwards;
   animation: slideIn 1s forwards;
    100% {
       left: -100%;
   100% {
       left: -100%;
```

```
.slideOutLeft {
    -webkit-animation: slideOutLeft 1s forwards;
    animation: slideOutLeft 1s forwards;
@-webkit-keyframes slideOutRight {
    100% {
@keyframes slideOutRight {
        left: 100%;
    -webkit-animation: slideOutRight 1s forwards;
    animation: slideOutRight 1s forwards;
<div id="mySlider"></div>
var slideIndex = 0;
var currentSlideIndex = 0;
var slideArray = [];
function Slide(title, subtitle, background) {
    this.title = title;
    this.subtitle = subtitle;
    this.background = background;
    slideIndex++;
    slideArray.push(this);
```

```
var slide1 = new Slide(
  );
  var slide2 = new Slide(
education in Civil, Mechanical and Electrical Engineering.<br>In the year 1983-84 the
Under Graduate programmes in Electronics Engineering was introduced and in the year
1988-89 the UG programmes in Computer Engineering and Production Engineering was
started.<br>In the year 1995-96, UG programme in Chemical Engineering was introduced. In
exercise of the powers conferred by section 3 of the University Grants Commission (UGC)
Act, 1956, the Central Government on the advice of the University Grants Commission, has
declared the Sardar Vallabhbhai Regional College of Engineering & Technology (SVREC),
Surat to Sardar Vallabhbhai National Institute of Technology (SVNIT), Surat with status
of "Deemed University" with effect from 4th December 2002.<br>The Institute has been
granted the status of 'Institute of National Importance' w.e.f. Aug. 15, 2007. At
present, the Institute is offering Six UG Programmes, Eighteen PG Programmes and Three
M.Sc. Five Years Integrated Programme including doctoral programme in all above
branches.",
  );
  var slide3 = new Slide(
       "Courses Available",
Engineering<br>Electrical Engineering<br>Chemical Engineering<br>Civil
Engineering<br>Mechanical Engineering<br>Integrated Masters Course",
  );
   function buildSlider() {
      var myHTML = "";
```

```
for (var i = 0; i < slideArray.length; i++) {</pre>
           myHTML += "<div id='" + slideArray[i].id +</pre>
slideArray[i].background + ");'>" +
               "<h1>" + slideArray[i].title + "</h1>" +
               "<h4>" + slideArray[i].subtitle + "</h4>" +
               "</div></div>" +
               "</div>";
       document.getElementById("mySlider").innerHTML = myHTML;
      document.getElementById("slide" + currentSlideIndex).style.left = 0;
  buildSlider();
   function prevSlide() {
      var nextSlideIndex;
       if (currentSlideIndex === 0) {
           nextSlideIndex = slideArray.length - 1;
           nextSlideIndex = currentSlideIndex - 1;
       document.getElementById("slide" + nextSlideIndex).style.left = "-100%";
       document.getElementById("slide" + currentSlideIndex).style.left = 0;
      document.getElementById("slide" + nextSlideIndex).setAttribute("class",
'singleSlide slideInLeft");
       document.getElementById("slide" + currentSlideIndex).setAttribute("class",
'singleSlide slideOutRight");
       currentSlideIndex = nextSlideIndex;
   function nextSlide() {
      var nextSlideIndex;
```

```
if (currentSlideIndex === (slideArray.length - 1)) {
          nextSlideIndex = 0;
          nextSlideIndex = currentSlideIndex + 1;
      document.getElementById("slide" + nextSlideIndex).style.left = "100%";
      document.getElementById("slide" + currentSlideIndex).style.left = 0;
      document.getElementById("slide" + nextSlideIndex).setAttribute("class",
'singleSlide slideInRight");
      document.getElementById("slide" + currentSlideIndex).setAttribute("class",
"singleSlide slideOutLeft");
      currentSlideIndex = nextSlideIndex;
  setInterval(nextSlide, 3000);
        Sardar Vallabhbhai National Institute of Technology, Surat
                                  An Institute of National Eminence
```

5. Create one form for taking input via checkbox from the user for receiving updates via newsletter for events at SVNIT. Only If the user selects to opt for newsletter, display options using checkbox for selecting from events such as annual fest, drishti events, student chapters, SUP, summer schools, talks, conferences, workshops, courses through NPTEL. Display the selected choices in a new tab.

```
Assignment 1
Clink rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
  integrity="sha384-BVYiiSIFeK1dGmJRAkycuHAHRg320mUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
crossorigin="anonymous">
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap-theme.min.css"
  integrity="sha384-rHyoN1iRsVXV4nD0JutlnGaslCJuC7uwjduW9SVrLvRYooPp2bWYgmgJQIXwl/Sp"
crossorigin="anonymous">
      margin: 0;
      padding: 0;
   .base {
      background-color: #2c6ed5;
      align-items: center;
      text-align: center;
      display: flex;
  <div class="container">
      <h1 style='text-align: center; color :#fff'>Subscribe for the Newsletter!</h1>
```

```
<form class="well form-horizontal">
                               <div class="form-group">
                                   <label class="col-md-4"</pre>
control-label">Subscribe</label>
                                   <div class="col-md-8 ">
name="Subscribe" type="checkbox">
                                   <h3>Categories</h3>
                                       <label class="col-md-4 control-label">Annual
Fest</label>
                                       <div class="col-md-8 ">
category" name="Annual Fest"
                                                type="checkbox">
                                        <label class="col-md-4 control-label">Drishti
Events</label>
                                       <div class="col-md-8 ">
                                                type="checkbox">
                                    <div class="form-group">
                                        <label class="col-md-4 control-label">ACM
Events</label>
                                       <div class="col-md-8 ">
name="ACM Events"
                                                type="checkbox">
                                       <label class="col-md-4 control-label">CEV
Events</label>
                                       <div class="col-md-8 ">
name="CEV Events"
```

```
type="checkbox">
                                        <label class="col-md-4 control-label">SEC
Events</label>
                                        <div class="col-md-8 ">
name="SEC Events"
                                                type="checkbox">
                                        <label class="col-md-4 control-label">CHRD
Events</label>
                                        <div class="col-md-8 ">
                                            <input id="chrd" class="form-control category"</pre>
name="CHRD Events"
                                                type="checkbox">
                                        <label class="col-md-4 control-label">Scosh
Events</label>
                                        <div class="col-md-8 ">
                                                type="checkbox">
                                        <label class="col-md-4 control-label">Summer
Schools</label>
                                        <div class="col-md-8 ">
                                                name="Summer Schools" type="checkbox">
                                    <div class="form-group">
                                        <label class="col-md-4"</pre>
control-label">Conferences/Workshops</label>
                                        <div class="col-md-8 ">
                                                type="checkbox">
```

```
<div class="form-group">
                                       <button style='width: 100%' type='button'</pre>
class='btn btn-primary' id='submit'>
                                           Confirm Subscription
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
   integrity="sha384-Tc5IQib027qvyjSMfHjOMaLkfuWVxZxUPnCJA712mCWNIpG9mGCD8wGNIcPD7Txa"
crossorigin="anonymous">
  let subscribed = false
  $('#subscribe').on('change', (evt) => {
      subscribed = !subscribed
      if (subscribed) {
          $('#categories').show()
               $(".category").map(function () {
                   if (this.checked) checked.push(this.name)
               if (checked.length == 0) {
```

```
throw 'Please check at least one Category!'
                   var newWindow = window.open("Subscriptions", "Subscriptions",
"width=300, height=300");
                   newWindow.document.write(html);
              var newWindow = window.open("Subscriptions", "Subscriptions",
"width=300, height=300");
              newWindow.document.write("<h3>No Subscriptions</h3>");
          alert(e)
```

## Subscribe for the Newsletter!

