

Name : Krish Sondagar

Class : 4EK1-A

Enr. No. : 92400133108

Topic : PHP Practical Exam

Date : 5-5-2026

Question : 1

1. Creating database

```
CREATE DATABASE event_db;  
USE event_db;
```

```
CREATE TABLE users(  
    user_id INT AUTO_INCREMENT PRIMARY KEY,  
    username VARCHAR(50) NOT NULL,  
    email VARCHAR(255) UNIQUE NOT NULL,  
    password VARCHAR(255) NOT NULL,  
    organization_name VARCHAR(100) NOT NULL  
);
```

```
CREATE TABLE events (  
    event_id INT AUTO_INCREMENT PRIMARY KEY,  
    user_id INT NOT NULL,  
    title VARCHAR(100) NOT NULL,  
    description TEXT,  
    event_date DATETIME NOT NULL,  
    status ENUM('upcoming', 'ongoing', 'completed', 'cancelled') DEFAULT  
'upcoming',  
    priority ENUM('low', 'medium', 'high') DEFAULT 'medium',  
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
    updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON  
UPDATE CURRENT_TIMESTAMP,  
    CONSTRAINT fk_events_user  
        FOREIGN KEY (user_id) REFERENCES users(user_id)  
    ON DELETE CASCADE
```

ON UPDATE CASCADE
);

2. User registration form

```
<?php
session_start();
include "db_connect.php";

$username      = "";
$email         = "";
$organization_name = "";
$error_message = "";
$success_message = "";

if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $username      = trim($_POST["username"]);
    $email         = trim($_POST["email"]);
    $password      = trim($_POST["password"]);
    $confirm_password = trim($_POST["confirm_password"]);
    $organization_name = trim($_POST["organization_name"]);

    if (empty($username) || empty($email) || empty($password) ||
empty($organization_name)) {
        $error_message = "All fields are required.";

    } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $error_message = "Invalid email format.";

    } elseif (strlen($password) < 8) {
        $error_message = "Password must be at least 8 characters long.";

    } elseif ($password !== $confirm_password) {
        $error_message = "Passwords do not match.";

    } else {
```

```

$stmt = $conn->prepare("SELECT user_id FROM users WHERE email = ?");
$stmt->bind_param("s", $email);
$stmt->execute();
$stmt->store_result();

if ($stmt->num_rows > 0) {
    $error_message = "An account with this email already exists.";
} else {
    $stmt->close();

    $hashed_password = password_hash($password, PASSWORD_DEFAULT);

    $stmt = $conn->prepare(
        "INSERT INTO users (username, email, password, organization_name)
VALUES (?, ?, ?, ?)"
    );
    $stmt->bind_param("ssss", $username, $email, $hashed_password,
$organization_name);

    if ($stmt->execute()) {
        $success_message = "Registration successful! You can now login.";
        $username = "";
        $email = "";
        $organization_name = "";
    } else {
        $error_message = "Registration failed: " . $stmt->error;
    }
}

$stmt->close();
}
}
?>
<!DOCTYPE html>
<html>
<head>
    <title>Register</title>
</head>
<body>

<h2>User Registration</h2>

<?php if ($success_message != ""): ?>
    <p style="color: green;"><?php echo $success_message; ?></p>
<?php endif; ?>

```

```
<?php if ($error_message != ""): ?>
    <p style="color: red;"><?php echo $error_message; ?></p>
<?php endif; ?>

<form method="post" action="">

    <label>Username:</label><br>
    <input type="text" name="username" value="<?php echo htmlspecialchars($username);
?>"><br><br>

    <label>Email:</label><br>
    <input type="email" name="email" value="<?php echo htmlspecialchars($email);
?>"><br><br>

    <label>Password (min 8 characters):</label><br>
    <input type="password" name="password"><br><br>

    <label>Confirm Password:</label><br>
    <input type="password" name="confirm_password"><br><br>

    <label>Organization Name:</label><br>
    <input type="text" name="organization_name" value="<?php echo
htmlspecialchars($organization_name); ?>"><br><br>

    <button type="submit">Register</button>

</form>

<br>
<a href="4_login.php">Already have an account? Login here</a>

</body>
</html>
```

User Registration

Username:

Email:

Password (min 8 characters):

Confirm Password:

Organization Name:

Register

[Already have an account? Login here](#)

3.add_events.php

```
<?php
session_start();
include "db_connect.php";

// Redirect to login if not logged in
if (!isset($_SESSION['user_id'])) {
    header("Location: 4_login.php");
    exit();
}

$success = "";
$errors = [];
$title = "";
$description = "";

if ($_SERVER["REQUEST_METHOD"] == "POST") {

    // Retrieve and trim inputs
    $title = trim($_POST['title']);
    $description = trim($_POST['description']);

    // --- Validation using conditional logic ---
    if (empty($title)) {
        $errors[] = "Title cannot be empty.";
    }

    // Check title length (looping through characters via string function)
    if (strlen($title) > 255) {
        $errors[] = "Title must be 255 characters or less.";
    }

    // Only proceed if no errors
    if (empty($errors)) {

        $user_id = $_SESSION['user_id'];

        $stmt = $conn->prepare(
            "INSERT INTO tasks (user_id, title, description) VALUES (?, ?, ?)"
        );
        $stmt->bind_param("iss", $user_id, $title, $description);

        if ($stmt->execute()) {
```

```

        $success      = "Task added successfully!";
        $title        = "";    // clear fields after success
        $description   = "";
    } else {
        $errors[] = "Failed to add task: " . $stmt->error;
    }

    $stmt->close();
}

// Fetch all tasks for the logged-in user to display below
$user_id = $_SESSION['user_id'];
$task_stmt = $conn->prepare(
    "SELECT task_id, title, description, created_at FROM tasks WHERE user_id = ? ORDER
    BY created_at DESC"
);
$task_stmt->bind_param("i", $user_id);
$task_stmt->execute();
$task_result = $task_stmt->get_result();
?>
<!DOCTYPE html>
<html>
<head>
    <title>Add Task</title>
</head>
<body>

<h2>Add New Task</h2>
<p>Logged in as: <strong><?php echo htmlspecialchars($_SESSION['username']);
?></strong>
    | <a href="4_login.php?logout=1">Logout</a></p>

<?php if ($success != ""): ?>
    <p style="color: green;"><?php echo $success; ?></p>
<?php endif; ?>

<?php
// Loop through errors array and display each one
if (!empty($errors)) {
    foreach ($errors as $e) {
        echo "<p style='color: red;'" . $e . "</p>";
    }
}
?>

<form method="post" action="">

```



```

    <label>Title *</label><br>
    <input type="text" name="title" value="<?php echo htmlspecialchars($title);
?>"><br><br>

    <label>Description (optional):</label><br>
    <textarea name="description" rows="4" cols="40"><?php echo
htmlspecialchars($description); ?></textarea><br><br>

    <button type="submit">Add Task</button>

</form>

<hr>
<h3>Your Tasks</h3>

<?php if ($task_result->num_rows == 0): ?>
    <p>No tasks added yet.</p>
<?php else: ?>
    <table border="1" cellpadding="5">
        <tr>
            <th>#</th>
            <th>Title</th>
            <th>Description</th>
            <th>Created At</th>
        </tr>
        <?php
        $count = 1;
        // Loop through all tasks
        while ($row = $task_result->fetch_assoc()):
            ?>
            <tr>
                <td><?php echo $count++; ?></td>
                <td><?php echo htmlspecialchars($row['title']); ?></td>
                <td><?php echo htmlspecialchars($row['description']); ?></td>
                <td><?php echo $row['created_at']; ?></td>
            </tr>
            <?php endwhile; ?>
        </table>
    <?php endif; ?>

</body>
</html>

```

4.login.php

```
<?php
session_start();
include "db_connect.php";

if (isset($_GET['logout'])) {
    session_destroy();
    header("Location: 4_login.php");
    exit();
}

if (isset($_SESSION['user_id'])) {
    header("Location: 3_add_events.php");
    exit();
}

$error_message = "";
$email          = "";

if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $email      = trim($_POST["email"]);
    $password    = trim($_POST["password"]);

    if (empty($email) || empty($password)) {
        $error_message = "Both email and password are required.";
    } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $error_message = "Invalid email format.";
    } else {

        $stmt = $conn->prepare(
            "SELECT user_id, username, password FROM users WHERE email = ?"
        );
        $stmt->bind_param("s", $email);
        $stmt->execute();
        $result = $stmt->get_result();

        if ($result->num_rows == 1) {
            $user = $result->fetch_assoc();

            if (password_verify($password, $user['password'])) {
```

```

        $_SESSION['user_id'] = $user['user_id'];
        $_SESSION['username'] = $user['username'];

        header("Location: 3_add_events.php");
        exit();
    } else {
        $error_message = "Incorrect password. Please try again.";
    }
} else {
    $error_message = "No account found with that email address.";
}

$stmt->close();
}
}
?>
<!DOCTYPE html>
<html>
<head>
    <title>Login</title>
</head>
<body>

<h2>User Login</h2>

<?php if ($error_message != ""): ?>
    <p style="color: red;"><?php echo $error_message; ?></p>
<?php endif; ?>

<form method="post" action="">

    <label>Email:</label><br>
    <input type="email" name="email" value="<?php echo htmlspecialchars($email);
?>"><br><br>

    <label>Password:</label><br>
    <input type="password" name="password"><br><br>

    <button type="submit">Login</button>

</form>

<br>
<a href="2_user_registration_module.php">Don't have an account? Register here</a>

</body>
</html>

```

Question-2

```
3. <?php
session_start();
include "db_connect.php";

if (!isset($_SESSION['user_id'])) {
    header("Location: 4_login.php");
    exit();
}

$user_id = $_SESSION['user_id'];
$success = "";
$error = "";

if (isset($_GET['delete'])) {
    $delete_id = intval($_GET['delete']);
    $stmt = $conn->prepare("DELETE FROM events WHERE event_id = ? AND user_id = ?");
    $stmt->bind_param("ii", $delete_id, $user_id);
    if ($stmt->execute()) {
        $success = "Event deleted successfully.";
    } else {
        $error = "Failed to delete event.";
    }
    $stmt->close();
}

if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_POST['update'])) {
    $event_id = intval($_POST['event_id']);
    $title = trim($_POST['title']);
    $description = trim($_POST['description']);
    $event_date = trim($_POST['event_date']);
    $status = trim($_POST['status']);
    $priority = trim($_POST['priority']);

    if (empty($title) || empty($event_date)) {
        $error = "Title and Event Date are required.";
    } else {
        $stmt = $conn->prepare(
            "UPDATE events SET title=?, description=?, event_date=?, status=?,
priority=? WHERE event_id=? AND user_id=?"
        );
    }
}
```

```

        $stmt->bind_param("ssssii", $title, $description, $event_date, $status,
$priority, $event_id, $user_id);
        if ($stmt->execute()) {
            $success = "Event updated successfully.";
        } else {
            $error = "Failed to update: " . $stmt->error;
        }
        $stmt->close();
    }
}

$edit_event = null;
if (isset($_GET['edit'])) {
    $edit_id = intval($_GET['edit']);
    $stmt = $conn->prepare("SELECT * FROM events WHERE event_id = ? AND user_id = ?");
    $stmt->bind_param("ii", $edit_id, $user_id);
    $stmt->execute();
    $edit_event = $stmt->get_result()->fetch_assoc();
    $stmt->close();
}

$result = $conn->prepare("SELECT * FROM events WHERE user_id = ? ORDER BY created_at
DESC");
$result->bind_param("i", $user_id);
$result->execute();
$events = $result->get_result();
?>
<!DOCTYPE html>
<html>
<head>
    <title>My Events</title>
</head>
<body>

<h2>My Events</h2>
<p>Logged in as: <strong><?php echo htmlspecialchars($_SESSION['username']);
?></strong>
    | <a href="4_login.php?logout=1">Logout</a>
    | <a href="3_add_events.php">Add New Event</a>
</p>

<?php if ($success != ""): ?>
    <p style="color:green;"><?php echo $success; ?></p>
<?php endif; ?>
<?php if ($error != ""): ?>
    <p style="color:red;"><?php echo $error; ?></p>
<?php endif; ?>

```

```

<!-- Edit Form (shows only when edit link is clicked) -->
<?php if ($edit_event): ?>
    <h3>Edit Event</h3>
    <form method="post" action="">
        <input type="hidden" name="event_id" value="<?php echo
$edit_event['event_id']; ?>">

        <label>Title:</label><br>
        <input type="text" name="title" value="<?php echo
htmlspecialchars($edit_event['title']); ?>"><br><br>

        <label>Description:</label><br>
        <textarea name="description" rows="3" cols="40"><?php echo
htmlspecialchars($edit_event['description']); ?></textarea><br><br>

        <label>Event Date:</label><br>
        <input type="datetime-local" name="event_date" value="<?php echo date('Y-m-
d\TH:i', strtotime($edit_event['event_date'])); ?>"><br><br>

        <label>Status:</label><br>
        <select name="status">
            <?php foreach (['upcoming','ongoing','completed','cancelled'] as $s): ?>
                <option value="<?php echo $s; ?>" <?php if ($edit_event['status'] ==
$s) echo 'selected'; ?>>
                    <?php echo ucfirst($s); ?>
                </option>
            <?php endforeach; ?>
        </select><br><br>

        <label>Priority:</label><br>
        <select name="priority">
            <?php foreach (['low','medium','high'] as $p): ?>
                <option value="<?php echo $p; ?>" <?php if ($edit_event['priority'] ==
$p) echo 'selected'; ?>>
                    <?php echo ucfirst($p); ?>
                </option>
            <?php endforeach; ?>
        </select><br><br>

        <button type="submit" name="update">Update Event</button>
        <a href="events_list.php">Cancel</a>
    </form>
    <hr>
<?php endif; ?>

<!-- Events Table -->
<h3>All Events</h3>
<?php if ($events->num_rows == 0): ?>

```

```

    <p>No events found.</p>
<?php else: ?>
    <table border="1" cellpadding="5">
        <tr>
            <th>ID</th>
            <th>Title</th>
            <th>Description</th>
            <th>Event Date</th>
            <th>Status</th>
            <th>Priority</th>
            <th>Created At</th>
            <th>Actions</th>
        </tr>
        <?php while ($row = $events->fetch_assoc()): ?>
            <tr>
                <td><?php echo $row['event_id']; ?></td>
                <td><?php echo htmlspecialchars($row['title']); ?></td>
                <td><?php echo htmlspecialchars($row['description']); ?></td>
                <td><?php echo $row['event_date']; ?></td>
                <td><?php echo $row['status']; ?></td>
                <td><?php echo $row['priority']; ?></td>
                <td><?php echo $row['created_at']; ?></td>
                <td>
                    <a href="events_list.php?edit=<?php echo $row['event_id'];
?>">Edit</a>
                    &nbsp;|&nbsp;
                    <a href="events_list.php?delete=<?php echo $row['event_id']; ?>"
                        onclick="return confirm('Are you sure you want to delete this
event?');">Delete</a>
                </td>
            </tr>
        <?php endwhile; ?>
    </table>
<?php endif; ?>

</body>

</html>

```

4.DB connection and showing info

Code :

```
<?php
$host      = "127.0.0.1:3306";
$user      = "root";
$password  = "";
$database  = "event_db";

$conn = mysqli_connect($host, $user, $password, $database);

if (!$conn) {
    die("Connection failed: " . mysqli_connect_error());
}
?>
<!DOCTYPE html>
<html>
<head>
    <title>DB Info</title>
</head>
<body>

<h2>Database Server Info</h2>

<!-- 1. List all databases -->
<h3>All Databases</h3>
<table border="1" cellpadding="5">
    <tr><th>Database Name</th></tr>
    <?php
        $db_result = mysqli_query($conn, "SHOW DATABASES");
        while ($db_row = mysqli_fetch_assoc($db_result)) {
            echo "<tr><td>" . $db_row['Database'] . "</td></tr>";
        }
    ?>
</table>

<br>

<!-- 2. List all tables in event_db -->
<h3>Tables in <em>event_db</em></h3>
<table border="1" cellpadding="5">
    <tr><th>Table Name</th></tr>
    <?php
        $table_result = mysqli_query($conn, "SHOW TABLES FROM event_db");
        while ($table_row = mysqli_fetch_row($table_result)) {
            echo "<tr><td>" . $table_row[0] . "</td></tr>";
        }
    ?>
</table>
```



```

    ?>
</table>

<br>

<!-- 3. DESCRIBE events table -->
<h3>Structure of <em>events</em> Table (DESCRIBE)</h3>
<table border="1" cellpadding="5">
    <tr>
        <th>Field</th>
        <th>Type</th>
        <th>Null</th>
        <th>Key</th>
        <th>Default</th>
        <th>Extra</th>
    </tr>
    <?php
    $desc_result = mysqli_query($conn, "DESCRIBE events");
    while ($col = mysqli_fetch_assoc($desc_result)) {
        echo "<tr>";
        echo "<td>" . $col['Field'] . "</td>";
        echo "<td>" . $col['Type'] . "</td>";
        echo "<td>" . $col['Null'] . "</td>";
        echo "<td>" . $col['Key'] . "</td>";
        echo "<td>" . ($col['Default'] !== null ? $col['Default'] : "NULL") . "</td>";
        echo "<td>" . $col['Extra'] . "</td>";
        echo "</tr>";
    }
    ?>
</table>

<?php mysqli_close($conn); ?>

</body>
</html>

```

Database Server Info

All Databases

Database Name
ICT_Community
event_db
information_schema
mysql
performance_schema
phpmyadmin
test

Tables in *event_db*

Table Name
events
users

Structure of *events* Table (DESCRIBE)

Field	Type	Null	Key	Default	Extra
event_id	int(11)	NO	PRI	NULL	auto_increment
user_id	int(11)	NO	MUL	NULL	
title	varchar(100)	NO		NULL	
description	text	YES		NULL	
event_date	datetime	NO		NULL	
status	enum('upcoming','ongoing','completed','cancelled')	YES		upcoming	
priority	enum('low','medium','high')	YES		medium	
created_at	timestamp	NO		current_timestamp()	
updated_at	timestamp	NO		current_timestamp()	on update current_timestamp()