```
2413 112020.
         FATHER AND SON AGE EXCEPTION
           HANDLINGE?
        import java. util. scanner;
       class wrongage extends exception {
                    int temp;
           wrongage (inta) {
                   tempia;
           public string tostring c) {

return "WRONG AGE: " + temp+" "; }
              sonage extends Exception
      class
                 conage (int c) {
       public string rostring c) {
selver "sonage is great i.e" + tem + "";})
```

```
_/_/_
Fasher () &
 voies fatherage (int a) thrown wronage {
   (Lazeo)
system. out. printen ("AGE is not les man
                  00 equas to zero");
void sonage cint a, inte, furous sonage (
system. out printh ("Fakuer's age is greater");
class agrexception Main f
   rubile static void main (string 1567) {
  scanner sc: new scanner (system. En);
  father to : now father ();
system. out. print ("Enter patue, age: "):
  Ent m = sc. next Int();
system. out point ("Enter son age: ");
 int n = Sc. nextint();
      f1. father age(m);
} carel (wrong age e) }
  system. out. printer (" age is either o or cons);
     200 11 = vem 100().
 try {
                         Scanned with CamScanner
```

\$1.10nagecm,n);						
3 car	ch (sonag	e c) {				
systen	1. out. po	inter ("	please	C0, 26Cf	given	8/p")
	3					
)	4					
	14	12				