

ooj1.c - C:\Users\Krishna\Desktop\C programming\#PRACTICE - Geany

File Edit Search View Document Project Build Tools Help

New Open Save Save All Revert Close Back Forward Compile Build Execute Color Chooser Find Jump to Quit

Symbols Documents

62.c 64.c ooj1.c

~\Desk...ACTICE

62.c

64.c

ooj1.c

```
1 #include <stdio.h>
2 #include <math.h>
3 void main()
4 {
5     int a,b,choice;
6     printf("ENTER THE TWO NUMBERS\n ");
7     scanf("%d %d",&a,&b);
8     do
9     {
10        printf("\nMENU\n 1 for ADDITION\n 2 for SUBTRACTION\n 3 for MULTIPLICATION\n 4 for DIVISION\n");
11        printf("\n 5 to find MINIMUM\n 6 to find MAXIMUM\n 7 to find EVEN CHECK\n 8 to get REMINDER\n 9 for SQUARESS\n 10 for A POWER B\n 11 to EXIT\n");
12        scanf("%d",&choice);
13
14        switch(choice)
15        {
16            case 1 : printf("%d + %d = %d",a,b,a+b); break;
17            case 2 : printf("%d - %d = %d",a,b,a-b); break;
18            case 3 : printf("%d * %d = %d",a,b,a*b); break;
19            case 4 : printf("%d / %d = %d",a,b,a/b); break;
20            case 5 : if(a<b){
21                      printf("%d",a);
22                }
```

ooj1.c - C:\Users\Krishna\Desktop\C programming\#PRACTICE - Geany

File Edit Search View Document Project Build Tools Help

New Open Save Save All Revert Close Back Forward Compile Build Execute Color Chooser

Symbols Documents

~\Desk...ACTICE

62.c
64.c
ooj1.c

```
25     }
26     else
27     printf("BOTH ARE SAME");
28     break;
29 case 6 : if(a>b){
30     printf("%d",a);
31     }
32     else if(b>a){
33     printf("%d",b);
34     }
35     else
36     printf("BOTH ARE SAME");
37     break;
38 case 7 : if(a%2==0)
39     printf("%d is even",a);
40     else
41     printf("%d is odd",a);
42     if(b%2==0)
43     printf("%d is even",b);
44     else
45     printf("%d is odd",b);
46     break;
47 case 8 : printf("%d",a*b);break;
48 case 9 : printf("%d \t %d",a*a,b*b);break;
49 case 10: ; int p = pow(a, b);
50     printf("%d",p);break;
51 case 11: printf("EXIT");break;
52 default : printf("enter integer in range 1 to 11\n");
53 }
54 }
55 while(choice !=11);
56 }
57
```

ENTER THE TWO NUMBERS

5

10

MENU

- 1 for ADDITION
- 2 for SUBTRACTION
- 3 for MULTIPLICATION
- 4 for DIVISION

- 5 to find MINIMUM
- 6 to find MAXIMUM
- 7 to find EVEN CHECK
- 8 to get REMINDER
- 9 for SQUARESS
- 10 for A POWER B
- 11 to EXIT

1

5 + 10 = 15

MENU

- 1 for ADDITION
- 2 for SUBTRACTION
- 3 for MULTIPLICATION
- 4 for DIVISION

- 5 to find MINIMUM
- 6 to find MAXIMUM
- 7 to find EVEN CHECK
- 8 to get REMINDER
- 9 for SQUARESS
- 10 for A POWER B
- 11 to EXIT

6

10

MENU

- 1 for ADDITION
- 2 for SUBTRACTION
- 3 for MULTIPLICATION
- 4 for DIVISION

- 5 to find MINIMUM
- 6 to find MAXIMUM
- 7 to find EVEN CHECK
- 8 to get REMINDER
- 9 for SQUARESS
- 10 for A POWER B
- 11 to EXIT

11 to EXIT

11

EXIT

(program exited with code: 11)

Press any key to continue . . .

ooj2.c - C:\Users\Krishna\Desktop\C programming\#PRACTICE - Geany

File Edit Search View Document Project Build Tools Help

New Open Save Save All Revert Close Back Forward Compile Build Execute

Symbols Documents

~\Desk..ACTICE

ooj1.c

ooj2.c

```
1  #include <stdio.h>
2  float sumaver (float n1,float n2);
3  void printeven (float n1,float n2);
4
5  int main()
6  {
7      float a,b,c,num1,num2,average;
8      printf("INPUT THREE NUMBERS\n");
9      scanf("%f%f%f",&a,&b,&c);
10     if (a<b && a<c)
11     {
12         num1 = b;
13         num2 = c;
14     }
15     if (b < a && b < c) {
16         num1 = a;
17         num2 = c;
18     }
19     if (c < a && c < b) {
20         num1 = a;
21         num2 = b;
22     }
23     average = sumaver(num1,num2);
24     printf("\n average = %.2f\n",average);
25
26     printeven (num1,num2);
27     return 0;
28 }
```


ooj2.c - C:\Users\Krishna\Desktop\C programming\#PRACTICE - Geany

File Edit Search View Document Project Build Tools Help

New Open Save Save All Revert Close Back Forward Compile Build Execute

Symbols Documents

~\Desk...ACTICE

ooj1.c

ooj2.c

ooj1.c ooj2.c

```
25
26 printeven (num1,num2);
27 return 0;
28 }
29
30 float sumaver(float n1, float n2){
31     printf("sum=%.2f",n1 + n2);
32     return ((n1 + n2)/2);
33 }
34
35 void printeven (float n1, float n2){
36     float a1,a2;
37     if (n1 < n2){
38         a1 = n1;
39         a2 = n2;
40     }
41     else {
42         a1 = n2;
43         a2 = n1;
44     }
45     printf("even numbers between them are : \n ");
46     for (float i = a1 + 1; i < a2; i++){
47         if ((int)i%2 == 0 ){
48             printf("%d\n", (int)i);
49         }
50     }
51 }
52
```

C:\Windows\SYSTEM32\cmd.exe

INPUT THREE NUMBERS

5

12

20

sum=32.00

average = 16.00

even numbers between them are :

14

16

18

(program exited with code: 0)

Press any key to continue . . .