

PCB: Káterin Sagastume

Cotización

Selecciones para PCB:

The screenshot shows the JLCPCB Online PCB Quote interface. At the top, there are tabs for "Standard PCB/PCBA", "Advanced PCB/PCBA", "SMT-Stencil", "Flexible Heater", "PCB Layout", "3D Printing", and "CNC". Below the tabs, it says "Online PCB Quote | Support POFV and free 2 μ " Gold Thickness". There are two Gerber viewer windows showing the front and back sides of a green PCB. A message indicates "Detected 6 layer board of 65.21x56.31mm(2.57x2.22 inches)". Configuration options include:

- Base Material: FR-4, Flex, Aluminum, Copper Core, Rogers, PTFE Teflon
- Layers: 1, 2, 4, High Precision PCB (selected), 8, 10, 12, 14, 16, More
- Dimensions: 70.31 mm x 75.21 mm
- PCB Qty: 5

On the right, "Charge Details" show:

- Special Offer: \$30.00
- Via Covering: \$0.00
- Surface Finish: \$4.90

Under "Standard PCBA Price", the cost is \$160.70. The "PCB Build Time" section lists:

- 5-6 days: \$0.00
- 4-5 days: \$62.90
- 3-4 days: \$125.80
- 2-3 days: \$188.60

This screenshot shows the continuation of the JLCPCB Online PCB Quote tool. It includes sections for "Product Type" (Industrial/Consumer electronics selected) and "PCB Specifications".

PCB Specifications:

- Different Design: 1 (selected)
- Delivery Format: Single PCB (selected)
- PCB Thickness: 1.6mm (selected)
- PCB Color: Green (selected)
- Silkscreen: White (selected)
- Material Type: FR4 TG135, FR4 TG155, Nan Ya NP-140F, Nan Ya NP-155F, KB-6165 - TG155
- Surface Finish: HASL (with lead), LeadFree HASL, ENIG (selected)
- Gold Thickness: 2 U" (selected)

High-spec Options:

- Outer Copper Weight: 1 oz (selected)
- Inner Copper Weight: 0.5 oz (selected)

On the right, "Charge Details" show:

- Special Offer: \$30.00
- Via Covering: \$0.00
- Surface Finish: \$4.90

Under "Standard PCBA Price", the cost is \$160.70. The "PCB Build Time" section lists:

- 5-6 days: \$0.00
- 4-5 days: \$62.90
- 3-4 days: \$125.80
- 2-3 days: \$188.60

A yellow "NEXT" button is at the bottom.

JLCPCB

Specify Layer Sequence: No Yes

Specify Stackup: No Yes [Impedance calculator >](#)

Via Covering: Tented Epoxy Filled & Untested Plugged Epoxy Filled & Capped

Min via hole size/diameter: 0.3mm/(0.4/0.45mm) 0.25mm/(0.35/0.4mm) 0.2mm/(0.3/0.35mm) 0.15mm/(0.25/0.3mm)

Board Outline Tolerance: ±0.2mm(Regular) ±0.1mm(Precision)

Confirm Production file: No Yes

Mark on PCB: Remove Mark Order Number(Specify Position) 2D barcode (Serial Number) Order Number

Electrical Test: Flying Probe Fully Test

Gold Fingers: No Yes

Castellated Holes: No Yes

Press-Fit Hole: No Yes (Tolerance +/-0.05mm)

Edge Plating: No Yes

Blind Slots: No Yes

Charge Details

Special Offer	\$30.00
Via Covering	\$0.00
Surface Finish	\$4.90

Standard PCBA Price

Components	-
Feeders Loading fee	-
SMT Assembly	-
Hand-soldering labor fee	-
Manual Assembly	-

PCB Build Time

5-6 days	\$0.00
4-5 days	\$62.90
3-4 days	\$125.80
2-3 days	\$188.60

Calculated Price \$160.70
Additional charges may apply for special cases

NEXT

JLCPCB

JLCPCB

UL Marking: No Yes (Any Position) Yes (Specify Position)

Advanced Options

PCB Remark:

PCB Assembly

Assemble top side Assemble bottom side

Coupon: Assembly cost starting from \$0 with coupon

Charge Details

Special Offer	\$30.00
Via Covering	\$0.00
Surface Finish	\$4.90

Standard PCBA Price

Components	-
Feeders Loading fee	-
SMT Assembly	-
Hand-soldering labor fee	-
Manual Assembly	-

PCB Build Time

5-6 days	\$0.00
4-5 days	\$62.90
3-4 days	\$125.80
2-3 days	\$188.60

Calculated Price \$160.70
Additional charges may apply for special cases

NEXT

JLCPCB

JLCPCB

PCBA Qty: 5 Custom Qty from 2 to 5

Edge Rails/Fiducials: Added by JLCPCB Added by Customer

The board size is modified to be 70.31mm*75.21mm as for Standard PCBA each side should be longer than 70mm and the edge rails should be added. [Learn More](#)

Confirm Parts Placement: No Yes

Stencil Storage: No Yes

Fixture Storage: No Yes

Parts Selection: By Customer By JLCPCB

Advanced Options

Bake Components: <input checked="" type="checkbox"/> No	Photo Confirmation: <input checked="" type="checkbox"/> Yes
Board Cleaning: <input checked="" type="checkbox"/> No	Conformal Coating (cleaning included): <input checked="" type="checkbox"/> No
Packaging: <input checked="" type="checkbox"/> Antistatic bubble fil	Depanel boards & edge rail before delivery: <input checked="" type="checkbox"/> No
Solder Paste: <input checked="" type="checkbox"/> High temp.	Flying Probe Test: <input checked="" type="checkbox"/> No
Add paste for unpopulated pad & step: <input checked="" type="checkbox"/> stencil opening	Nitrogen reflow soldering: <input checked="" type="checkbox"/> No

Charge Details

Special Offer	\$30.00
Via Covering	\$0.00
Surface Finish	\$4.90

Standard PCBA Price

Components	-
Feeders Loading fee	-
SMT Assembly	-
Hand-soldering labor fee	-
Manual Assembly	-

PCB Build Time

5-6 days	\$0.00
4-5 days	\$62.90
3-4 days	\$125.80
2-3 days	\$188.60

Calculated Price \$160.70

Additional charges may apply for [special cases](#)

NEXT

JLCPCB

Function test: No

PCBA remark: No

I agree to the Terms and Conditions of JLCPCB assembly Service.

Stencil

Order together with PCB Stencil Order Guide

Shipping Estimate \$23.98

DHL Express (DDP) 2-4 business days

Weight: 0.21kg

Coupons: Save \$20.00 Save \$15.00

Online Chat >
Chat with our live agent for fast reply.
Mon-Fri: 24 hours, Sat: 9am-6pm, GMT+8

Email Us >
Contact us at support@jlcpcb.com
Typically reply within hours.

Help Center >
Get instant answers.
24/7 Available.

PCB Service **Support** **Company** **Electronics** **Mechanical**

FR-4 PCBs	Help Center	About Us	EasyEDA	JLC3DP
Flexible PCBs	Contact Us	Quality Assurance	JLCPCB	JLCCNC
Metal Core PCBs	Shipping Guide	How We Work	JLCDFM	JLCMC
High-Frequency PCBs	Payment Methods	Certifications	LCSiC	

JLCPCB

Download JLCONE APP

Windows MAC iOS Android IOS

Archivos BOM y PNP para el ensamblaje de componentes:


The screenshot shows the JLCPCB website interface for managing PCB designs. At the top, there's a header with the JLCPCB logo, navigation links for Products, Capabilities, Support, and About Us, and a search bar with a shopping cart icon showing 0 items. A language switcher "Cambiar" is also present.

In the main content area, there are two sections for file uploads:


- Bill of Materials:** Shows a file named "BOM_P4_KS.BOM.xlsx" with a checkmark and a download icon. Below it, a note says "Only accept XLS,XLSX,CSV" and provides a link to "View Sample BOM".
- Pick & Place File:** Shows a file named "pnp_Parcial_KS_PCB.xlsx" with a checkmark and a download icon. Below it, a note says "Pick&Place File, Only accept XLS,XLSX,CSV" and provides a link to "View Sample CPL".

At the bottom of the page, there are footer links for "Online Chat", "Email Us", and "Help Center", along with the JLCPCB logo.

Vista de los componentes en la PCB (vista TOP):



Vista de los componentes en la PCB (vista BOTTOM):



Costo de la PCB:

The screenshot shows the JLCPCB website's quote & order interface. At the top, there are navigation links for Coupons, APP Download, and USD. Below the header, there are tabs for PCB, Bill of Materials, Component Placements, and Quote & Order. The Quote & Order tab is selected. On the left, there is a table titled "Charge Details" listing various cost components with their respective prices. On the right, the "Total Price" is displayed as \$213.01, along with the weight (409.50g) and a dropdown menu for "Product Description". A "SAVE TO CART" button is also present.

Charge Details	
PCB Price	\$160.70
Via Covering	\$0.00
Special Offer	\$30.00
Surface Finish	\$4.90
Economic PCBA Price	\$52.31
Setup Fee	\$8.00
Stencil	\$1.50
Panel	\$0.00
Large Size	\$0.00
Components(14 items):	\$25.29
Extended components fee ⓘ	\$15.00
SMT Assembly ⓘ	\$1.66
Nitrogen reflow soldering	\$0.06
Build Time: ⓘ	
PCB: 3-4 days	\$125.00
Assembly: ⓘ 1 - 2 days	\$0.00

Total Price: **\$213.01**

Weight ⓘ 409.50g

Product Description ⓘ

Select

SAVE TO CART