Ex. No. : 1

Register No. : 240701254 **Name : KEERTHANA G**

Evaluating Good vs. Bad UI Design in Figma

Aim:

To analyse the impact of good and bad UI design principles on user experience by creating two versions of a mobile login screen in Figma.

Procedure:

1. **Set Up the Experiment:**
   - Open Figma and create a new project.
   - Design two mobile login screens: one following good UI/UX principles and the other with bad design choices.

2. **Designing the Good UI Version:**
   - Use a clean and consistent layout with proper spacing.
   - Apply a clear visual hierarchy with readable font sizes.
   - Use a high-contrast color scheme for accessibility.
   - Add clear input fields with labels and placeholders.
   - Provide a properly styled login button with a distinct color.
   - Implement feedback mechanisms like error messages.
   - Ensure mobile responsiveness and touch-friendly elements.

3. **Designing the Bad UI Version:**
   - Use inconsistent fonts and poor color contrast.
   - Place elements in a cluttered and misaligned manner.
   - Remove labels from input fields, relying only on placeholder text.

- Use small buttons that are difficult to tap on mobile.
- Provide no error handling or feedback mechanisms.
- Ignore accessibility considerations like color blindness support.

4. **User Testing:**
    - Recruit 5-10 participants to interact with both designs.
    - Ask them to complete a simple login task in both versions.
    - Record their time taken, errors made, and overall satisfaction.

5. **Analyze Results:**

- Measure the usability of both designs using metrics like:
    - Time taken to complete login.
    - Number of errors (e.g., missed input fields).
    - User ratings on a scale of 1-10 for ease of use.

Output



Results:

- **Good UI Design:** Users completed the login process faster, made fewer errors, and reported a smoother experience.
- **Bad UI Design:** Users struggled with navigation, took longer to complete tasks, and expressed frustration over unclear elements.

Link

https://www.figma.com/design/WsiPazyLBkndw4QhypVrdl/baddesign_gooddesign?node-id=0-1&t=YkrjEiD2gvPATsrb-1

Ex. No. : 1

Register No. : 240701254 **Name : KEERTHANA G**

Evaluating the Effect of Chunking on User Memory in UI Design

Aim:

To examine how chunking (grouping visual elements such as icons or text) affects users' ability to recall information in a UI environment designed in Figma.

Procedure:

Step 1: Setting Up the UI in Figma

1. **Create a Home Screen (Instruction Page)**
   - Open Figma and create a **new frame** (1024x768px for desktop view).
   - Add a **heading**: "Memory Recall Task."
   - Provide **instructions** explaining that users will view grouped icons/text and recall them later.
   - Create a **Start button** using a rectangle and link it to the next screen using Figma's **Prototype feature**.
2. **Chunking Phase (Display Chunked Items)**
   - Create a **new frame** to show the items users will memorize.
   - Design two versions:
     - **Chunked Design:** Group icons or text into 3-5 item clusters using boxes.
     - **Unchunked Design:** Display items randomly without clear separation.
   - Set up a **5-second delay** to automatically transition to the next screen.
3. **Recall Phase (User Memory Test)**
   - Create a **new frame** for recall.
   - Design two options for user input:
     - **Multiple-choice selection:** Users select from a set of options.

        - **Text input fields:** Users type the items they remember.
    - Add a **Submit button** to move to the results screen.
4. **Result Screen (Feedback and Analysis)**
    - Show feedback like: “You recalled 4/5 items correctly!”
    - Record user performance based on the number of correct answers.
    - Compare results for chunked vs. unchunked groups and icons vs. text-based chunks.

Output




Desktop - 2
5 SECONDS


Desktop - 3
Enter the items you remember
OBJECT1-_____
OBJECT2-_____
OBJECT3-_____
OBJECT4-_____
OBJECT5-_____
RECALL!



Results:

Users recalled chunked items better than unstructured ones, with icons being more memorable than text. The optimal chunk size was 3-5 items, as recall dropped beyond this. Multiple-choice input was easier, but text input led to better memory retention.

Link

https://www.figma.com/design/rV9LXcUBvMP6SlcDTK38e9/Excerise2?node-id=0-1&t=kegOrF0sQMpqBRzs-1