

Vehicle Information

Vehicle Reg Mark / ID No:

SF19LKJ

Odometer Reading:

68121

Make and Model Type:

Peugeot Boxer

VIN:

Vehicle Identification Number

Date of Inspection:

2025-11-10

ISO Wk No.:

W42

Inspection organisation:

Kerr & Smith Cumnock Ltd

Operator (Customer):

Police Scotland

Location of inspection:

Riverside Garage, Ayr Road, Cumnock, KA18 1BJ

Status Codes



Satisfactory



Safety Item Defect



Repair Required



Not Applicable



Monitor (maintenance required before next SI)

Part 1A - Inside Vehicle (items marked * do not apply to trailers)

Check No.	IM Ref	Item Inspected	Status
1	18	Seats*	<div>✓</div> <div>✗</div> <div>R</div> <div>N/A</div> <div>M</div>
2	3	Seat Belts and Supplementary Restraint Systems*	<div>✓</div> <div>✗</div> <div>R</div> <div>N/A</div> <div>M</div>
3	22	Mirrors and Indirect Vision Devices*	<div>✓</div> <div>✗</div> <div>R</div> <div>N/A</div> <div>M</div>
4	23	Glass and View of the Road*	<div>✓</div> <div>✗</div> <div>R</div> <div>N/A</div> <div>M</div>
5	25	Windscreen Washers and Wipers*	<div>✓</div> <div>✗</div> <div>R</div> <div>N/A</div> <div>M</div>

6	26	Speedometer / Tachograph*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
7	27	Horn*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
8	28	Driving Controls / Warning Lamps (Inc ADAS)*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
9	30	Steering Control*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
10	37	Service Brake Pedal*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
11	38	Service Brake Operation (inc ABS/EBS, ESC & ISO 7638 cable)	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
12	34	Pressure / Vacuum Warning and Build Up*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
13	36	Hand Lever Operating Mechanical Park Brakes and Electronic Park Brake Control*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
14	39	Hand Operated Brake Control Valves	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
15	17	Cab Floors and Steps*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
16		OBD - Diagnostic trouble code (DTC) check	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>

Part 1B - Ground Level and Under Vehicle

Check No.	IM Ref	Item Inspected	Status
17	16	Cab Doors*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
18	1	Registration Plates*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
19	15	Cab Security*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
20	19	Security of Body, Containers and Crane Support Legs	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
21	20	Condition of Body	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
22	5	Exhaust Emissions* / MIL	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
23	6	Road Wheels and Hubs	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
24	7	Size and Type of Tyres	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>

25	8	Condition of Tyres (including age and date code)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26	9	Sideguards, Rear Under-Run Devices and Bumper Bars	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27	10	Spare Wheel and Carrier	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28	41	Condition of Chassis	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
29	11	Vehicle to Trailer Coupling	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30	12	Trailer Parking and Emergency Brake and Air Line Connections	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
31	13	Trailer Landing Legs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32	14	Spray Suppression, Wings and Wheel Arches	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
33	33	Speed Limiter*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
34	42	Electrical Wiring and Equipment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
35	43	Engine and Transmission Mountings*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36	44	Oil Leaks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
37	45	Fuel Tanks and System	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
38	46	Exhaust Systems and Nuisance*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
39	54	Steering	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
40	48	Suspension	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
41	53	Axles, Stub Axles and Wheel Bearings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42	57	Transmission	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
43	58	Additional Braking Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
44	59	Brake Systems and Components	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
45	62	Markers and Reflectors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
46	63	Lamps	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

47	66	Direction Indicators and Hazard Warning Lamps	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
48	67	Aim of Headlamps*	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
49	74	Other dangerous defects	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>
50		Safety recall check	<div><div>✓</div><div>✕</div><div>R</div><div>N/A</div><div>M</div></div>

IM8 - Condition of Tyres as Presented (enter N/A if not applicable)

Ck 51	Axle 1	Axle 2	Axle 3	Axle 4
o/s out	<div>8</div>	<div>7</div>	<div>mm</div>	<div>mm</div>
	<div>4.5</div>	<div>4.5</div>	<div>psi</div>	<div>psi</div>
o/s in	<div>mm</div>	<div>mm</div>	<div>mm</div>	<div>mm</div>
	<div>psi</div>	<div>psi</div>	<div>psi</div>	<div>psi</div>
n/s in	<div>mm</div>	<div>mm</div>	<div>mm</div>	<div>mm</div>
	<div>psi</div>	<div>psi</div>	<div>psi</div>	<div>psi</div>
n/s out	<div>8</div>	<div>8</div>	<div>mm</div>	<div>mm</div>
	<div>5.0</div>	<div>5.0</div>	<div>psi</div>	<div>psi</div>

C: Braking performance assessment

Date of assessment:

2025-11-10

Laden – (measured weight) / unladen

Laden (measured weight)

(roller brake test* / decelerometer test + temp./ EBPMS**)

Roller Brake Test (RBT)

* RBT printout attached (yes/no) – If an RBT report is attached to the safety inspection form the RBT results table can be left blank

** If EBPMS is used the report needs to be attached to the safety inspection

D: Brake temperature assessment

Ambient air temperature:

°C

Side	Axle 1	Axle 2	Axle 3	Axle 4
N/S	<div>°C</div>	<div>°C</div>	<div>°C</div>	<div>°C</div>
	<div>°C</div>	<div>°C</div>	<div>°C</div>	<div>°C</div>
O/S	<div>°C</div>	<div>°C</div>	<div>°C</div>	<div>°C</div>

Check	IM Ref	Item inspected	Efficiency
-------	--------	----------------	------------

No	Marker	Item Inspected	Efficiency
52	71	Service Brake Performance	51
53	72	Secondary Brake Performance	N/A
54	73	Parking Brake Performance	11

	°C	°C	°C	°C
--	----	----	----	----

EBPMS Braking performance value:

Assessment period:

Axle RBT results*	Imbalance kg	Time Lag (pass / fail)		Ovality (Front steer)	Bind kg	Max Force kg (Indicate if locked)	Parking kg (Indicate if locked)
		N/S	O/S				
Axle 1 - weight	2100	N/S				545 L	N/S
		O/S				599 L	O/S
Axle 2 - weight	2400	N/S				331 L	329 L
		O/S				587 L	128
Axle 3 - weight		N/S				N/S	N/S
		O/S				O/S	O/S
Axle 4 - weight		N/S				N/S	N/S
		O/S				O/S	O/S

EBPMS Braking performance value:

Assessment period:

Overall Result:

Satisfactory

Inspector comments:

Park brake below 16% requires repair or adjustment

Smoke Opacity (m ⁻¹):	Plate Value (m ⁻¹):	Pass/Fail:
<input type="text" value="0.00"/>	<input type="text" value="0.51"/>	<input type="text" value="Pass"/>
DPF Present:	Visible Smoke:	MIL (Warning Light):
<input type="text" value="Yes"/>	<input type="text" value="None"/>	<input type="text" value="Off"/>

Note:
Euro 6 vehicles: Default limit 0.7 m⁻¹ (unless plate value higher)
Pre-July 2008: Use default or plate value (whichever lower)
Post-July 2008: Use plate value where present

Tachograph & Documentation

Tachograph Calibration Due Date:	Tachograph Seal Intact:
<input type="text"/>	<input type="text" value="Yes"/>
Speed Limiter Calibration:	Next MOT Due:
<input type="text"/>	<input type="text"/>

Part 2 - Comments on Faults Found

16	R	Ad blue level too low
32	R	NSR wheel arch trim insecure
34	R	NSF brake wear wiring fouling wheel . Secured wiring.
48	R	Both headlights adjuster's broken
44	R	Park brake requires adjusted or repair

Part 4 - Declaration & Signature

Declaration:
"I consider that the above defects have been rectified satisfactorily and this vehicle or trailer is now in a safe and roadworthy condition."

Inspector Details

Martin Wallace

Technician

2025-11-10

Signature

M Wallace


Technician Details (Defects Rectified By)

Technician Name

Position

2025-11-10

Signature

 Tap to Sign

Important Note:

It is always the responsibility of the operator to ensure that the vehicle or trailer is in a roadworthy condition before being used on the road.