CampaignGuard — Round 1 Submission: The Plan

Inkloom AI Brand-Governance Challenge · Team Backend Pentraters · Team leader: Sumedh Milind Nirwan

> **One approved brief. Consistent campaign assets. Traceable human approval.**

CampaignGuard is a pre-publication review tool that checks campaign copy and visuals against a human-approved brief. It detects conflicting offers, unsupported claims and brand-rule violations, explains each finding with source evidence, and helps teams approve the exact corrected version. It automates routine checks without pretending to replace human judgment.

Fields marked [TO FILL] need your real team details or real interview findings before you submit. Nothing in this document claims research that has not been done.

1. Problem Definition

1.1 The problem

Growing organisations publish through many employees, agencies and AI tools. Each asset in a campaign may be individually polished, yet the assets can disagree with one another:

- The caption says **20% off**; the banner says **30% off**.
- The product sheet supports “up to 12 hours”; the advertisement promises “24 hours guaranteed”.
- An outdated logo appears in one asset.
- A required qualification such as “On selected bottles” is missing.

Nobody notices until after publication, when the damage to credibility has already happened. The problem statement names exactly these risks: incorrect claims, outdated information, inconsistent language and off-brand visuals.

1.2 Why existing approaches fall short

Teams typically review manually against scattered PDFs, chat threads and spreadsheets. Reviewers re-read each asset separately, so cross-asset contradictions are easy to miss. Approval is often a message saying “looks good”, with no record of which revision was approved or which facts it was checked against.

1.3 Our narrowed scope

Rather than trying to govern every piece of content for every organisation, CampaignGuard focuses on one workflow: **product-promotion campaigns produced by small marketing teams and agencies.** It checks a campaign's caption, banners and an optional PDF *together* against one explicitly approved brief.

1.4 Evidence that the problem is real

We treat the following as a **hypothesis to validate**, not an established market fact:

> Small marketing teams and agencies repeatedly reconcile product information and campaign details across assets, and this manual reconciliation is slow and error-prone.

Supporting evidence (see Section 3 for our validation plan and findings):

- **Structured discovery interviews:** [TO FILL: number of interviews, roles, e.g. 3 marketing freelancers, 1 agency designer]
- **Observed review task:** [TO FILL: describe one observed campaign-review session, what was checked, how long it took, what was missed]
- **Our own test pack** of deliberately inconsistent campaigns showing the kinds of errors described above.

2. Target Users, Needs and Setting

2.1 Organisational setting

A small marketing team or agency producing product-promotion campaigns across channels such as Instagram and email. For the prototype we support **one organisation, multiple campaigns, English-language copy, PNG/JPEG banners and text-based PDFs.**

2.2 Users and needs

Role	What they need	How CampaignGuard helps
Creator (copywriter, designer)	Fast feedback before submitting; clear, fixable findings that keep their original intent	Preflight report with location, issue, evidence and minimal suggested change

Role	What they need	How CampaignGuard helps
Brand manager	One place to define what a campaign may say; confidence that variants are intentional	Campaign Contract with versioning, sources and approved channel/audience variants
Authorised reviewer	To approve the exact final version with evidence, not re-check everything from scratch	Review package: revised assets, remaining findings, accepted or dismissed suggestions, source evidence, revision history

2.3 Jobs to be done

1. Before launch, confirm every asset uses the correct offer, dates, eligibility and product facts.
2. Confirm brand terminology, tone and approved assets are followed.
3. Record who approved which version, against which facts.
4. See which mistakes keep recurring and which guidelines are unclear.

3. Research and Validation Plan

We will gather evidence through interviews and observation *before* leaning on any claims about market need.

3.1 Discovery questions

- Which details are repeatedly checked by hand?
- Where does approved product and offer information actually live?
- How often are differences between assets intentional (channel or audience variants)?
- Who owns the final decision?
- What would this tool replace, and what would it add to their workload?

3.2 Findings

Secondary research (desk evidence). These figures come from published studies as reported in third-party summaries. We have not independently verified them, and they describe the general cost of brand inconsistency, not our target users specifically. The Demand Metric report dates from 2016.

Finding	Reported figure	Source as cited in our research
Consistent branding and revenue	10–20% average revenue increase; up to 33% at the highest governance levels	Demand Metric and Lucidpress, *The Impact of Brand Consistency* benchmark report
Guidelines exist but are not enforced	95% of companies have formal brand guidelines; only 25–30% enforce them consistently	Demand Metric benchmark report
Off-brand content is created regularly	Over 60% of marketers say materials violating brand rules are created always, often or sometimes; 71% name market confusion as the main impact	Demand Metric and Lucidpress
Customer reaction to inconsistency	32% of customers abandon a brand after one poor or inconsistent experience	PwC, via Envive AI

What this tells us: the gap is enforcement, not strategy. Teams have guidelines, but manual review does not scale. That supports checking assets against an approved brief before publication.

Primary research (our own interviews and observations).

Source	Role	Key finding
[TO FILL]	[TO FILL]	[TO FILL]
[TO FILL]	[TO FILL]	[TO FILL]
[TO FILL]	[TO FILL]	[TO FILL]

3.3 Competitive landscape

Existing creative-review products already offer AI checklist evaluation with rationale, suggested revisions and human confirmation or override. Ziflow, for example, describes these capabilities in its checklist feature (Ziflow).

Our differentiation is therefore **not** “AI plus human approval”. Our hypothesis is:

> We make campaign-specific factual consistency easy to configure, verify across assets, and approve with traceable evidence.

This is a focused product position, not a claim of invention. We will trial comparable tools and gather user feedback to test whether our implementation gives a meaningful advantage. [TO FILL: competitor trial notes]

3.4 Measuring the setup cost

The biggest risk is that configuring a brief takes longer than the review work it saves. We will measure setup time explicitly during testing. If setup exceeds the time saved, the concept must change.

4. Proposed Solution

4.1 The core idea: the Campaign Contract

A **Campaign Contract** is a structured, human-approved brief (not a legal contract) that defines what one campaign is allowed to say. Instead of asking AI to discover an organisation's truth from hundreds of contradictory files, a person confirms the relevant truth for one campaign.

Example:

```
Campaign: EcoSip Weekend Offer
Product: EcoSip 750 ml
Market: India | Channel: Instagram | Audience: General public
Offer: 20% off | Eligibility: Selected bottles | End date: 31 October
Approved claim: “Keeps drinks cold for up to 12 hours.”
Required qualification: “On selected bottles.”
Brand tone: Friendly, practical, no exaggerated promises
Prohibited terms: “Miracle”, “guaranteed”, “world’s best”
```

Each important field retains its **source, approver, version, scope and validity period**. The system may *propose* fields from uploaded material, but a person must activate them. If two sources disagree, the conflict is shown, never silently resolved.

4.2 End-to-end workflow

1. **Set up the brand once.** Import or define preferred and prohibited terminology, tone examples, approved logos, colour palette, approved product facts and required statements. AI-extracted rules stay as suggestions until confirmed.

2. **Approve the campaign brief.** The brand manager confirms the Campaign Contract, including separate approved variants per channel or audience so intentional differences are not flagged as errors.
3. **Submit a campaign pack.** The creator adds a caption, one or more banners and an optional text-based PDF, and selects the campaign and variant.
4. **Run the preflight.** Four layers of checks run (see 4.3).
5. **Resolve findings.** Every finding follows the format: *Location → Issue → Evidence → Suggested change → Required reviewer.*
6. **Human review and approved export.** The creator resubmits; the reviewer sees revised assets, remaining findings, accepted or dismissed suggestions, evidence and history. Approval applies to a specific content revision; any later edit makes it stale. The product exports the approved version and a review summary.

Example finding

> **Banner:** “30% OFF”
> **Issue:** Conflicts with the campaign’s approved discount.
> **Evidence:** Campaign Contract v2 specifies 20%.
> **Suggested action:** Replace “30%” with “20%.”
> **Review:** Creator can correct; manager confirms the revised asset.

For images, the MVP highlights the affected region and describes the correction. It does not claim to safely edit flattened graphics.

4.3 The four check layers

Layer	Questions
Campaign facts	Are discount, dates, eligibility, product and numerical claims correct?
Cross-asset consistency	Do the caption, image and document contradict each other?
Brand rules	Are terminology, messaging, approved assets and selected visual rules followed?
Selected accessibility checks	Are detectable contrast issues present? Is alternative text supplied where the workflow supports it?

Accessibility results describe the checks performed and do not claim full conformance. As W3C notes, no tool alone can determine whether content meets accessibility guidelines (W3C WAI).

4.4 Three signature improvements

1. Context-aware campaign contradiction detection. Assets are compared against their *applicable variant*. An Instagram offer of 20% and an email loyalty offer of 30% are both valid if approved separately, but an Instagram banner showing 30% is flagged. We start with structured fields (discounts, dates, eligibility, product names, numerical claims) rather than promising universal semantic contradiction detection.

2. Source-backed minimal corrections. We suggest the smallest change that resolves the issue and preserves the creator's purpose. Factual claims return one of three states: *Supported*, *Contradicted* or *Insufficient evidence*. Missing evidence is never treated as a false claim, and the system never invents a replacement fact. Tone suggestions remain advisory and editable.

3. Version-bound approval with an evidence record. Each approval stores the approved content revision, Campaign Contract version, rule and source versions used, completed and incomplete checks, reviewer identity and decision, and any exceptions with reasons. We call this a **review record**, not a compliance certificate. Editing content invalidates approval, and affected drafts are flagged for re-review when approved campaign facts change.

4.5 Value proposition

- **Creators** get fast, specific, fixable feedback.
- **Brand managers** define the truth once per campaign and see recurring problems.
- **Reviewers** approve the exact final version with evidence, not memory.

The tool is a focused inspection step between creation and approval. It does not replace designers, legal reviewers or asset-management systems.

5. Planned Features, Technology and Data

5.1 Features

Must ship in the prototype

- Confirmed campaign brief (Campaign Contract) with variants
- Text and image submission, optional text-based PDF
- Core terminology, messaging and fact checks

- Cross-asset offer, date and claim comparison
- Evidence-linked findings with accept, edit or escalate actions
- Comments, revision history and role-based approval
- Approval invalidation after edits
- Simple repeated-issue dashboard (governance insights)

Explicitly deferred

Video and audio, automatic image redesign, comprehensive typography detection, universal legal rules, full accessibility certification, C2PA signing, custom model training, deep enterprise integrations and automatic publishing to production channels. These exclusions protect our ability to deliver the actual workflow.

5.2 Architecture

```
Web interface
     |
FastAPI backend
     |
Campaign and review services
     |
     ├── Exact-rule checks
     ├── OCR and document extraction
     ├── Structured fact extraction
     ├── Evidence retrieval
     ├── Semantic/tone assessment
     └── Cross-asset comparison
     |
PostgreSQL + private file storage
```

Key technical decision: approved campaign fields live in structured database records and are looked up directly. Retrieval is used only for supporting documents and qualitative guidance. A discount, expiry date or product capacity is never pushed through vector search when it can be looked up exactly. AI handles interpretation within bounds; deterministic checks handle facts.

5.3 Technology stack

Component	Choice
Frontend	React / Next.js
Backend	FastAPI + Pydantic

Component	Choice
Database	PostgreSQL
Files	Private object storage (local private storage for a controlled demo)
OCR	A disclosed OCR library or service
PDF extraction	A suitable library, licence checked
AI	One model adapter with structured-output validation
Testing	pytest plus workflow tests
Deployment	Docker

5.4 Data sources and integrations

- **Data:** synthetic brand material for the public demo; user-supplied briefs, product profiles and campaign assets; a labelled evaluation pack.
- **Integrations:** none required for the prototype beyond one external model API and an OCR service or library. Enterprise integrations are deferred.

5.5 Failure behaviour (reliability by design)

Situation	System behaviour
OCR unreadable	Needs manual review
Model unavailable	Semantic checks marked incomplete
Conflicting sources	Unresolved source conflict
Required check incomplete	Not ready for approval
No evidence	Insufficient evidence

A green status never means merely “the AI request returned.”

6. Responsible Design

Privacy and security

- Private file access and backend-enforced roles and organisation boundaries
- Server-side API keys only

- No confidential content in routine logs
- Defined retention and deletion behaviour
- Synthetic brand material in the public demo

Transparency

- Clear disclosure of external model processing
- We state exactly what is stored and why. We do not claim zero retention while keeping drafts and revisions.
- Accessibility findings describe checks performed, not conformance.

Human oversight

- AI-extracted rules remain suggestions until a person confirms them
- The system suggests but never auto-overrides important decisions
- Reviewer overrides require explicit reasons
- Audit history of decisions and revisions
- Approval is bound to a specific revision and invalidated by edits

Safety against misuse of inputs

- Uploaded documents are treated as untrusted data, never as instructions to the model (mitigating prompt injection)

Known limits stated honestly

The product does not prevent publishing through tools it does not control, and the review record is not a legal compliance certificate.

7. Development Plan, Roles and Impact

7.1 Milestones

Phase	Deliverable
1. Foundations	Data model, roles, auth, private storage, Campaign Contract CRUD with versioning
2. Extraction	OCR, PDF text extraction, structured fact extraction
3. Checks	Exact-rule checks, cross-asset comparison, evidence-linked findings

Phase	Deliverable
4. Workflow	Accept/edit/escalate, comments, revision history, approval and invalidation
5. Insights and polish	Repeated-issue dashboard, review summary export, demo data
6. Evaluation	Labelled test pack, manual vs assisted timing, bug fixes

The build will respect the official build window; planning, research and interviews happen before it, as the rules permit.

7.2 Role allocation

Team member	Role	Responsibilities
Sumedh Milind Nirwan	Team leader	[TO FILL]
[TO FILL]	[TO FILL, e.g. Frontend]	[TO FILL]
[TO FILL]	[TO FILL, e.g. Research and evaluation]	[TO FILL]

7.3 Risks and mitigations

Risk	Mitigation
Setup takes longer than review saves	Reuse product profiles, import or paste briefs, measure setup time, redesign if needed
False warnings erode trust	Start with structured fields; track false-warning rate; valid variants modelled explicitly
Missed inconsistencies	Test pack with known errors; measure missed issues
Unreliable OCR or model output	Explicit failure states; incomplete checks block approval
Overpromising	Narrow formats, explicit exclusions, milestone-based delivery

7.4 Evaluation and expected impact

We will build a labelled test pack containing correct campaigns, wrong discounts and dates, missing qualifications, unsupported and contradicted claims, valid channel-specific variations, unreadable image text, conflicting sources and content edited after approval. We will compare manual and assisted review on equivalent tasks, varying task order to reduce familiarity effects.

Metrics: total time including setup, correct findings, false warnings, missed issues, evidence correctness, correction quality, reviewer effort and revision rounds.

We will not announce a productivity percentage until we measure it. The central success test is whether CampaignGuard reduces total review effort without letting important inconsistencies slip through.

8. How This Maps to the Judging Criteria

Criterion (points)	Where addressed
Understanding of the problem (25)	Sections 1–3: specific cross-asset failure modes, narrowed users, validation plan
Proposed solution (25)	Section 4: Campaign Contract, preflight, correction, version-bound approval
Technical plan (20)	Section 5: structured facts, deterministic checks, bounded AI interpretation, failure states
Originality (15)	Section 3.3 and 4.4: honest competitor comparison and three signature improvements
Feasibility and scope (15)	Sections 5.1 and 7: narrow formats, explicit exclusions, milestones, risks

9. Disclosures

- AI assistance was used in drafting and refining this plan. [TO FILL: tools used]
- External services planned: one LLM API and an OCR service or library. [TO FILL: final choices]
- Libraries and templates will be listed with licences in later rounds.