Cucumber Report

| Start : Jul 22, 9:18:33.784 pm	End : Jul 22, 9:22:09.217 pm	Duration : 3 m 35.433 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 0 FAILED - 40 SKIPPED - 0	PASSED - 200 FAILED - 40 SKIPPED - 320

5

40

560

Pass % — 0 %

Pass % — 0 %

Pass % — 35 %

#	Feature Name	T	P	F	S	Duration
1	Order Guide	13	0	13	0	3 m 25.661 s
2	Order Guide1	13	0	13	0	4.511 s
3	Order Guide2	10	0	10	0	3.342 s
4	Order Guide3	2	0	2	0	0.623 s
5	Order GuideERP	2	0	2	0	0.554 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Order Guide	Test scenario for Canceling order guide while creating	12	5	1	6	3 m 19.717 s
2	Order Guide	For creation of OG using single product, sequence number and Customer reference	13	5	1	7	0.252 s
3	Order Guide	Test scenario for printing OG	9	5	1	3	0.221 s
4	Order Guide	Edit the existing OG by adding some more products	11	5	1	5	0.268 s
5	Order Guide	Test scenario for verifying the seq numbers are displaying properly or not	9	5	1	3	0.254 s
6	Order Guide	Test sceanrio for dragging and droping feature in create order guide page	9	5	1	3	0.263 s
7	Order Guide	Searching for product in new OG page	9	5	1	3	0.252 s
8	Order Guide	Deleting product from OG	12	5	1	6	0.215 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Order Guide	Clear sequence number and selecting option No from popup	11	5	1	5	0.188 s
10	Order Guide	Clear sequence number and selecting option Yes from popup	12	5	1	6	0.223 s
11	Order Guide	Edit sequence number of any of the product in product grid	11	5	1	5	0.221 s
12	Order Guide	Test scenario to convert active OG to expired OG	10	5	1	4	0.185 s
13	Order Guide	Test scenario to test drag and drop functionality in OG page	10	5	1	4	0.178 s
14	Order Guide1	Creating OG using multiple products, from Quick product and Catalog	14	5	1	8	0.201 s
15	Order Guide1	Creating OG using OG	15	5	1	9	0.200 s
16	Order Guide1	Creating OG using Order	15	5	1	9	0.222 s
17	Order Guide1	Creating OG using Catalog	15	5	1	9	0.177 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Order Guide1	Creating OG using Catalog, by adding multiple product to OG, through search box	15	5	1	9	0.180 s
19	Order Guide1	Export OG	11	5	1	5	0.187 s
20	Order Guide1	Importing OG	14	5	1	8	0.184 s
21	Order Guide1	Test scenario for changing Day of week and create OG	14	5	1	8	0.173 s
22	Order Guide1	Test scenario for deleting customer allocation to National chain	25	5	1	19	0.189 s
23	Order Guide1	Test scenario for creating Historical order guide	15	5	1	9	0.174 s
24	Order Guide1	Test scenario for changing Customer Account# and create OG	16	5	1	10	0.170 s
25	Order Guide1	Test scenario for deleting Customer allowcation	26	5	1	20	0.159 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
26	Order Guide1	For creating OG using local chain	17	5	1	11	0.237 s
27	Order Guide2	Test scenario for creating push order guide	16	5	1	10	0.195 s
28	Order Guide2	Test scenario for creating Par order guide	16	5	1	10	0.192 s
29	Order Guide2	Test scenario for OG creation using Market segment	18	5	1	12	0.172 s
30	Order Guide2	Test scenario for creating OG for all customers	15	5	1	9	0.174 s
31	Order Guide2	Test scenario for creating push order guide without any valid to date	16	5	1	10	0.195 s
32	Order Guide2	Test scenario for creating customer Reference Price group default Scheduled	18	5	1	12	0.199 s
33	Order Guide2	For creating OG using National chain	18	5	1	12	0.187 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
34	Order Guide2	For creating OG using All Customer Account# from customer reference drop down	17	5	1	11	0.170 s
35	Order Guide2	Test scenario to test Sorting using arrow symbol	10	5	1	4	0.187 s
36	Order Guide2	Will help to search Order guide using Add filter button	8	5	1	2	0.168 s
37	Order Guide3	Test scenario for cancel deleting of OG	13	5	1	7	0.206 s
38	Order Guide3	Deleting Order guide and verifying it in OG grid	9	5	1	3	0.195 s
39	Order GuideERP	Test scenario for creating OG using Standard order	18	5	1	12	0.198 s
40	Order GuideERP	Test scenario for creating customer Reference Price group Deal group	18	5	1	12	0.176 s

(F)- Order Guide

FAILED	DURATION - 3 m 25.661 s		Scenarios		Steps	
/ 9:18:33.784 pm // 9:21:59.445 pm /			Total - 13 Pass - 0 Fail - 13 Skip - 0	13	Total - 138 Pass - 65 Fail - 13 Skip - 60	138

(S)- Test scenario for Canceling order guide while creating

FAILED	DURATION - 3 m 19.717 s		Steps	
/ 9:18:33.791 pm // 9:21:53.508 pm /			Total - 12 Pass - 5 Fail - 1 Skip - 6	12
Order Guide				
@CancelOG				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	41.112 s
	SIGNIN BUTTON CLICKED		
2	When User is on Home Page for OG	PASSED	0.097 s
	ADMIN PAGE OR ORDER ENTRY PAGE HAS BEEN FOUND		
3	Then User navigate to Client side for OG	PASSED	2.935 s
	USER ICON FOUND IN ADMIN PAGE		
4	Then User should select Order Entry tab for OG	PASSED	47.198 s
	https://autoerp.afsi.com/omsi/clientportal/apps/cpOrderEntry.html?p=QJFsTz5JBfVNODvKd%2b4hK56SreO0vwVwYSCjo3j9p6A%3d NAVIGATED TO ORDER ENTRY PAGE		
5	Then User selects Account# for OG	PASSED	7.107 s
	CUSTOMER ACCOUNT# SELECTED IS K11985		
6	Given User must be on Order Entry Page to select OG	FAILED	1 m 40.998 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:144) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:13) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGDis1"	SKIPPED	0.001 s
10	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
11	Then User click on Cancel button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis1" existence when cancelled	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for Canceling order guide while creating Not Found + HTTP Error 404: The requested source is not found	PASSED	0.149 s

(S)- For creation of OG using single product, sequence number and Customer reference

FAILED	DURATION - 0.252 s
/ 9:21:53.920 pm // 9:21:54.172 pm /	
Order Guide	
@QuickProduct	

Steps
Total - 13
Pass - 5
Fail - 1
Skip - 7

13

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.056 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.010 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	    at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	    at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:27)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGDis1"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	And User selects Day of week from drop down	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
	4		
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.155 s
	For creation of OG using single product, sequence number and Customer reference		
	Not Found HTTP Error 404: The requested resource is not found. +		

(S)- Test scenario for printing OG

FAILED	DURATION - 0.221 s		Steps
/ 9:21:54.502 pm // 9:21:54.723 pm /			Total - 9
			Pass - 5
Order Guide			Fail - 1
@PrintOG			Skip - 3

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.041 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.009 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order		

#	Step / Hook Details	Status	Duration

	Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	    at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	    at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:43)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	Then User clicks on print button	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for printing OG Not Found + HTTP Error 404. The requested resource is not found	PASSED	0.145 s

(S)- Edit the existing OG by adding some more products

FAILED	DURATION - 0.268 s
/ 9:21:55.122 pm // 9:21:55.390 pm /	
Order Guide	
@EditOrderGuide	

Steps
Total - 11
Pass - 5
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.054 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.011 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"}   (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:53) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	And User enters multiple Quick Product number and Sequence number 4 6 8	SKIPPED	0.000 s
10	Then User click on Save button	SKIPPED	0.000 s
11	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Edit the existing OG by adding some more products Not Found + HTTP Error 404. The requested resource is not found.	PASSED	0.169 s

(S)- Test scenario for verifying the seq numbers are displaying properly or not

FAILED	DURATION - 0.254 s		Steps	
/ 9:21:55.667 pm // 9:21:55.921 pm /			Total - 9	
Order Guide			Pass - 5 Fail - 1	9
@SequenceSortDisplay			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.043 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.010 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03 at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:68) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	Then User enters OG "SampleOG" Description in search box	SKIPPED	0.000 s
9	Then User should click on arrow symbol for sorting sequence numbers	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for verifying the seq numbers are displaying properly or not Not Found HTTP Error 404: The requested resource is not found. **+**	PASSED	0.168 s

(S)- Test sceanrio for dragging and droping feature in create order guide page

FAILED	DURATION - 0.263 s
	/ 9:21:56.177 pm // 9:21:56.440 pm /
	Order Guide
	@DragAndDropInCreateOG

Steps
Total - 9
Pass - 5
Fail - 1
Skip - 3

9

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.052 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.010 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

| #	Step / Hook Details	Status	Duration
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03 at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:78) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	And User must be on create OG page and "UnitOfMeasure" the grid header	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test sceanrio for dragging and droping feature in create order guide page Not Found + HTTP Error 404. The requested resource is not found.	PASSED	0.182 s

(S)- Searching for product in new OG page

FAILED	DURATION - 0.252 s		Steps
/ 9:21:56.706 pm // 9:21:56.958 pm /			Total - 9
			Pass - 5
Order Guide			Fail - 1
@SearchForProduct			Skip - 3

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.055 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.010 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)		
	at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)		
	at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:88) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG Description in search box OGDis1	SKIPPED	0.000 s
9	And User search for Product# in New OG page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Searching for product in new OG page Not Found + HTTP Error 404: The requested resource is not found	PASSED	0.169 s

(S)- Deleting product from OG

FAILED	DURATION - 0.215 s		Steps	
/ 9:21:57.189 pm // 9:21:57.404 pm /			Total - 12	
Order Guide			Pass - 5 Fail - 1	12
@DeleteProduct			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.040 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	   at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	   at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	   at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:96)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	And User search for Product# in New OG page	SKIPPED	0.000 s
10	And User click on Delete button to remove product from OG	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Deleting product from OG Not Found + HTTP Error 404. The requested resource is not found.	PASSED	0.144 s

(S)- Clear sequence number and selecting option No from popup

FAILED	DURATION - 0.188 s
/ 9:21:57.629 pm // 9:21:57.817 pm /	
Order Guide	
@SequenceNo	

Steps
Total - 11
Pass - 5
Fail - 1
Skip - 5

11

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.035 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.006 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

| #	Step / Hook Details	Status	Duration

	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	    at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	    at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:109)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG Description in search box OGDis1	SKIPPED	0.000 s
9	Then User click on More button	SKIPPED	0.000 s
10	And User selects Clear Sequence from drop down	SKIPPED	0.000 s
11	And User handles popup for clearing sequence number by selecting No	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Clear sequence number and selecting option No from popup	PASSED	0.131 s

(S)- Clear sequence number and selecting option Yes from popup

FAILED	DURATION - 0.223 s
/ 9:21:58.027 pm // 9:21:58.250 pm /	
Order Guide	
@SequenceYes	

Steps
Total - 12
Pass - 5
Fail - 1
Skip - 6

12

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.036 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.009 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:119) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG Description in search box OGDis1	SKIPPED	0.000 s
9	Then User click on More button	SKIPPED	0.000 s
10	And User selects Clear Sequence from drop down	SKIPPED	0.000 s
11	And User handles popup for clearing sequence number by selecting Yes	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Clear sequence number and selecting option Yes from popup Not Found + HTTP Error 404. The requested resource is not found.	PASSED	0.165 s

(S)- Edit sequence number of any of the product in product grid

FAILED	DURATION - 0.221 s		Steps
/ 9:21:58.454 pm // 9:21:58.675 pm /			Total - 11
Order Guide			Pass - 5
			Fail - 1
@SequenceEdit			Skip - 5

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.042 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.007 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	    at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	    at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:130)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	And User changes sequence number in product grid of OG `24`	SKIPPED	0.000 s
10	Then User click on Save button	SKIPPED	0.000 s
11	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Edit sequence number of any of the product in product grid Not Found **+** HTTP Error 404: The requested resource is not found.	PASSED	0.135 s

(S)- Test scenario to convert active OG to expired OG

FAILED	DURATION - 0.185 s		Steps	
	/ 9:21:58.893 pm // 9:21:59.078 pm /		Total - 10	
	Order Guide		Pass - 5	10
	@ActiveToExpired		Fail - 1	
			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.033 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order		

#	Step / Hook Details	Status	Duration

	Guides')]||//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	   at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	   at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	   at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:143)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	And User selects end date as past date	SKIPPED	0.000 s
10	Then User should navigate back to OG page and verify OG "OGDis1" by selecting status as expired	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario to convert active OG to expired OG Not Found + HTTP Error 404: The requested resource is not found.	PASSED	0.127 s

(S)- Test scenario to test drag and drop functionality in OG page

FAILED	DURATION - 0.178 s
/ 9:21:59.267 pm // 9:21:59.445 pm /	
Order Guide	
@DragAndDropInOGPage	

Steps
Total - 10
Pass - 5
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.030 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.009 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:156) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should select header in OG grid for "Status" functionality	SKIPPED	0.000 s
9	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
10	Then User enters OG Description "OGDis1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.125 s
	Test scenario to test drag and drop functionality in OG page Not Found HTTP Error 404: The requested resource is not found **+**		

(F)- Order Guide1

FAILED	DURATION - 4.511 s	Scenarios		Steps	
		Total - 13		Total - 212	
/ 9:21:59.632 pm // 9:22:04.143 pm /		Pass - 0	**13**	Pass - 65	**212**
		Fail - 13		Fail - 13	
		Skip - 0		Skip - 134	

(S)- Creating OG using multiple products, from Quick product and Catalog

FAILED	DURATION - 0.201 s		Steps
/ 9:21:59.632 pm // 9:21:59.833 pm /			Total - 14
Order Guide1			Pass - 5
			Fail - 1
@MultipleProdOG			Skip - 8

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.038 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"}   (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:13) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis14" Start date 2 and End date 3 day from current date	SKIPPED	0.000 s
10	And User enters multiple Product# Quick Product entry and catalog and Sequence number 12 Catalog	SKIPPED	0.001 s
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis14" existence	SKIPPED	0.000 s
13	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
14	Then User enters OG Description "OGDis14" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.143 s
	Creating OG using multiple products, from Quick product and Catalog Not Found **+** HTTP [404 404. The requested resource is not found]		

(S)- Creating OG using OG

FAILED	DURATION - 0.200 s		Steps
/ 9:22:00.023 pm // 9:22:00.223 pm /			Total - 15
Order Guide1			Pass - 5
			Fail - 1
@OGFromOG			Skip - 9

15

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.051 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.010 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	   at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	   at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	   at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:29)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis16" Start date 4 and End date 5 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select OG from drop down Order guides	SKIPPED	0.000 s
11	And User should select "SampleOG" from popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis16" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGDis16" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Creating OG using OG Not Found + HTTP Error 404. The requested resource is not found.	PASSED	0.133 s

(S)- Creating OG using Order

FAILED	DURATION - 0.222 s		Steps
/ 9:22:00.389 pm // 9:22:00.611 pm /			Total - 15
Order Guide1			Pass - 5
@OGFromOrder			Fail - 1
			Skip - 9

(chart showing bar graph of step durations 1-15 and donut chart reading 15)

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.004 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.036 s
6	Given User must be on Order Entry Page to select OG org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class,	FAILED	0.007 s

#	Step / Hook Details	Status	Duration

	'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	   at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	   at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	   at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:46)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis17" Start date 6 and End date 7 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Order from drop down Orders	SKIPPED	0.001 s
11	And User should select Order# from Order popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
13	And User should navigate back to OG page and verify OG "OGDis17" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGDis17" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Creating OG using Order Not Found + HTTP Error 404: The requested resource is not found	PASSED	0.129 s

(S)- Creating OG using Catalog

FAILED	DURATION - 0.177 s
/ 9:22:00.802 pm // 9:22:00.979 pm /	
Order Guide1	
@OGFromCatalog	

Steps

Total - 15

Pass - 5

Fail - 1

Skip - 9

15

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.035 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.009 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:		

#	Step / Hook Details	Status	Duration

	ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	  at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	  at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	  at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:63)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis18" Start date 8 and End date 9 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
11	And User should select products from catalog popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis18" existence	SKIPPED	0.001 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGDis18" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Creating OG using Catalog	PASSED	0.116 s

#	Step / Hook Details	Status	Duration
	Not Found + HTTP Error 404: The requested resource is not found		

(S)- Creating OG using Catalog, by adding multiple product to OG, through search box

FAILED	DURATION - 0.180 s
/ 9:22:01.151 pm // 9:22:01.331 pm /	
Order Guide1	
@MultipleProdCatalog	

Steps

Total - 15

Pass - 5

Fail - 1

Skip - 9

15

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.001 s
5	Then User selects Account# for OG	PASSED	0.032 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:80) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis20" Start date 14 and End date 15 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Catalog from drop down `Catalog`	SKIPPED	0.000 s
11	And User should select products from catalog popup to add multiple products	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis20" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGDis20" in search box and Delete the OG verify same in OG grid	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cumber.java.Scenario) Creating OG using Catalog, by adding multiple product to OG, through search box Not Found HTTP Error 404: The requested resource is not found +	PASSED	0.124 s

(S)- Export OG

FAILED	DURATION - 0.187 s
/ 9:22:01.490 pm // 9:22:01.677 pm /	
Order Guide1	
@OGExport	

Steps
Total - 11
Pass - 5
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.041 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"}   (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:97) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "SampleOG" Description in search box	SKIPPED	0.000 s
9	And User verifies New OG page and clicks on export button	SKIPPED	0.000 s
10	Then User click on Save button	SKIPPED	0.000 s
11	And User should navigate back to OG page and verify OG "SampleOG" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Export OG Not Found + HTTP Error 404: The requested resource is not found	PASSED	0.130 s

(S)- Importing OG

FAILED	DURATION - 0.184 s		Steps
/ 9:22:01.831 pm // 9:22:02.015 pm /			Total - 14
Order Guide1			Pass - 5
@OGImport			Fail - 1
			Skip - 8

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.037 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03 at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:109) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis19" Start date 10 and End date 11 day from current date	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	And User verifies New OG page and clicks on import button	SKIPPED	0.000 s
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis19" existence	SKIPPED	0.001 s
13	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
14	Then User enters OG Description "OGDis19" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.128 s
	Importing OG		
	Not Found + HTTP Error 404. The requested resource is not found.		

(S)- Test scenario for changing Day of week and create OG

FAILED	DURATION - 0.173 s
/ 9:22:02.196 pm // 9:22:02.369 pm /	
Order Guide1	
@OGDayOfWeek	

Steps

Total - 14

Pass - 5

Fail - 1

Skip - 8

14

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.035 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities		

#	Step / Hook Details	Status	Duration
	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03 　at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) 　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) 　at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) 　at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) 　at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:124) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "DayOfWeek" Start date 12 and End date 13 day from current date	SKIPPED	0.000 s
10	And User selects Day of week from drop down	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.002 s
13	And User should navigate back to OG page, verify OG "DayOfWeek" existence and verify that Week of day is selected	SKIPPED	0.000 s
14	Then User deletes "DayOfWeek" created for day of week	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.117 s
	Test scenario for changing Day of week and create OG		

#	Step / Hook Details	Status	Duration
	Not Found **+** HTTP Error 404. The requested resource is not found.		

(S)- Test scenario for deleting customer allocation to National chain

FAILED	*DURATION - 0.189 s*
/ 9:22:02.548 pm // 9:22:02.737 pm /	
Order Guide1	
@ChangeCustomerAllocationNationalChain	

Steps

Total - 25

Pass - 5

Fail - 1

Skip - 19

25

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.033 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:140) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "ChangeNational"	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
11	And User should select products from catalog popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate to OG	SKIPPED	0.000 s
14	Then User enters OG "ChangeNational" Description in search box	SKIPPED	0.000 s
15	And User should navigate to CustomerAllocation tab	SKIPPED	0.000 s
16	Then Select CustomerAllocation check box and click on Delete button	SKIPPED	0.000 s
17	Then User Clicks on Plus button and select "National chain" from drop down	SKIPPED	0.000 s
18	Then User should navigate back to Product tab in OG	SKIPPED	0.000 s
19	And User validates that previously added products are removed from product grid	SKIPPED	0.000 s
20	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
21	And User should select products from catalog popup	SKIPPED	0.000 s
22	Then User click on Save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
23	And User should navigate back to OG page and verify OG "ChangeNational" existence	SKIPPED	0.000 s
24	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
25	Then User enters OG Description "ChangeNational" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for deleting customer allocation to National chain Not Found **+** HTTP Error 404: The requested resource is not found	PASSED	0.128 s

(S)- Test scenario for creating Historical order guide

FAILED	DURATION - 0.174 s
/ 9:22:02.907 pm // 9:22:03.081 pm /	
Order Guide1	
@OGHistorical	

Steps

Total - 15

Pass - 5

Fail - 1

Skip - 9

15

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.035 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.007 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:		

#	Step / Hook Details	Status	Duration

	ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	  at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	  at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	  at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:168)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGHist" and End date	SKIPPED	0.000 s
10	Then User selects type of OG from drop down to select historical OG `Historical`	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number `4`	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGHist" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGHist" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for creating Historical order guide	PASSED	0.115 s

#	Step / Hook Details	Status	Duration
	Not Found + HTTP Error 404: The requested resource is not found		

(S)- Test scenario for changing Customer Account# and create OG

FAILED	DURATION - 0.170 s		Steps
	/ 9:22:03.249 pm // 9:22:03.419 pm /		Total - 16
			Pass - 5
	Order Guide1		Fail - 1
			Skip - 10
	@ChangeAccountAndCreateOG		

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.034 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.009 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)		
	at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)		
	at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:186)		
	* Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User Clicks on Customer Account_No button and select other Customer Account_No	SKIPPED	0.000 s
9	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
10	Then Then User enters Description "OGDis21"	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number 4	SKIPPED	0.001 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis21" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGDis21" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
16	And User changes the Customer Account# to the previous Account#	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.118 s
	Test scenario for changing Customer Account# and create OG		
	Not Found + HTTP Error 404: The requested resource is not found		

(S)- Test scenario for deleting Customer allowcation

FAILED	DURATION - 0.159 s
/ 9:22:03.570 pm // 9:22:03.729 pm /	
Order Guide1	
@DeleteCustomerAllocation	

Steps
Total - 26
Pass - 5
Fail - 1
Skip - 20

26

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.030 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"}   (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:204) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGProdVerification"	SKIPPED	0.000 s
10	And User selects Day of week from drop down	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	Then User enters OG "OGProdVerification" Description in search box	SKIPPED	0.000 s
14	And User should navigate to CustomerAllocation tab	SKIPPED	0.000 s
15	Then Select CustomerAllocation check box and click on Delete button	SKIPPED	0.000 s
16	Then User Clicks on Plus button and select value from drop down Customers	SKIPPED	0.000 s
17	And User verify popup appears and enter account# in search box	SKIPPED	0.000 s
18	Then Select customer account# and verify that account# is added	SKIPPED	0.000 s
19	Then User should navigate back to Product tab in OG	SKIPPED	0.000 s
20	And User validates that previously added products are removed from product grid	SKIPPED	0.000 s
21	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
22	And User should select products from catalog popup	SKIPPED	0.000 s
23	Then User click on Save button	SKIPPED	0.000 s
24	And User should navigate back to OG page and verify OG "OGProdVerification" existence	SKIPPED	0.000 s
25	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
26	Then User enters OG Description "OGProdVerification" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.109 s

#	Step / Hook Details	Status	Duration
	Test scenario for deleting Customer allowcation		
	Not Found + HTTP Error 404: The requested resource is not found		

(S)- For creating OG using local chain

FAILED	DURATION - 0.237 s		Steps
/ 9:22:03.906 pm // 9:22:04.143 pm /			Total - 17
Order Guide1			Pass - 5
@OGLocalChain			Fail - 1
			Skip - 11

17

| #	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.040 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.010 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03 at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:235) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG Local chain	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for local chain WENDYS #0212 COLLEGE DR 85 C	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference input box to verify the OG created Local chain	SKIPPED	0.000 s
12	Then Then User enters Description "LocalChain1" and End date	SKIPPED	0.000 s
13	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
14	And User should select products from catalog popup for Local chain	SKIPPED	0.000 s
15	Then User click on Save button	SKIPPED	0.000 s
16	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
17	Then User enters OG Description "LocalChain1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) For creating OG using local chain	PASSED	0.172 s

#	Step / Hook Details	Status	Duration
	Not Found + HTTP Error 404. The requested resource is not found.		

(F)- Order Guide2

FAILED	DURATION - 3.342 s	Scenarios Total - 10 Pass - 0 Fail - 10 Skip - 0	10	Steps Total - 152 Pass - 50 Fail - 10 Skip - 92	152
/ 9:22:04.351 pm // 9:22:07.693 pm /					

(S)- Test scenario for creating push order guide

FAILED	DURATION - 0.195 s		Steps Total - 16 Pass - 5 Fail - 1 Skip - 10	16
/ 9:22:04.351 pm // 9:22:04.546 pm /				
Order Guide2				
@OGPush				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.004 s
5	Then User selects Account# for OG	PASSED	0.040 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.007 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]||//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	  at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	  at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	  at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:13)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "Push OG" Start date 16 and End date 17 day from current date	SKIPPED	0.000 s
10	Then Then User enters Description "Push OG" and End date	SKIPPED	0.000 s
11	Then User selects type of OG from drop down Push	SKIPPED	0.000 s
12	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "Push OG" existence	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
16	Then User enters OG Description "Push OGPush OG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for creating push order guide Not Found + HTTP Error 404: The requested resource is not found.	PASSED	0.137 s

(S)- Test scenario for creating Par order guide

FAILED	DURATION - 0.192 s		Steps
	/ 9:22:04.730 pm // 9:22:04.922 pm /		Total - 16
			Pass - 5
	Order Guide2		Fail - 1
	@OGPar		Skip - 10

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.001 s
5	Then User selects Account# for OG	PASSED	0.033 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration

	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	    at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	    at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:32)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "Par OG" Start date 18 and End date 19 day from current date	SKIPPED	0.000 s
10	Then Then User enters Description "Par OG" and End date	SKIPPED	0.000 s
11	Then User selects type of OG from drop down Par Orders	SKIPPED	0.000 s
12	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "Par OG" existence	SKIPPED	0.000 s
15	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
16	Then User enters OG Description "Par OGPar OG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for creating Par order guide	PASSED	0.134 s

#	Step / Hook Details	Status	Duration
	Not Found + HTTP Error 404. The requested resource is not found.		

(S)- Test scenario for OG creation using Market segment

FAILED	DURATION - 0.172 s
/ 9:22:05.085 pm // 9:22:05.257 pm /	
Order Guide2	
@MarketSegment	

Steps

Total - 18

Pass - 5

Fail - 1

Skip - 12

18

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.034 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.009 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:51) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG Market segment	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for market segment Market Area One | AMERINET	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference input box to verify the OG created Market segment	SKIPPED	0.000 s
12	Then Then User enters Description "MarketOG" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "Market segment" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down for Market segment OG Catalog	SKIPPED	0.000 s
15	And User should select products from catalog popup for Market segment	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.000 s
17	And User should navigate back to OG page and navigate back to "Market segment" and verify OG "MarketOG" existence	SKIPPED	0.000 s
18	Then User enters OG Description "MarketOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.118 s

#	Step / Hook Details	Status	Duration
	Test scenario for OG creation using Market segment		
	Not Found + HTTP Error 404: The requested resource is not found		

(S)- Test scenario for creating OG for all customers

FAILED	DURATION - 0.174 s
/ 9:22:05.411 pm // 9:22:05.585 pm /	
Order Guide2	
@AllOG	

Steps
Total - 15
Pass - 5
Fail - 1
Skip - 9

15

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.032 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03 at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:74) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "AllOrder" Start date 20 and End date 21 day from current date	SKIPPED	0.000 s
10	Then Then User enters Description "AllOrder" and clicks on All order check box	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "AllOrder" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "AllOrderAllOrder" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for creating OG for all customers Not Found + HTTP Error 404: The requested resource is not found	PASSED	0.126 s

(S)- Test scenario for creating push order guide without any valid to date

FAILED	DURATION - 0.195 s		Steps
	/ 9:22:05.767 pm // 9:22:05.962 pm /		Total - 16
			Pass - 5
	Order Guide2		Fail - 1
	@PushOGWithoutValidToDate		Skip - 10

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.040 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.010 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:91) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "Push OG1" Start date 7 and No selection of end date	SKIPPED	0.000 s
10	Then Then User enters Description "Push OG1" and End date	SKIPPED	0.000 s
11	Then User selects type of OG from drop down Push	SKIPPED	0.000 s
12	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "Push OG1" existence	SKIPPED	0.000 s
15	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
16	Then User enters OG Description "Push OG1Push OG1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for creating push order guide without any valid to date Not Found + HTTP Error 404. The requested resource is not found.	PASSED	0.137 s

(S)- Test scenario for creating customer Reference Price group default Scheduled

FAILED	DURATION - 0.199 s
/ 9:22:06.139 pm // 9:22:06.338 pm /	
Order Guide2	
@ReferencePriceGroupDefaultSchedule	

Steps
Total - 18
Pass - 5
Fail - 1
Skip - 12

18

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.032 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:110) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG Price group - default schedule	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for Price group default schedule Default Price 1	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	Then Then User enters Description "PriceBaseDefaultOG" and End date	SKIPPED	0.000 s
12	And User should make sure that customer reference "Price group - default schedule" is same as of selected in OG page	SKIPPED	0.000 s
13	Then User clicks on Add product button and select Catalog from drop down for price Base OG Catalog	SKIPPED	0.000 s
14	And User should select products from catalog popup for Price base	SKIPPED	0.000 s
15	Then User click on Save button	SKIPPED	0.000 s
16	And User should navigate back to OG page and verify OG "PriceBaseDefaultOG" existence	SKIPPED	0.000 s
17	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
18	Then User enters OG Description "PriceBaseDefaultOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for creating customer Reference Price group default Scheduled Not Found HTTP Error 404: The requested resource is not found. +	PASSED	0.142 s

(S)- For creating OG using National chain

FAILED	DURATION - 0.187 s
/ 9:22:06.496 pm // 9:22:06.683 pm /	
Order Guide2	
@OGNationalChain	

Steps

Total - 18

Pass - 5

Fail - 1

Skip - 12

18

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.030 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"}   (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:132) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User should click on Customer Reference drop down and select type of OG National chain	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for National chain Test National Chain | ASSISTED LIVING LG	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference input box to verify the OG created National chain	SKIPPED	0.000 s
12	Then Then User enters Description "NationalChain1" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "National chain" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
15	And User should select products from catalog popup for National chain	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.000 s
17	And User should navigate back to OG page and navigate back to "National chain" and verify OG "NationalChain1" existence	SKIPPED	0.000 s
18	Then User enters OG Description "NationalChain1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) For creating OG using National chain	PASSED	0.136 s

(S)- For creating OG using All Customer Account# from customer reference drop down

FAILED	DURATION - 0.170 s
/ 9:22:06.837 pm // 9:22:07.007 pm /	
Order Guide2	
@AllCustomerAccount#	

Steps
Total - 17
Pass - 5
Fail - 1
Skip - 11

17

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.028 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"}   (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:155) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG All customer accounts #	SKIPPED	0.000 s
9	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
10	Then User enters Description "AllCustomer1" Start date 22 and End date 23 day from current date and validate all customer check box	SKIPPED	0.000 s
11	And User should make sure that customer reference "All customer accounts #" is same as of selected in OG page	SKIPPED	0.000 s
12	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
13	And User should select products from catalog popup	SKIPPED	0.000 s
14	Then User click on Save button	SKIPPED	0.000 s
15	And User should navigate back to OG page and verify OG "AllCustomer1" existence	SKIPPED	0.000 s
16	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
17	Then User enters OG Description "AllCustomer1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) For creating OG using All Customer Account# from customer reference drop down Not Found + HTTP Error 404. The requested resource is not found.	PASSED	0.122 s

(S)- Test scenario to test Sorting using arrow symbol

FAILED	DURATION - 0.187 s
/ 9:22:07.152 pm // 9:22:07.339 pm /	
Order Guide2	
@SortingUsingArrow	

Steps
Total - 10
Pass - 5
Fail - 1
Skip - 4

10

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.033 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.007 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"}   (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at helper.HelpersMethod.FindByElement(HelpersMethod.java:40) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:176) * Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG All customer accounts #	SKIPPED	0.000 s
9	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
10	Then User should use arrow symbol to sort the value in the grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario to test Sorting using arrow symbol Not Found + HTTP Error 404: The requested resource is not found	PASSED	0.136 s

(S)- Will help to search Order guide using Add filter button

FAILED	DURATION - 0.168 s		Steps	
/ 9:22:07.525 pm // 9:22:07.693 pm /			Total - 8	
Order Guide2			Pass - 5	8
@OGAddFilter			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.048 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.009 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	    at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	    at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:185)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User click on AddFilter button and handle different popup	SKIPPED	0.000 s
	Type Regular		

| #	Step / Hook Details	Status	Duration
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.111 s
	Will help to search Order guide using Add filter button		
	Not Found HTTP Error 404. The requested resource is not found. +		

(F)- Order Guide3

FAILED	DURATION - 0.623 s	Scenarios		Steps	
		Total - 2		Total - 22	
/ 9:22:07.855 pm // 9:22:08.478 pm /		Pass - 0	2	Pass - 10	22
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 10	

(S)- Test scenario for cancel deleting of OG

FAILED	DURATION - 0.206 s		Steps	
/ 9:22:07.855 pm // 9:22:08.061 pm /			Total - 13	
Order Guide3			Pass - 5	13
			Fail - 1	
@OGDeleteCancel			Skip - 7	

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.046 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order		

#	Step / Hook Details	Status	Duration

	guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03
	    at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	    at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	    at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature3.feature:13)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGDeleteCancel"	SKIPPED	0.000 s
10	And User selects Day of week from drop down	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	Then User enters OG Description "OGDeleteCancel" in search box and Delete cancel the OG verify same in OG grid	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.135 s
	Test scenario for cancel deleting of OG		
	Not Found + HTTP Error 404. The requested resource is not found.		

(S)- Deleting Order guide and verifying it in OG grid

FAILED	DURATION - 0.195 s		Steps
	/ 9:22:08.283 pm // 9:22:08.478 pm /		Total - 9
	Order Guide3		Pass - 5
			Fail - 1
	@OGDelete		Skip - 3

9

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.046 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03		

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)		
	at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)		
	at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature3.feature:29)		
	* Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
9	Then User enters OG Description "OGDeleteCancel" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.123 s
	Deleting Order guide and verifying it in OG grid		
	Not Found + HTTP Error 404: The requested resource is not found		

(F)- Order GuideERP

FAILED	DURATION - 0.554 s	Scenarios		Steps	
		Total - 2		Total - 36	
/ 9:22:08.663 pm // 9:22:09.217 pm /		Pass - 0	2	Pass - 10	36
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 24	

(S)- Test scenario for creating OG using Standard order

FAILED	DURATION - 0.198 s		Steps	
/ 9:22:08.663 pm // 9:22:08.861 pm /			Total - 18	
Order GuideERP			Pass - 5	18
@ReferenceStandardOrder			Fail - 1	
			Skip - 12	

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.044 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.008 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration

	true} Session ID: 0f2e25406b29d91946e66de3141fee03
	   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	   at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)
	   at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.
	user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)
	   at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeatureERP.feature:13)
	* Not displayable characters are replaced by '?'.		

7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG `Standard Order`	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for Standard order `null`	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	Then Then User enters Description "StandardOG" and End date	SKIPPED	0.000 s
12	And User should make sure that customer reference "Standard Order" is same as of selected in OG page	SKIPPED	0.000 s
13	Then User clicks on Add product button and select Catalog from drop down for price Base OG `Catalog`	SKIPPED	0.000 s
14	And User should select products from catalog popup for Price base	SKIPPED	0.000 s
15	Then User click on Save button	SKIPPED	0.000 s
16	And User should navigate back to OG page and verify OG "StandardOG" existence	SKIPPED	0.000 s
17	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
18	Then User enters OG Description "StandardOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.128 s
	Test scenario for creating OG using Standard order		
	Not Found + HTTP Error 404. The requested resource is not found		

(S)- Test scenario for creating customer Reference Price group Deal group

FAILED	DURATION - 0.176 s		Steps
/ 9:22:09.041 pm // 9:22:09.217 pm /			Total - 18
Order GuideERP			Pass - 5
@ReferencePriceGroupDealGroup			Fail - 1
			Skip - 12

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.042 s
6	Given User must be on Order Entry Page to select OG	FAILED	0.009 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[contains(@class, 'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')]"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f2e25406b29d91946e66de3141fee03, findElement {value=//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order Guides')]|//li[contains(@class,'k-item')]/span[@class='k-link' and contains(text(),'Order guides')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65068/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f2e25406b29d91946e66de3141fee03		

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at helper.HelpersMethod.FindByElement(HelpersMethod.java:40)		
	at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:130)		
	at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/ test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeatureERP.feature:35)		
	* Not displayable characters are replaced by '?'.		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG `Price group - deal group`	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for Price group deal group `null`	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	Then Then User enters Description "PricedealOG" and End date	SKIPPED	0.000 s
12	And User should make sure that customer reference "Price group - deal group" is same as of selected in OG page	SKIPPED	0.000 s
13	Then User clicks on Add product button and select Catalog from drop down for price Base OG `Catalog`	SKIPPED	0.000 s
14	And User should select products from catalog popup for Price base	SKIPPED	0.000 s
15	Then User click on Save button	SKIPPED	0.000 s
16	And User should navigate back to OG page and verify OG "PricedealOG" existence	SKIPPED	0.000 s
17	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
18	Then User enters OG Description "PricedealOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.122 s

#	Step / Hook Details	Status	Duration
	Test scenario for creating customer Reference Price group Deal group **Not Found** + HTTP Error 404: The requested resource is not found		

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for Canceling order guide while creating	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) For creation of OG using single product, sequence number and Customer reference	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for printing OG	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Edit the existing OG by adding some more products	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for verifying the seq numbers are displaying properly or not	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test sceanrio for dragging and droping feature in create order guide page	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Searching for product in new OG page

(F) Order Guide

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Deleting product from OG

(F) Order Guide

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Clear sequence number and selecting option No from popup	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Clear sequence number and selecting option Yes from popup	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Edit sequence number of any of the product in product grid	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario to convert active OG to expired OG	
(F) Order Guide	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Test scenario to test drag and drop functionality in OG page

(F) Order Guide

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Creating OG using multiple products, from Quick product and Catalog

(F) Order Guide1

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Creating OG using OG

(F) Order Guide1

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Creating OG using Order

(F) Order Guide1

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.

(S) Creating OG using Catalog

(F) Order Guide1

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.

(S) Creating OG using Catalog, by adding multiple product to OG, through search box

(F) Order Guide1

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found**
	HTTP Error 404. The requested resource is not found.
(S) Export OG	
(F) Order Guide1	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found**
	HTTP Error 404. The requested resource is not found.
(S) Importing OG	
(F) Order Guide1	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for changing Day of week and create OG	
(F) Order Guide1	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for deleting customer allocation to National chain	
(F) Order Guide1	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Test scenario for creating Historical order guide

(F) Order Guide1

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Test scenario for changing Customer Account# and create OG

(F) Order Guide1

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Test scenario for deleting Customer allowcation

(F) Order Guide1

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) For creating OG using local chain

(F) Order Guide1

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Test scenario for creating push order guide

(F) Order Guide2

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Test scenario for creating Par order guide

(F) Order Guide2

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for OG creation using Market segment	
(F) Order Guide2	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for creating OG for all customers	
(F) Order Guide2	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for creating push order guide without any valid to date	
(F) Order Guide2	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for creating customer Reference Price group default Scheduled	
(F) Order Guide2	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) For creating OG using National chain

(F) Order Guide2

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) For creating OG using All Customer Account# from customer reference drop down

(F) Order Guide2

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found**
	HTTP Error 404. The requested resource is not found.
(S) Test scenario to test Sorting using arrow symbol	
(F) Order Guide2	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found**
	HTTP Error 404. The requested resource is not found.
(S) Will help to search Order guide using Add filter button	
(F) Order Guide2	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Test scenario for cancel deleting of OG

(F) Order Guide3

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

Not Found

HTTP Error 404. The requested resource is not found.

(S) Deleting Order guide and verifying it in OG grid

(F) Order Guide3

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for creating OG using Standard order	
(F) Order GuideERP	

(Step) AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	**Not Found** HTTP Error 404. The requested resource is not found.
(S) Test scenario for creating customer Reference Price group Deal group	
(F) Order GuideERP	