

Cucumber Report

12-Jul-2024, 2:45:40 pm

Start : Jul 12, 2:38:09.456 pm

End : Jul 12, 2:45:34.389 pm

Duration : 7 m 24.933 s

Features







PASSED - 0
FAILED - 2
SKIPPED - 0


Scenarios

PASSED - 0
FAILED - 24
SKIPPED - 0


Steps

PASSED - 150
FAILED - 24
SKIPPED - 165






#	Feature Name	T	P	F	S	Duration
1	<u>Order control list</u>	13	0	13	0	7 m 24.933 s
2	<u>Order control list1</u>	11	0	11	0	1.368 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Order control list</u>	<u>For creating order in OCL and Order has been created with order note</u>	23	15	1	7	2 m 36.163 s
2	<u>Order control list</u>	<u>Test scenario to find the comment added to Order in OCL</u>	12	5	1	6	16.939 s
3	<u>Order control list</u>	<u>Test scenario for verifying Order icon in OCL once order is created via OCL</u>	23	15	1	7	2 m 7.657 s
4	<u>Order control list</u>	<u>Test scenario for verifying whether Created by column is a displayed and it contains created by user details</u>	24	5	1	18	16.895 s
5	<u>Order control list</u>	<u>Test scenario for verifying Order Type in OCL once order is created via OCL. Here Regular order has been created, and *</u>	23	15	1	7	2 m 3.415 s
6	<u>Order control list</u>	<u>Filtering of OCL details using customer account# using AddFilter</u>	9	5	1	3	0.020 s


* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Order control list</u>	<u>For skipping order from OCL</u>	13	5	1	7	0.024 s
8	<u>Order control list</u>	<u>Test scenario for verifying skip under taken orders</u>	11	5	1	5	0.019 s
9	<u>Order control list</u>	<u>For remove skipping order from OCL</u>	14	5	1	8	0.018 s
10	<u>Order control list</u>	<u>Test scenario to Drag and drop OCL header</u>	10	5	1	4	0.016 s
11	<u>Order control list</u>	<u>Test scenario for creating pending order via OCL</u>	19	5	1	13	0.017 s
12	<u>Order control list</u>	<u>Test scenario for printing OCL</u>	9	5	1	3	0.016 s
13	<u>Order control list</u>	<u>Test scenario for verifying customer note in OCL</u>	24	5	1	18	0.022 s
14	<u>Order control list1</u>	<u>Test scenario to search based on Route_No in Route input box</u>	11	5	1	5	0.016 s
15	<u>Order control list1</u>	<u>Test scenario for adding comment at customer level</u>	15	5	1	9	0.014 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Order control list1</u>	<u>Creating copy of customer note</u>	14	5	1	8	0.016 s
17	<u>Order control list1</u>	<u>Delet Customer note</u>	13	5	1	7	0.043 s
18	<u>Order control list1</u>	<u>Test scenario for adding comment at customer level and resetting the customer note</u>	14	5	1	8	0.018 s
19	<u>Order control list1</u>	<u>Test scenario for refreshing OCL, we can see the difference only when any other user is generating data in OCL</u>	9	5	1	3	0.015 s
20	<u>Order control list1</u>	<u>Test scenario for changing grid in OCL</u>	10	5	1	4	0.014 s
21	<u>Order control list1</u>	<u>Test scenario for filter disabled for call time</u>	9	5	1	3	0.016 s
22	<u>Order control list1</u>	<u>Test scenario for filter disabled for call back time</u>	9	5	1	3	0.015 s
23	<u>Order control list1</u>	<u>Test scenario for verifying selection of multiple routes</u>	10	5	1	4	0.020 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>Order control list1</u>	<u>Test scenario for verifying functionality of removing of multiple routes</u>	11	5	1	5	0.016 s

(F)- Order control list




(S)- For creating order in OCL and Order has been created with order note




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL SIGNIN BUTTON CLICKED	PASSED	29.000 s
2	When User is on Home Page for OCL ADMIN PAGE OR ORDER ENTRY PAGE HAS BEEN FOUND	PASSED	0.122 s
3	Then User navigate to Client side for OCL USER ICON FOUND IN ADMIN PAGE	PASSED	2.953 s
4	Then User should select Order Entry tab for OCL https://ignitionqadsd.afsi.com/clientportal/apps/cpOrderEntry.html?p=Km530c8XSIYiXYABAQY6Y%2fH4h8U05NAvkuXBE2RCxgnlbt%2btBuFlqw%3d%3d NAVIGATED TO ORDER ENTRY PAGE	PASSED	9.841 s
5	Given User must be on Order Entry Page to select OCL NAVIGATED TO ORDER CONTROL LIST CURRENT URL IS https://ignitionqadsd.afsi.com/clientportal/apps/cpOrderControlList.html?p=Km530c8XSIYiXYABAQY6Y%2fH4h8U05NAvkuXBE2RCxgnlbt%2btBuFlqw%3d%3d	PASSED	18.294 s
6	And User should navigate to OCL	PASSED	23.968 s

#	Step / Hook Details	Status	Duration
	REFRESHED PAGE IN OCL NAVIGATED TO ORDER CONTROL LIST		
7	Then User should select Order taker from drop down ORDER TAKER HAS BEEN SELECTED ORDER TAKER SELECTED IS Order Taker 1	PASSED	5.325 s
8	And Change the delivery date 2 days after current date NAVIGATED TO ORDER CONTROL LIST HAS BEEN SELECTED FOR OCL CALL DATE IS: 07/15/2024	PASSED	29.259 s
9	Then User Clicks on Untaken radio button and user clicks on Refresh button REFRESH BUTTON CLICKED	PASSED	3.279 s
10	Then User should search for valid customers in OCL Milos	PASSED	0.690 s
11	Then User clicks on Order icon in OCL grid CUSTOMER ACCOUNT NUMBER FOUND IS 40035978-0-3029 ORDER ICON HAS BEEN CLICKED	PASSED	2.450 s
12	Then User should select Note from popup and Order guide from popup for OG	PASSED	9.110 s
13	And User validate that he is in NewOE page NEW ORDER ENTRY PAGE HAS BEEN FOUND	PASSED	0.120 s
14	Then Enter PO# for New order PO123 NEW ORDER ENTRY PAGE HAS BEEN FOUND PO# ENTERED IS PO123	PASSED	5.300 s
15	Then Click on Add product drop down and select catalog option ADD PRODUCT BUTTON HAS BEEN CLICKED ADD PRODUCT FROM CATALOG IS SELECTED	PASSED	4.060 s
16	And User should select Product from catalog and Enter Qty for the products for OCL 1 1 CATALOG DIALOG BOX HAS BEEN FOUND CASES ENTERED IN CATALOG is 1 java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118)	FAILED	11.821 s

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at pages_DSD_OMS.orderEntry.NewOrderEntryPage.Catalog_OK(NewOrderEntryPage.java:3316) at stepDefination_DSD_OMS.OrderEntryPageSteps. OrderEntryPageSteps1.userShouldSelectProductFromCatalogAndEnterQtyForTheProductsForOCL(OrderEntryPageSteps1.java:164) at ?.User should select Product from catalog and Enter Qty for the products for OCL(file:///C:/Users/Divya.Ramadas/Documents/lgn/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:29) * Not displayable characters are replaced by '?'.		
17	Then User should click on Comment icon in Order entry card	SKIPPED	0.001 s
18	And User should enter comment in comment popup Comment at Order level for OCL Order notes	SKIPPED	0.001 s
19	Then Click on Next button and select option Continue without payment option	SKIPPED	0.000 s
20	And Click on Submit Order button and read Order_no for OCL	SKIPPED	0.000 s
21	Then User should select Note from popup and Order guide from popup for OCL	SKIPPED	0.001 s
22	Then User validate that he is in NewOE page for OCL	SKIPPED	0.000 s
23	And User Clicks on Back button in NewOE page and User must be in OCL page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) For creating order in OCL and Order has been created with order note 	PASSED	0.450 s


(S)- Test scenario to find the comment added to Order in OCL




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.001 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:172) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:43) * Not displayable characters are replaced by '?'. Milos	FAILED	16.580 s
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then User Clicks on Taken radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
11	And User enters OrderNo in search box to search for order	SKIPPED	0.001 s
12	Then User finds the comment for order in OCL	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario to find the comment added to Order in OCL 	PASSED	0.300 s


(S)- Test scenario for verifying Order icon in OCL once order is created via OCL



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.001 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.001 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL NAVIGATED TO ORDER CONTROL LIST	PASSED	1 m 1.027 s
7	Then User should select Order taker from drop down ORDER TAKER HAS BEEN SELECTED ORDER TAKER SELECTED IS Order Taker 1	PASSED	3.840 s
8	And Change the delivery date 2 days after current date NAVIGATED TO ORDER CONTROL LIST HAS BEEN SELECTED FOR OCL CALL DATE IS: 07/15/2024	PASSED	30.231 s
9	Then User Clicks on Untaken radio button and user clicks on Refresh button REFRESH BUTTON CLICKED	PASSED	3.508 s
10	Then User should search for valid customers in OCL Milos	PASSED	0.864 s
11	Then User clicks on Order icon in OCL grid CUSTOMER ACCOUNT NUMBER FOUND IS 40035978-0-3029 ORDER ICON HAS BEEN CLICKED	PASSED	1.561 s
12	Then User should select Note from popup and Order guide from popup	PASSED	8.660 s
13	And User validate that he is in NewOE page NEW ORDER ENTRY PAGE HAS BEEN FOUND	PASSED	0.064 s

#	Step / Hook Details	Status	Duration
14	Then Enter PO# for New order PO123 NEW ORDER ENTRY PAGE HAS BEEN FOUND PO# ENTERED IS PO123	PASSED	3.384 s
15	Then Click on Add product drop down and select catalog option ADD PRODUCT BUTTON HAS BEEN CLICKED ADD PRODUCT FROM CATALOG IS SELECTED	PASSED	3.740 s
16	And User should select Product from catalog and Enter Qty for the products for OCL 1 1 CATALOG DIALOG BOX HAS BEEN FOUND CASES ENTERED IN CATALOG is 1 java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at pages_DSD_OMS.orderEntry.NewOrderEntryPage.Catalog_OK(NewOrderEntryPage.java:3316) at stepDefination_DSD_OMS.OrderEntryPageSteps. OrderEntryPageSteps1.userShouldSelectProductFromCatalogAndEnterQtyForTheProductsForOCL(OrderEntryPageSteps1.java:164) at ?.User should select Product from catalog and Enter Qty for the products for OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:71) * Not displayable characters are replaced by '?'.	FAILED	10.434 s
17	Then Click on Next button and select option Continue without payment option	SKIPPED	0.000 s
18	And Click on Submit Order button and read Order_no for OCL	SKIPPED	0.000 s
19	Then User should select Note from popup and Order guide from popup for OCL	SKIPPED	0.001 s
20	Then User validate that he is in NewOE page for OCL	SKIPPED	0.000 s
21	And User Clicks on Back button in NewOE page and User must be in OCL page	SKIPPED	0.001 s
22	Then User Clicks on Taken radio button	SKIPPED	0.000 s
23	And User should verify Order number created in OCL grid and Order icon in OCL	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for verifying Order icon in OCL once order is created via OCL 	PASSED	0.306 s


(S)- Test scenario for verifying whether Created by column is a displayed and it contains created by user details



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.001 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:172) at stepDefinition_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:84) * Not displayable characters are replaced by '?'. Milos	FAILED	16.499 s
7	Then User should select Order taker from drop down	SKIPPED	0.001 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then User Clicks on Untaken radio button and user clicks on Refresh button	SKIPPED	0.001 s
10	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
11	Then User clicks on Order icon in OCL grid	SKIPPED	0.000 s
12	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
13	And User validate that he is in NewOE page	SKIPPED	0.000 s
14	Then Enter PO# for New order	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	PO123		
15	Then Click on Add product drop down and select catalog option	SKIPPED	0.000 s
16	And User should select Product from catalog and Enter Qty for the products for OCL 1 1	SKIPPED	0.001 s
17	Then Click on Next button and select option Continue without payment option	SKIPPED	0.000 s
18	And Click on Submit Order button and read Order_no for OCL	SKIPPED	0.001 s
19	Then User should select Note from popup and Order guide from popup for OCL	SKIPPED	0.000 s
20	Then User validate that he is in NewOE page for OCL	SKIPPED	0.000 s
21	And User Clicks on Back button in NewOE page and User must be in OCL page	SKIPPED	0.000 s
22	Then User Clicks on Taken radio button	SKIPPED	0.000 s
23	And User should verify Order number created in OCL grid for created by column in OCL	SKIPPED	0.000 s
24	And User verify created by column value	SKIPPED	0.000 s
AFTER - stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)			PASSED
Test scenario for verifying whether Created by column is a displayed and it contains created by user details			
			

(S)- Test scenario for verifying Order Type in OCL once order is created via OCL. Here Regular order has been created, and same has been passed as parameter




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User navigate to Client side for OCL	PASSED	0.001 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL NAVIGATED TO ORDER CONTROL LIST	PASSED	1 m 1.019 s
7	Then User should select Order taker from drop down ORDER TAKER HAS BEEN SELECTED ORDER TAKER SELECTED IS Order Taker 1	PASSED	3.749 s
8	And Change the delivery date 2 days after current date NAVIGATED TO ORDER CONTROL LIST HAS BEEN SELECTED FOR OCL CALL DATE IS: 07/15/2024	PASSED	30.775 s
9	Then User Clicks on Untaken radio button and user clicks on Refresh button REFRESH BUTTON CLICKED	PASSED	3.387 s
10	Then User should search for valid customers in OCL Milos	PASSED	0.875 s
11	Then User clicks on Order icon in OCL grid CUSTOMER ACCOUNT NUMBER FOUND IS 40035978-0-3029 ORDER ICON HAS BEEN CLICKED	PASSED	1.566 s
12	Then User should select Note from popup and Order guide from popup	PASSED	8.314 s
13	And User validate that he is in NewOE page NEW ORDER ENTRY PAGE HAS BEEN FOUND	PASSED	0.124 s
14	Then Enter PO# for New order PO123 NEW ORDER ENTRY PAGE HAS BEEN FOUND PO# ENTERED IS PO123	PASSED	3.487 s
15	Then Click on Add product drop down and select catalog option ADD PRODUCT BUTTON HAS BEEN CLICKED ADD PRODUCT FROM CATALOG IS SELECTED	PASSED	3.822 s
16	And User should select Product from catalog and Enter Qty for the products for OCL 1 1 CATALOG DIALOG BOX HAS BEEN FOUND java.lang.AssertionError: expected [true] but found [false]	FAILED	6.258 s

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at pages_DSD_OMS.orderEntry.NewOrderEntryPage.enterQtyOCL(NewOrderEntryPage.java:1020) at stepDefination_DSD_OMS.OrderEntryPageSteps. OrderEntryPageSteps1.userShouldSelectProductFromCatalogAndEnterQtyForTheProductsForOCL(OrderEntryPageSteps1.java:163) at ?.User should select Product from catalog and Enter Qty for the products for OCL(file:///C:/Users/Divya.Ramadas/Documents/lgn/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:128) * Not displayable characters are replaced by '?'.		
17	Then Click on Next button and select option Continue without payment option	SKIPPED	0.000 s
18	And Click on Submit Order button and read Order_no for OCL	SKIPPED	0.000 s
19	Then User should select Note from popup and Order guide from popup for OCL	SKIPPED	0.000 s
20	Then User validate that he is in NewOE page for OCL	SKIPPED	0.000 s
21	And User Clicks on Back button in NewOE page and User must be in OCL page	SKIPPED	0.000 s
22	Then User Clicks on Taken radio button	SKIPPED	0.001 s
23	And User should verify Order number created in OCL grid and Order type in OCL	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Filtering of OCL details using customer account# using AddFilter




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:141) * Not displayable characters are replaced by '?'.		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then User clicks on Add filter button and enter value for first search box and second search box Customer key	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- For skipping order from OCL




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.001 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL	FAILED	0.006 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\Local\Temp\scoped_dir32084_1414\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefinition_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:150) * Not displayable characters are replaced by '?'. </pre>		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then User Clicks on Untaken radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
11	Then User select OCL which is not skipped	SKIPPED	0.000 s
12	And User Clicks on Skip button and validates the skip popup selects the reason closed	SKIPPED	0.000 s
13	Then User validates skip option	SKIPPED	0.000 s
	AFTER - stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAMIAAppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		


(S)- Test scenario for verifying skip under taken orders



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch:		

#	Step / Hook Details	Status	Duration
	<pre>'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/lgn/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:164) * Not displayable characters are replaced by '?'.</pre>		
7	Then User should select Order taker from drop down	SKIPPED	0.001 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then User Clicks on Taken radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
11	And User verifies existence of customer account for which skip is enabled, exists under taken	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch:		


#	Step / Hook Details	Status	Duration
	'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)		

(S)- For remove skipping order from OCL

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.001 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:175) * Not displayable characters are replaced by '?'. Milos	FAILED	0.006 s
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then User Clicks on Taken radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
11	And User verifies existence of customer account for which skip is enabled, exists under taken	SKIPPED	0.000 s
12	Then User select OCL which is skipped	SKIPPED	0.000 s
13	And User handles Remove skip popup	SKIPPED	0.000 s
14	Then User validates Not skip option	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)	FAILED	0.001 s

(S)- Test scenario to Drag and drop OCL header

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	<p>And User should navigate to OCL</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefinition_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:189) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
9	And User clicks on All radio button	SKIPPED	0.000 s
10	Then User should drag and drop grid header Customer	SKIPPED	0.000 s
	AFTER - stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)	FAILED	0.001 s

(S)- Test scenario for creating pending order via OCL




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	<p>And User should navigate to OCL</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefinition_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:199) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
9	Then User Clicks on Untaken radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
11	Then User clicks on Order icon in OCL grid	SKIPPED	0.000 s
12	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
13	And User validate that he is in NewOE page	SKIPPED	0.000 s
14	Then Enter PO# for New order PO123	SKIPPED	0.000 s
15	Then Click on Add product drop down and select catalog option	SKIPPED	0.000 s
16	And User should select Product from catalog and Enter Qty for the products for OCL 1 1	SKIPPED	0.000 s
17	Then Click on Back button to handle Pending order Popup	SKIPPED	0.000 s
18	And Popup message for Pending order should be displayed	SKIPPED	0.000 s
19	Then User should be navigated to Order control list page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)		

(S)- Test scenario for printing OCL




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature.feature:223) * Not displayable characters are replaced by '?'. </pre>		
7	Then User should select Order taker from drop down	SKIPPED	0.001 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then User clicks on Print button and handle the new browser window	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.001 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) </pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)		

(S)- Test scenario for verifying customer note in OCL




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.008 s
6	And User should navigate to OCL org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature2.feature:13) * Not displayable characters are replaced by '?'.		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
10	Then User Clicks on Untaken radio button and user clicks on Refresh button	SKIPPED	0.000 s
11	Then User should add customer note using Order control List	SKIPPED	0.001 s
12	Then User clicks on Order icon in OCL grid	SKIPPED	0.000 s
13	Then User should verify Note content from popup and select Order guide from popup	SKIPPED	0.000 s
14	And User validate that he is in NewOE page	SKIPPED	0.000 s
15	Then Enter PO# for New order PO123	SKIPPED	0.000 s
16	Then Click on Add product drop down and select catalog option	SKIPPED	0.000 s
17	And User should select Product from catalog and Enter Qty for the products for OCL 1 1	SKIPPED	0.000 s
18	Then Click on Next button and select option Continue without payment option	SKIPPED	0.000 s
19	And Click on Submit Order button and read Order_no for OCL	SKIPPED	0.000 s
20	Then User should select Note from popup and Order guide from popup for OCL	SKIPPED	0.000 s
21	Then User validate that he is in NewOE page for OCL	SKIPPED	0.000 s
22	And User Clicks on Back button in NewOE page and User must be in OCL page	SKIPPED	0.006 s
23	Then User Clicks on Taken radio button	SKIPPED	0.000 s
24	And User should verify Order number created in OCL grid and Order icon in OCL	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>	FAILED	0.001 s

(F)- Order control list1



(S)- Test scenario to search based on Route_No in Route input box




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using>xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:13) * Not displayable characters are replaced by '?'.		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	And User clicks on All radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
11	Then User enters Route# in Route search input box and count number of rows in OCL grid	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.000 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)		

(S)- Test scenario for adding comment at customer level




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.001 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:24) * Not displayable characters are replaced by '?'. </pre>		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	And User clicks on All radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
11	Then User should find the customer to whom comment has to be added and click on Comment icon	SKIPPED	0.000 s
12	Then Add note in popup Testing for Notes at customer level_OCL	SKIPPED	0.000 s
13	And User should select the Alert Type and Alert location to display notes Both Customer master Order entry	SKIPPED	0.000 s
14	Then Click on Save button	SKIPPED	0.000 s
15	And User should click on comment icon in OCL and verify customer note	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77) </pre>		

(S)- Creating copy of customer note




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.003 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=//div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir:		

#	Step / Hook Details	Status	Duration
	C:\Users\DIVYA~1.RAM\AppData\Local\Temp\scoped_dir3108_1557\, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:41) * Not displayable characters are replaced by '?'.		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	And User clicks on All radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
11	Then User should find the customer to whom comment has to be added and click on Comment icon	SKIPPED	0.000 s
12	And Read all the Notes in Customer note grid and select one note Testing for Notes at customer level_OCL	SKIPPED	0.000 s
13	And Click on Copy button in Note grid	SKIPPED	0.000 s
14	Then Click on Save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>	FAILED	0.002 s

(S)- Delete Customer note




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	<p>And User should navigate to OCL</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using>xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:56)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.006 s
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	And User clicks on All radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	Milos		
11	Then User should find the customer to whom comment has to be added and click on Comment icon	SKIPPED	0.000 s
12	And Read all the Notes in Customer note grid and select one note for Deleting Testing for Notes at customer level_OCL	SKIPPED	0.000 s
13	Then Click on Ok button	SKIPPED	0.000 s
	AFTER - stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>	FAILED	0.002 s

(S)- Test scenario for adding comment at customer level and resetting the customer note




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using>xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:70) * Not displayable characters are replaced by '?'.		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	And User clicks on All radio button	SKIPPED	0.000 s
10	Then User should search for valid customers in OCL Milos	SKIPPED	0.000 s
11	Then User should find the customer to whom comment has to be added and click on Comment icon	SKIPPED	0.001 s
12	And Read all the Notes in Customer note grid and select one note Testing for Notes at customer level_OCL	SKIPPED	0.000 s
13	Then Click on Reset button and Click on Ok button	SKIPPED	0.000 s
14	And User should click on comment icon in OCL and verify customer note	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario for refreshing OCL, we can see the difference only when any other user is generating data in OCL




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL	FAILED	0.006 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\Local\Temp\scoped_dir32084_15104\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo...., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4</pre>		

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefinatio_n_DSD_OMS.OrderControllistSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:85) * Not displayable characters are replaced by '?'.		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then the application should display all the account number in the grid in OCL	SKIPPED	0.000 s
	AFTER - stepDefinatio_n_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77) </pre>		

(S)- Test scenario for changing grid in OCL




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	<p>And User should navigate to OCL</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo...., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefinaction_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:93) * Not displayable characters are replaced by '?'. </pre>		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.001 s
9	Then User should gothrough the column names displayed	SKIPPED	0.000 s
10	And User should change the grid and gothrough the column names displayed	SKIPPED	0.000 s
	AFTER - stepDefinaction_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario for filter disabled for call time




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL	FAILED	0.006 s
	<pre>org.openqa.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:</pre>		

#	Step / Hook Details	Status	Duration
	<pre>db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:102) * Not displayable characters are replaced by '?'.</pre>		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.001 s
9	Then User should search for call time column and check whether filter has been disabled	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario for filter disabled for call back time




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.005 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL	FAILED	0.006 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:</pre>		

#	Step / Hook Details	Status	Duration
	<pre>db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:110) * Not displayable characters are replaced by '?'.</pre>		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	Then User should search for call back time column and check whether filter has been disabled	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.001 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</pre>		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario for verifying selection of multiple routes




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.000 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL	FAILED	0.006 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:</pre>		

#	Step / Hook Details	Status	Duration
	<pre>db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:118) * Not displayable characters are replaced by '?'.</pre>		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.001 s
9	And User clicks on All radio button	SKIPPED	0.000 s
10	Then User enters multiple Route# in Route search input box and count number of rows in OCL grid	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77) </pre>		

(S)- Test scenario for verifying functionality of removing of multiple routes



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OCL	PASSED	0.000 s
2	When User is on Home Page for OCL	PASSED	0.000 s
3	Then User navigate to Client side for OCL	PASSED	0.001 s
4	Then User should select Order Entry tab for OCL	PASSED	0.000 s
5	Given User must be on Order Entry Page to select OCL	PASSED	0.000 s
6	And User should navigate to OCL	FAILED	0.006 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, findElement {value=/div[@class='loader'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>		

#	Step / Hook Details	Status	Duration
	<pre>weauthn:extension:minPinLength: true, weauthn:extension:prf: true, weauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions\$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderControlListPage.OrderControlListPage.Validate_OCL(OrderControlListPage.java:118) at stepDefination_DSD_OMS.OrderControlListSteps.OrderControlPageSteps.userShouldNavigateToOCL(OrderControlPageSteps.java:198) at ?.User should navigate to OCL(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderControlListFeature_DSD/orderControlListFeature1.feature:127) * Not displayable characters are replaced by '?'.</pre>		
7	Then User should select Order taker from drop down	SKIPPED	0.000 s
8	And Change the delivery date 2 days after current date	SKIPPED	0.000 s
9	And User clicks on All radio button	SKIPPED	0.000 s
10	Then User enters multiple Route# in Route search input box and count number of rows in OCL grid	SKIPPED	0.000 s
11	And User remove route from search bar	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db7bf18add0c775bf96b0b7f706febe4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.207 (a9001a6e39f..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60937/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, weauthn:extension:credBlob: true, weauthn:extension:largeBlob: true, weauthn:extension:minPinLength: true, weauthn:extension:prf: true, weauthn:virtualAuthenticators: true} Session ID: db7bf18add0c775bf96b0b7f706febe4 at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source)</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) For creating order in OCL and Order has been created with order note

(F) Order control list

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Test scenario to find the comment added to Order in OCL

(F) Order control list

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Test scenario for verifying Order icon in OCL once order is created via OCL

(F) Order control list

The screenshot shows the Order control list page with a 'New order' dialog open. The dialog contains fields for Route # (3021 - HWY 31 WARRI...), Warehouse (675), Sales rep (None), and Order type (Regular Order). A call back time dropdown is also present. The main page displays customer information: Name (MILOS #0009), Address (1130 S 22ND ST, BIRMINGHAM, AL 35205), Delivery Schedule (Mon, Jul 15, 2024), Ship Date (dropdown), Order Contact Phone # (999-999-9999), and Activity. On the right, account details are shown: Account # (40035984-0-3021), Next Delivery Date (Fri, Jul 12, 2024), Imp Notes (1), AR Summary (0.00), and Order Contact Name.

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Test scenario for verifying whether Created by column is displayed and it contains created by user details

(F) Order control list

The screenshot shows the Order control list page with a confirmation dialog box in the foreground. The dialog asks, "Your order has not been submitted. Are you sure you want to leave this page?" with options "No", "Discard all", "Save order without submitting", and "Next". The main page displays the same customer information and order creation dialog as the previous screenshot.