Cucumber Report

| Start : Feb 11, 10:20:30.782 PM	End : Feb 11, 10:21:19.528 PM	Duration : 48.746 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 8 FAILED - 2 SKIPPED - 22

1

2

32

Pass %

0 %

Pass %

0 %

Pass %

25 %

#	Feature Name	T	P	F	S	Duration
1	Order Entry5	2	0	2	0	48.746 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Order Entry5	Create an order Open that order and export the order	18	4	1	13	11.760 s
2	Order Entry5	Create an order by importing .csv files	14	4	1	9	0.543 s

(F)- Order Entry5

FAILED	DURATION - 48.746 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 32 Pass - 8 Fail - 2 Skip - 22	32
	/ 10:20:30.782 PM // 10:21:19.528 PM /				

(S)- Create an order Open that order and export the order

FAILED	DURATION - 11.760 s		Steps Total - 18 Pass - 4 Fail - 1 Skip - 13	18
	/ 10:20:30.859 PM // 10:20:42.619 PM /			
	Order Entry5			
	@ExportOrder			

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	6.713 s
2	When User is on Home Page	PASSED	0.087 s
3	Then User navigate to Client side	PASSED	2.058 s
4	Then User should select Order Entry tab	PASSED	0.121 s
5	Then User selects Account#	FAILED	0.121 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=132.0.6834.160) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [59263c036ec62a2bec79222b5840df6b, findElement {using=xpath, value=//div[@class='loader']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.160, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56070}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56070/devtoo..., se:cdpVersion: 132.0.6834.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 59263c036ec62a2bec79222b5840df6b
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions$20.apply(ExpectedConditions.java:569) at org.openqa.selenium.support.ui.ExpectedConditions$20.apply(ExpectedConditions.java:565) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:488) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_selects_account(OrderEntryPageSteps.java:119) at ?.User selects Account#(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature5.feature:10) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page	SKIPPED	0.016 s
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.015 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order PO123	SKIPPED	0.029 s
11	Then Enter Pro# in Quick Product Entry area	SKIPPED	0.000 s
12	And Check for Case and Unit input box enabled or not based on that enter value 1 1	SKIPPED	0.000 s
13	Then Click on Next button	SKIPPED	0.000 s
14	And Click on Submit Order button and read Order_no	SKIPPED	0.015 s
15	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
16	Then Enter Order# in Search box in Order Entry page	SKIPPED	0.000 s
17	Then Click on Order number in Order Entry page	SKIPPED	0.016 s
18	Then navigate to newOE page and Click on Export button	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.138 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=132.0.6834.160) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[59263c036ec62a2bec79222b5840df6b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.160, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56070}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56070/devtoo..., se:cdpVersion: 132.0.6834.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 59263c036ec62a2bec79222b5840df6b
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	  at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)		

(S)- Create an order by importing .csv files

FAILED	DURATION - 0.543 s
/ 10:21:18.985 PM // 10:21:19.528 PM /	
Order Entry5	
@ImportOrder	

Steps
Total - 14
Pass - 4
Fail - 1
Skip - 9

14

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.016 s
5	Then User selects Account#	FAILED	0.025 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

#	Step / Hook Details	Status	Duration

	(Session info: chrome=132.0.6834.160) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [59263c036ec62a2bec79222b5840df6b, findElement {using=xpath, value=//div[@class='loader']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.160, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56070}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56070/devtoo..., se:cdpVersion: 132.0.6834.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 59263c036ec62a2bec79222b5840df6b
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.ui.ExpectedConditions$20.apply(ExpectedConditions.java:569)
	  at org.openqa.selenium.support.ui.ExpectedConditions$20.apply(ExpectedConditions.java:565)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	  at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:488)
	  at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_selects_account(OrderEntryPageSteps.java:119)
	  at ?.User selects Account#(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature5.feature:10)
	* Not displayable characters are replaced by '?'.		

6	Given User must be on Order Entry Page	SKIPPED	0.000 s
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order PO123	SKIPPED	0.000 s
11	And Click on Import button	SKIPPED	0.000 s
12	Then Click on Next button	SKIPPED	0.000 s
13	And Click on Submit Order button and read Order_no	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.016 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=132.0.6834.160) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [59263c036ec62a2bec79222b5840df6b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.160, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56070}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56070/devtoo..., se:cdpVersion: 132.0.6834.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 59263c036ec62a2bec79222b5840df6b
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	   at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)		