

# Cucumber Report

22-Apr-2024, 10:31:16 am

Start : Apr 22, 10:29:45.432 am

End : Apr 22, 10:31:14.221 am

Duration : 1 m 28.789 s

Features


Scenarios


Steps

PASSED - 0  
FAILED - 3  
SKIPPED - 0


PASSED - 0  
FAILED - 21  
SKIPPED - 0

PASSED - 105  
FAILED - 21  
SKIPPED - 173







#	Feature Name	T	P	F	S	Duration
1	<u>Order Entry7</u>	9	0	9	0	1 m 23.472 s
2	<u>Order Entry8</u>	6	0	6	0	2.344 s
3	<u>Order entry End</u>	6	0	6	0	2.639 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Order Entry7</u>	<u>Test scenario for creating Order and edit it without making any changes, or usage of back to order list in summary page</u>	20	5	1	14	1 m 19.178 s
2	<u>Order Entry7</u>	<u>Test scenario for creating Order and edit it without making any changes, or usage of back to order list in summary page</u>	20	5	1	14	0.349 s
3	<u>Order Entry7</u>	<u>Test scenario for filtering of products in catalog index popup</u>	12	5	1	6	0.336 s
4	<u>Order Entry7</u>	<u>Test scenario for finding the contact information details</u>	7	5	1	1	0.315 s
5	<u>Order Entry7</u>	<u>Test scenario for finding the privacy policy</u>	7	5	1	1	0.331 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
6	<u>Order Entry7</u>	<u>Test scenario for verifying price override icon after chanigng gird</u>	15	5	1	9	0.324 s
7	<u>Order Entry7</u>	<u>Test scenario for verifying price override by changing the price after chanigng gird</u>	15	5	1	9	0.269 s
8	<u>Order Entry7</u>	<u>Test scenario for changing grid type in order history</u>	14	5	1	8	0.280 s
9	<u>Order Entry7</u>	<u>Test scenario for verifying generation of duplicate comment should not happen</u>	22	5	1	16	0.256 s
10	<u>Order Entry8</u>	<u>Test scenario for filtering Brand in catalog popup</u>	15	5	1	9	0.263 s
11	<u>Order Entry8</u>	<u>Test scenario for filtering Qty on Hand in catalog popup</u>	15	5	1	9	0.255 s
12	<u>Order Entry8</u>	<u>Test scenario for creating order for the Last date in Pickup order dialogbox</u>	15	5	1	9	0.248 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
13	<u>Order Entry8</u>	<u>Test scenario for searching for product in catalog index dialog box</u>	15	5	1	9	0.230 s
14	<u>Order Entry8</u>	<u>Test scenario to verify that payment page all payment options are disabled once order is submitted and reopen *</u>	19	5	1	13	0.251 s
15	<u>Order Entry8</u>	<u>Test scenario to verify payment info in summary page</u>	15	5	1	9	0.242 s
16	<u>Order entry End</u>	<u>Test scenario for Skip using cancel button in new order entry page</u>	14	5	1	8	0.294 s
17	<u>Order entry End</u>	<u>Test scenario for verifying Cancel and Skip button is enabled in new OE page</u>	14	5	1	8	0.238 s
18	<u>Order entry End</u>	<u>Skip order, which will not let user to create New order for selected date</u>	10	5	1	4	0.284 s
19	<u>Order entry End</u>	<u>Remove Skip order button, that appears in OE page</u>	9	5	1	3	0.281 s

\* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Order entry End</u>	<u>Skip the creation of order from new order entry page</u>	13	5	1	7	0.257 s
21	<u>Order entry End</u>	<u>Test scenario for verifying Cancel and Skip button is disabled in new OE</u>	13	5	1	7	0.304 s

**(F)- Order Entry7**

<b>FAILED</b>	<b>DURATION - 1 m 23.472 s</b>	Scenarios		Steps	
/ 10:29:45.432 am // 10:31:08.904 am /		Total - 9		Total - 132	
		Pass - 0		Pass - 45	
		Fail - 9		Fail - 9	
		Skip - 0		Skip - 78	

**(S)- Test scenario for creating Order and edit it without making any changes, or usage of back to order list in summary page**

<div>FAILED</div> <div>DURATION - 1 m 19.178 s</div>		<div></div>	Steps		<div></div>
/ 10:29:45.437 am // 10:31:04.615 am /			Total - 20		
Order Entry7			Pass - 5		
@EditWithOutChangingBackToOrderList			Fail - 1		
			Skip - 14		



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	17.510 s
2	When User is on Home Page	PASSED	8.302 s
3	Then User navigate to Client side	PASSED	52.758 s
4	Then User should select Order Entry tab	PASSED	0.029 s
5	Then User selects Account#	PASSED	0.207 s
6	Given User must be on Order Entry Page	FAILED	0.105 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c atjdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature7.feature:14) * Not displayable characters are replaced by '?'. </pre>		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.001 s
10	Then Enter PO# for New order	SKIPPED	0.003 s
	PO123		
11	Then Enter Pro# in Quick Product Entry area	SKIPPED	0.000 s
12	And Check for Case and Unit input box enabled or not based on that enter value	SKIPPED	0.001 s
	80 60		
13	Then Click on Next button	SKIPPED	0.000 s
14	And Click on Submit Order button and read Order_no	SKIPPED	0.000 s
15	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
16	Then Enter Order# in Search box in Order Entry page	SKIPPED	0.001 s
17	Then Click on Order number in Order Entry page	SKIPPED	0.000 s
18	Then Click on Next button after editing order	SKIPPED	0.001 s
19	And User should be in Order summary page and click on back to Orderlist button	SKIPPED	0.000 s
20	Then User should be navigated to Order Entry page	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.168 s
	Test scenario for creating Order and edit it without making any changes, or usage of back to order list in summary page		
	+		

### (S)- Test scenario for creating Order and edit it without making any changes, or usage of back to order list in summary page



<div>FAILED</div> <div>DURATION - 0.349 s</div>			<div>Steps</div> <div>Total - 20</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 14</div>	
/ 10:31:04.895 am // 10:31:05.244 am /				
Order Entry7				
@EditWithOutChanging				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.001 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.001 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.114 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c		

#	Step / Hook Details	Status	Duration
	atjdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature7.feature:34) * Not displayable characters are replaced by '?'.		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then Enter Pro# in Quick Product Entry area	SKIPPED	0.000 s
12	And Check for Case and Unit input box enabled or not based on that enter value	SKIPPED	0.000 s
	80 60		
13	Then Click on Next button	SKIPPED	0.000 s
14	And Click on Submit Order button and read Order_no	SKIPPED	0.000 s
15	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
16	Then Enter Order# in Search box in Order Entry page	SKIPPED	0.001 s
17	Then Click on Order number in Order Entry page	SKIPPED	0.000 s
18	Then Click on Next button after editing order	SKIPPED	0.001 s
19	And Click on SubmitOrder button	SKIPPED	0.000 s
20	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.191 s

#	Step / Hook Details	Status	Duration
	Test scenario for creating Order and edit it without making any changes, or usage of back to order list in summary page		
	+		



### (S)- Test scenario for filtering of products in catalog index popup

<b>FAILED</b>	<b>DURATION - 0.336 s</b>		<b>Steps</b> Total - 12 Pass - 5 Fail - 1 Skip - 6	
/ 10:31:05.472 am // 10:31:05.808 am /				
Order Entry7				
@FiltersInCatalogIndexPage				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.001 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.001 s
6	Given User must be on Order Entry Page	FAILED	0.088 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"}</p> <p>(Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at java.lang.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature7.feature:54) * Not displayable characters are replaced by '?'. </pre>		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.001 s
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then Click on Add product drop down and select catalog option	SKIPPED	0.001 s
12	And User should validate Catalog dialogbox and use filters in customer index dialogbox	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.218 s
	Test scenario for filtering of products in catalog index popup		
	+		



**(S)- Test scenario for finding the contact information details**

<div>FAILED</div> <div>DURATION - 0.315 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 10:31:06.061 am // 10:31:06.376 am /</div>				
<div>Order Entry7</div>				
<div>@ContactInformation</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.001 s
6	Given User must be on Order Entry Page	FAILED	0.091 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature7.feature:65) * Not displayable characters are replaced by '?'.		
7	Then User clicks on icon next to address	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.193 s
	Test scenario for finding the contact information details		
	+		



### (S)- Test scenario for finding the privacy policy

<div>FAILED</div> <div>DURATION - 0.331 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 10:31:06.579 am // 10:31:06.910 am /</div>				
<div>Order Entry7</div>				
<div>@PrivacyPolicy</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.001 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.001 s
6	Given User must be on Order Entry Page	FAILED	0.092 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit:		

#	Step / Hook Details	Status	Duration
	<p>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1\RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287)  at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126)  at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature7.feature:70)  * Not displayable characters are replaced by '?'. </p>		
7	Then User clicks on Privacy policy link and window with pivacy policy will open, user handles it	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.216 s
	Test scenario for finding the privacy policy		
	+		

**(S)- Test scenario for verifying price override icon after chanigng gird**



<div>FAILED</div> <div>DURATION - 0.324 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 10:31:07.169 am // 10:31:07.493 am /</div>				
<div>Order Entry7</div>				
<div>@ChangeGridAndValidatePriceOverride</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.001 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.086 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature7.feature:75) * Not displayable characters are replaced by '?'.		
7	Then User must click Start Order button	SKIPPED	0.001 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and select any OG from popup	SKIPPED	0.000 s
	SampleOG		
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then Enter Pro# in Quick Product Entry area	SKIPPED	0.000 s
12	And Check for Case and Unit input box enabled or not based on that enter value	SKIPPED	0.000 s
	80 60		
13	And User clicks on Grid type drop down and select different grid	SKIPPED	0.000 s
14	Then User verifies visibility of Price override icon and reset Grid type to Main grid	SKIPPED	0.000 s
15	And User navigates back to OE by selecting Discard all option from pending order popup	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.206 s
	Test scenario for verifying price override icon after chanigng gird		
	+		



**(S)- Test scenario for verifying price override by changing the price after changing grid**

<div><div>FAILED</div><div>DURATION - 0.269 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 15</div><div>Pass - 5</div><div>Fail - 1</div><div>Skip - 9</div></div>	<div></div>
/ 10:31:07.749 am // 10:31:08.018 am /				
Order Entry7				
@ChangeGridAndChangePriceOverride				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.077 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature7.feature:93) * Not displayable characters are replaced by '?'. </pre>		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and select any OG from popup	SKIPPED	0.000 s
	SampleOG		
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then Enter Pro# in Quick Product Entry area	SKIPPED	0.000 s
12	And Check for Case and Unit input box enabled or not based on that enter value	SKIPPED	0.000 s
	80 60		
13	And User clicks on Grid type drop down and select different grid	SKIPPED	0.000 s
14	Then User verifies visibility of Price override icon change the Price in price override and reset Grid type to Main grid	SKIPPED	0.000 s
	0.01		
15	And User navigates back to OE by selecting Discard all option from pending order popup	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.171 s
	Test scenario for verifying price override by changing the price after chanigng gird		
	+		



**(S)- Test scenario for changing grid type in order history**

<div>FAILED</div> <div>DURATION - 0.280 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
<div>/ 10:31:08.202 am // 10:31:08.482 am /</div>				
<div>Order Entry7</div>				
<div>@OrderHistoryChangeGridType</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.001 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.085 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature7.feature:111) * Not displayable characters are replaced by '?'.		
7	Then User must click Start Order button	SKIPPED	0.001 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then User should click on Copy from dropdown and Select Order history	SKIPPED	0.000 s
	Order history		
12	Then User verifies Order history page and change grid types	SKIPPED	0.000 s
13	Then User verifies visibility of Price override icon and reset Grid type to Main grid in Order history page	SKIPPED	0.000 s
	Main grid		
14	And User should navigate back to Order entry page from Order history page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.178 s
	Test scenario for changing grid type in order history		
	+		

**(S)- Test scenario for verifying generation of duplicate comment should not happen**



<div>FAILED</div> <div>DURATION - 0.256 s</div>		<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 16</div>	<div></div>
<div>/ 10:31:08.648 am // 10:31:08.904 am /</div>				
<div>Order Entry7</div>				
<div>@VerifyForDuplicateComment</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.001 s
6	Given User must be on Order Entry Page	FAILED	0.085 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature7.feature:127) * Not displayable characters are replaced by '?'.		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then Enter Pro# in Quick Product Entry area	SKIPPED	0.000 s
12	And Check for Case and Unit input box enabled or not based on that enter value	SKIPPED	0.001 s
	80 60		
13	Then User should click on Comment icon in Order entry card	SKIPPED	0.000 s
14	And User should enter comment in comment popup	SKIPPED	0.000 s
	Comment at Order level for verifying duplicate comment		
15	Then User should click on Comment icon in Product grid	SKIPPED	0.000 s
16	And should enter comment in comment popup	SKIPPED	0.000 s
	Comment at Product level		
17	Then Click on Next button	SKIPPED	0.000 s
18	Then Click on Comment icon in Summary page	SKIPPED	0.000 s
19	And Enter Comment in summary page	SKIPPED	0.001 s
	Comment at Order level in order summary page		
20	Then User checks for duplicate comments	SKIPPED	0.000 s
21	Then Click on SubmitOrder button	SKIPPED	0.000 s
22	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.156 s
	Test scenario for verifying generation of duplicate comment should not happen		

#	Step / Hook Details	Status	Duration
	+		

**(F)- Order Entry8**

<b>FAILED</b>	<b>DURATION - 2.344 s</b>	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 94 Pass - 30 Fail - 6 Skip - 58	
/ 10:31:09.072 am // 10:31:11.416 am /					

**(S)- Test scenario for filtering Brand in catalog popup**

<b>FAILED</b>	<b>DURATION - 0.263 s</b>		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 10:31:09.073 am // 10:31:09.336 am /				
Order Entry8				
@FilteringInCatalogByBrand				



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.001 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-	FAILED	0.080 s



#	Step / Hook Details	Status	Duration
	<p>header-calendar']], using=xpath]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</p> <p>at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287)</p> <p>at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126)</p> <p>at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature8.feature:14)</p> <p>* Not displayable characters are replaced by '?'.</p>		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then Click on Add product drop down and select catalog option	SKIPPED	0.000 s
12	And User searches for Brand and goes through the product numbers	SKIPPED	0.000 s
13	Then Click on Back button	SKIPPED	0.000 s
14	And Discard all Pending order should be displayed	SKIPPED	0.000 s
15	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.164 s
	Test scenario for filtering Brand in catalog popup		

#	Step / Hook Details	Status	Duration
	+		



**(S)- Test scenario for filtering Qty on Hand in catalog popup**

<div>FAILED</div> <div>DURATION - 0.255 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 10:31:09.517 am // 10:31:09.772 am /				
Order Entry8				
@FilteringInCatalogByQoH				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.080 s
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64241/devtoo..., se.cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)			

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature8.feature:28) * Not displayable characters are replaced by '?'. </pre>		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then Click on Add product drop down and select catalog option	SKIPPED	0.000 s
12	And User searches for QoH and goes through the product numbers	SKIPPED	0.000 s
	0		
13	Then Click on Back button	SKIPPED	0.000 s
14	And Discard all Pending order should be displayed	SKIPPED	0.000 s
15	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.158 s
	Test scenario for filtering Qty on Hand in catalog popup		
	+		



**(S)- Test scenario for creating order for the Last date in Pickup order dialogbox**

<div>FAILED</div> <div>DURATION - 0.248 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 10:31:09.934 am // 10:31:10.182 am /</div>				
<div>Order Entry8</div>				
<div>@LastdatePickupOrder</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.073 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature8.feature:43) * Not displayable characters are replaced by '?'.		
7	When User clicks on drop down next to Start order button	SKIPPED	0.000 s
8	And Select Pickup Order from drop down options and select last delivery date	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order	SKIPPED	0.001 s
	PO123		
11	Then Enter Pro# in Quick Product Entry area	SKIPPED	0.000 s
12	And Check for Case and Unit input box enabled or not based on that enter value	SKIPPED	0.000 s
	50 60		
13	Then Click on Next button	SKIPPED	0.000 s
14	And Click on SubmitOrder button	SKIPPED	0.001 s
15	Then User should be navigated to Order Entry page and compare the dates	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.159 s
	Test scenario for creating order for the Last date in Pickup order dialogbox		
	+		



**(S)- Test scenario for searching for product in catalog index dialog box**

<div>FAILED</div> <div>DURATION - 0.230 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
/ 10:31:10.347 am // 10:31:10.577 am /				
Order Entry8				
@SearchProductCatalogIndexDialogbox				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.001 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.071 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature8.feature:58) * Not displayable characters are replaced by '?'.		
7	Then User must click Start Order button	SKIPPED	0.001 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then Click on Add product drop down and select catalog option	SKIPPED	0.000 s
12	And User should select Product from catalog Index popup search input box and Enter Qty for the products	SKIPPED	0.000 s
	100 100		
13	Then Click on Next button	SKIPPED	0.000 s
14	And Click on SubmitOrder button	SKIPPED	0.000 s
15	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.147 s
	Test scenario for searching for product in catalog index dialog box		
	+		

## (S)- Test scenario to verify that payment page all payment options are disabled once order is submitted and reopen the order



<div>FAILED</div> <div>DURATION - 0.251 s</div>		<div></div>	<div>Steps</div> <div>Total - 19</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 13</div>	<div></div>
<div>/ 10:31:10.746 am // 10:31:10.997 am /</div>				
<div>Order Entry8</div>				
<div>@PaymentOptionsDisabled</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.001 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.081 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at java.lang.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature8.feature:73) * Not displayable characters are replaced by '?'. </pre>		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order	SKIPPED	0.001 s
	PO123		
11	Then Enter Pro# in Quick Product Entry area	SKIPPED	0.001 s
12	And Check for Case and Unit input box enabled or not based on that enter value	SKIPPED	0.001 s
	60 80		
13	Then Click on Next button and select the very first payment option	SKIPPED	0.000 s
14	And Click on Submit Order button and read Order_no	SKIPPED	0.001 s
15	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
16	Then Enter Order# in Search box in Order Entry page	SKIPPED	0.000 s
17	And User should verify that payment options in Payment page are disabled	SKIPPED	0.000 s
18	And Click on SubmitOrder button	SKIPPED	0.000 s
19	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.153 s
	Test scenario to verify that payment page all payment options are disabled once order is submitted and reopen the order		
	+		



**(S)- Test scenario to verify payment info in summary page**

<div>FAILED</div> <div>DURATION - 0.242 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 10:31:11.174 am // 10:31:11.416 am /</div>				
<div>Order Entry8</div>				
<div>@CheckPaymentInfoInSummaryPage</div>				



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.080 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeature8.feature:92) * Not displayable characters are replaced by '?'.		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Enter PO# for New order	SKIPPED	0.000 s
	PO123		
11	Then Enter Pro# in Quick Product Entry area	SKIPPED	0.001 s
12	And Check for Case and Unit input box enabled or not based on that enter value	SKIPPED	0.000 s
	60 80		
13	Then Click on Next button and read payment methods	SKIPPED	0.000 s
14	And Click on SubmitOrder button and compare payment info	SKIPPED	0.000 s
15	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.147 s
	Test scenario to verify payment info in summary page		
	+		

**(F)- Order entry End**

<b>FAILED</b>	<b>DURATION - 2.639 s</b>	Scenarios		Steps	
/ 10:31:11.582 am // 10:31:14.221 am /		Total - 6		Total - 73	
		Pass - 0		Pass - 30	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 37	



**(S)- Test scenario for Skip using cancel button in new order entry page**

<div>FAILED</div> <div>DURATION - 0.294 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 10:31:11.582 am // 10:31:11.876 am /				
Order entry End				
@CancelAndSkip				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.075 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeatureEnd.feature:12) * Not displayable characters are replaced by '?'. </pre>		
7	Then Change the date 5 days after current date	SKIPPED	0.000 s
8	Then User must click Start Order button	SKIPPED	0.000 s
9	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
10	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
11	Then User click on Cancel button and Popup should appear	SKIPPED	0.000 s
12	And User should click on Cancel and skip button by selecting reason	SKIPPED	0.000 s
	Closed		
13	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
14	Then Check for Remove Skip button is visible and Click on Remove Skip button	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.179 s
	Test scenario for Skip using cancel button in new order entry page		
	+		



### (S)- Test scenario for verifying Cancel and Skip button is enabled in new OE page

FAILED		DURATION - 0.238 s			<div>Steps</div> <div>Total - 14</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 10:31:12.079 am // 10:31:12.317 am /						
Order entry End						
@CancelAndSkipEnabled						

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64241/devtoo..., se.cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeatureEnd.feature:25) * Not displayable characters are replaced by '?'.  	FAILED	0.074 s
7	Then Change the date 5 days after current date	SKIPPED	0.000 s
8	Then User must click Start Order button	SKIPPED	0.000 s
9	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
11	Then Click on Cancel button	SKIPPED	0.000 s
12	And Cancel popup should appear and verify button Cancel and Skip button	SKIPPED	0.000 s
13	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
14	And User should reset the delivery date to current date	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.149 s
	Test scenario for verifying Cancel and Skip button is enabled in new OE page		
	+		

### (S)- Skip order, which will not let user to create New order for selected date



<div>FAILED</div> <div>DURATION - 0.284 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 10:31:12.479 am // 10:31:12.763 am /</div>				
<div>Order entry End</div>				
<div>@SkipOrder</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.085 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true,		

#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</p> <p>at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287)</p> <p>at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126)</p> <p>at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeatureEnd.feature:38)</p> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then Change the date 5 days after current date	SKIPPED	0.000 s
8	Then Check for Skip button is visible and Click on Skip button and select reason	SKIPPED	0.000 s
	Closed		
9	And Check for visibility of Remove Skip button	SKIPPED	0.000 s
10	And User should reset the delivery date to current date	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.183 s
	Skip order, which will not let user to create New order for selected date		
	+		





**(S)- Remove Skip order button, that appears in OE page**

<div>FAILED</div> <div>DURATION - 0.281 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:31:12.968 am // 10:31:13.249 am /</div>				
<div>Order entry End</div>				
<div>@RemoveSkipOrder</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.083 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeatureEnd.feature:48) * Not displayable characters are replaced by '?'.		
7	Then Change the date 5 days after current date	SKIPPED	0.001 s
8	Then Check for Remove Skip button is visible and Click on Remove Skip button	SKIPPED	0.000 s
9	And User should reset the delivery date to current date	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.174 s
	Remove Skip order button, that appears in OE page		
	+		

### (S)- Skip the creation of order from new order entry page



<div>FAILED</div> <div>DURATION - 0.257 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 10:31:13.461 am // 10:31:13.718 am /				
Order entry End				
@SkipFromNewOrderEntry				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.001 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.000 s
6	Given User must be on Order Entry Page	FAILED	0.076 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64241/devtoo..., se.cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287)  at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126)  at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeatureEnd.feature:56)  * Not displayable characters are replaced by '?'. </p>		
7	Then Change the date 5 days after current date	SKIPPED	0.000 s
8	Then User must click Start Order button	SKIPPED	0.000 s
9	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
10	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
11	Then Click on Skip button in New order entry page and also select the reason	SKIPPED	0.000 s
	closed		
12	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
13	Then Check for Remove Skip button is visible and Click on Remove Skip button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.167 s
	Skip the creation of order from new order entry page		
	+		

### (S)- Test scenario for verifying Cancel and Skip button is disabled in new OE

FAILED		DURATION - 0.304 s			<b>Steps</b> Total - 13 Pass - 5 Fail - 1 Skip - 7			
/ 10:31:13.917 am // 10:31:14.221 am /								
Order entry End								
@CancelAndSkipDisabled								

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials	PASSED	0.000 s
2	When User is on Home Page	PASSED	0.000 s
3	Then User navigate to Client side	PASSED	0.000 s
4	Then User should select Order Entry tab	PASSED	0.000 s
5	Then User selects Account#	PASSED	0.001 s
6	Given User must be on Order Entry Page	FAILED	0.086 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@id,'delivery-date-web-order-header-calendar')]"} (Session info: chrome=123.0.6312.124) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1dc08b39838c8f2017fcd1a14e6b9c, findElement {value=//input[contains(@id,'delivery-date-web-order-header-calendar')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.124, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64241/devtoo..., se:cdpVersion: 123.0.6312.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1dc08b39838c8f2017fcd1a14e6b9c at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pages_DSD_OMS.orderEntry.OrderEntryPage.Read_DeliveryDate(OrderEntryPage.java:1287) at stepDefination_DSD_OMS.OrderEntryPageSteps.OrderEntryPageSteps.user_must_be_on_order_entry_page(OrderEntryPageSteps.java:126) at ?.User must be on Order Entry Page(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderEntryFeature/orderEntryFeatureEnd.feature:68) * Not displayable characters are replaced by '?'.		
7	Then User must click Start Order button	SKIPPED	0.000 s
8	Then User should make selection between Pending order or Start New order	SKIPPED	0.000 s
9	Then User should select Note from popup and Order guide from popup	SKIPPED	0.000 s
10	Then Click on Cancel button	SKIPPED	0.000 s
11	And Cancel popup should appear and verify button Cancel and Skip button for current date	SKIPPED	0.000 s
12	Then User should be navigated to Order Entry page	SKIPPED	0.000 s
13	And User should reset the delivery date to current date	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.201 s
	Test scenario for verifying Cancel and Skip button is disabled in new OE		
	+		

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for creating Order and  
edit it without making any changes, or  
usage of back to order list in summary  
page

(F) Order Entry7

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for creating Order and  
edit it without making any changes, or  
usage of back to order list in summary  
page

(F) Order Entry7

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for filtering of products  
in catalog index popup

(F) Order Entry7

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for finding the contact  
information details

(F) Order Entry7

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for finding the privacy  
policy

(F) Order Entry7

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for verifying price  
override icon after chanigng gird

(F) Order Entry7



(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for verifying price  
override by changing the price after  
chanigng gird

(F) Order Entry7

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for changing grid type in  
order history

(F) Order Entry7

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for verifying generation  
of duplicate comment should not happen

(F) Order Entry7

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for filtering Brand in  
catalog popup

(F) Order Entry8

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for filtering Qty on Hand  
in catalog popup

(F) Order Entry8

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for creating order for the  
Last date in Pickup order dialogbox

(F) Order Entry8

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for searching for  
product in catalog index dialog box

(F) Order Entry8

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario to verify that payment  
page all payment options are disabled  
once order is submitted and reopen the  
order

(F) Order Entry8

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario to verify payment info in  
summary page

(F) Order Entry8

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for Skip using cancel  
button in new order entry page

(F) Order entry End

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for verifying Cancel and  
Skip button is enabled in new OE page

(F) Order entry End

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Skip order, which will not let user to  
create New order for selected date

(F) Order entry End

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Remove Skip order button, that  
appears in OE page

(F) Order entry End

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Skip the creation of order from new  
order entry page

(F) Order entry End

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for verifying Cancel and  
Skip button is disabled in new OE

(F) Order entry End