

Cucumber Report

Jan 28, 2025, 1:17:57 PM

Start : Jan 28, 1:11:35.297 PM

End : Jan 28, 1:17:54.911 PM

Duration : 6 m 19.614 s

Features







PASSED - 0
FAILED - 5
SKIPPED - 0


Scenarios

PASSED - 2
FAILED - 39
SKIPPED - 0


Steps

PASSED - 269
FAILED - 39
SKIPPED - 274







#	Feature Name	T	P	F	S	Duration
1	<u>Order Guide</u>	13	2	11	0	6 m 14.319 s
2	<u>Order Guide1</u>	13	0	13	0	2.779 s
3	<u>Order Guide2</u>	10	0	10	0	1.617 s
4	<u>Order Guide3</u>	2	0	2	0	0.116 s
5	<u>Order GuideDSD</u>	3	0	3	0	0.196 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Order Guide</u>	<u>Test scenario for Canceling order guide while creating</u>	12	12	0	0	1 m 40.115 s
2	<u>Order Guide</u>	<u>For creation of OG using single product, sequence number and Customer reference</u>	12	11	1	0	3 m 37.399 s
3	<u>Order Guide</u>	<u>Test scenario for printing OG</u>	9	7	1	1	7.532 s
4	<u>Order Guide</u>	<u>Edit the existing OG by adding some more products</u>	11	7	1	3	4.980 s
5	<u>Order Guide</u>	<u>Test scenario for verifying the seq numbers are displaying properly or not</u>	9	9	0	0	13.588 s
6	<u>Order Guide</u>	<u>Test sceanrio for dragging and droping feature in create order guide page</u>	9	7	1	1	4.848 s
7	<u>Order Guide</u>	<u>Searching for product in new OG page</u>	9	7	1	1	4.769 s
8	<u>Order Guide</u>	<u>Deleting product from OG</u>	12	7	1	4	4.264 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Order Guide</u>	<u>Clear sequence number and selecting option No from popup</u>	11	7	1	3	4.188 s
10	<u>Order Guide</u>	<u>Clear sequence number and selecting option Yes from popup</u>	12	7	1	4	4.254 s
11	<u>Order Guide</u>	<u>Edit sequence number of any of the product in product grid</u>	11	7	1	3	4.152 s
12	<u>Order Guide</u>	<u>Test scenario to convert active OG to expired OG</u>	10	7	1	2	2.422 s
13	<u>Order Guide</u>	<u>Test scenario to test drag and drop functionality in OG page</u>	10	6	1	3	0.032 s
14	<u>Order Guide1</u>	<u>Creating OG using multiple products, from Quick product and Catalog</u>	14	6	1	7	0.063 s
15	<u>Order Guide1</u>	<u>Creating OG using OG</u>	15	6	1	8	0.031 s
16	<u>Order Guide1</u>	<u>Creating OG using Order</u>	15	6	1	8	0.016 s
17	<u>Order Guide1</u>	<u>Creating OG using Catalog</u>	15	6	1	8	0.031 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Order Guide1</u>	<u>Creating OG using Catalog, by adding multiple product to OG, through search box</u>	15	6	1	8	0.022 s
19	<u>Order Guide1</u>	<u>Export OG</u>	11	6	1	4	0.019 s
20	<u>Order Guide1</u>	<u>Importing OG</u>	14	6	1	7	0.031 s
21	<u>Order Guide1</u>	<u>Test scenario for changing Day of week and create OG</u>	14	6	1	7	0.031 s
22	<u>Order Guide1</u>	<u>Test scenario for deleting customer allocation to Local chain</u>	25	6	1	18	0.058 s
23	<u>Order Guide1</u>	<u>Test scenario for creating Historical order guide</u>	15	6	1	8	0.031 s
24	<u>Order Guide1</u>	<u>Test scenario for changing Customer Account# and create OG</u>	17	6	1	10	0.016 s
25	<u>Order Guide1</u>	<u>Test scenario for deleting Customer allowcation</u>	26	6	1	19	0.033 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
26	<u>Order Guide1</u>	<u>For creating OG using local chain</u>	17	6	1	10	0.027 s
27	<u>Order Guide2</u>	<u>Test scenario for creating push order guide</u>	16	6	1	9	0.039 s
28	<u>Order Guide2</u>	<u>Test scenario for creating Par order guide</u>	16	6	1	9	0.031 s
29	<u>Order Guide2</u>	<u>Test scenario for OG creation using Market segment</u>	18	6	1	11	0.047 s
30	<u>Order Guide2</u>	<u>Test scenario for creating OG for all customers</u>	15	6	1	8	0.035 s
31	<u>Order Guide2</u>	<u>Test scenario for creating push order guide without any valid to date</u>	16	6	1	9	0.016 s
32	<u>Order Guide2</u>	<u>Test scenario for creating customer Reference Price group default Scheduled</u>	19	6	1	12	0.031 s
33	<u>Order Guide2</u>	<u>For creating OG using National chain</u>	18	6	1	11	0.020 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
34	<u>Order Guide2</u>	<u>For creating OG using All Customer Account# from customer reference drop down</u>	17	6	1	10	0.012 s
35	<u>Order Guide2</u>	<u>Test scenario to test Sorting using arrow symbol</u>	10	6	1	3	0.015 s
36	<u>Order Guide2</u>	<u>Will help to search Order guide using Add filter button</u>	8	6	1	1	0.011 s
37	<u>Order Guide3</u>	<u>Test scenario for cancel deleting of OG</u>	13	6	1	6	0.020 s
38	<u>Order Guide3</u>	<u>Deleting Order guide and verifying it in OG grid</u>	9	6	1	2	0.016 s
39	<u>Order GuideDSD</u>	<u>Test scenario for creating customer Reference Price group base Scheduled</u>	19	6	1	12	0.000 s
40	<u>Order GuideDSD</u>	<u>Test scenario for creating customer Reference Price group-Promo group Scheduled</u>	19	6	1	12	0.016 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Order GuideDSD</u>	<u>Test scenario for creating customer Reference Price group-Deal group Scheduled</u>	19	6	1	12	0.015 s

(F)- Order Guide**(S)- Test scenario for Canceling order guide while creating**


#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG SIGNIN BUTTON CLICKED	PASSED	21.251 s
2	When User is on Home Page for OG ADMIN PAGE OR ORDER ENTRY PAGE HAS BEEN FOUND	PASSED	0.173 s
3	Then User navigate to Client side for OG USER ICON FOUND IN ADMIN PAGE	PASSED	3.128 s
4	Then User should select Order Entry tab for OG https://autodsd.afsi.com/ClientPortal/Apps/cpOrderEntry.html?p=Km530c8XSiYiXYABAQY6Y6JAChTfYaSYca92kMk0el9TOeNnC6%2bd9w%3d%3d NAVIGATED TO ORDER ENTRY PAGE	PASSED	6.152 s
5	Then User selects Account# for OG	PASSED	7.259 s
6	Given User must be on Order Entry Page to select OG NAVIGATED TO ORDER GUIDE	PASSED	5.067 s
7	And User should navigate to OG	PASSED	2.782 s

#	Step / Hook Details	Status	Duration
	NAVIGATED TO ORDER GUIDE		
8	Then User clicks on Create new button and should navigate to New OG page	PASSED	2.679 s
	NAVIGATED TO ORDER GUIDE		
9	Then Then User enters Description "OGDis1"	PASSED	40.617 s
10	And User enters Quick Product number and Sequence number 4 PRODUCT# ENTERED IS 00000008 SEQUENCE# ENTERED IS 4	PASSED	6.577 s
11	Then User click on Cancel button	PASSED	2.535 s
12	And User should navigate back to OG page and verify OG "OGDis1" existence when cancelled NAVIGATED TO ORDER GUIDE USER IS ON ORDER GUIDE PAGE ORDER GUIDE DOESNOT EXISTS	PASSED	1.707 s


(S)- For creation of OG using single product, sequence number and Customer reference




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG NAVIGATED TO ORDER GUIDE	PASSED	3.340 s
8	Then User clicks on Create new button and should navigate to New OG page NAVIGATED TO ORDER GUIDE	PASSED	2.652 s

#	Step / Hook Details	Status	Duration
9	Then Then User enters Description "OGDis1"	PASSED	40.778 s
10	And User enters Quick Product number and Sequence number 4 PRODUCT# ENTERED IS 00000008 SEQUENCE# ENTERED IS 4	PASSED	6.313 s
11	Then User click on Save button PRODUCT FOUND IN OG PRODUCT FOUND IN OG PRODUCT FOUND IN OG 00000008	PASSED	43.004 s
12	And User should navigate back to OG page and verify OG "OGDis1" existence USER IS ON ORDER GUIDE PAGE java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_back_to_og_page(OrderGuidePageStep.java:239) at ?.User should navigate back to OG page and verify OG "OGDis1" existence(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:36) * Not displayable characters are replaced by '?'.	FAILED	2 m 0.974 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) For creation of OG using single product, sequence number and Customer reference 	PASSED	0.322 s



(S)- Test scenario for printing OG




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG NAVIGATED TO ORDER GUIDE	PASSED	5.523 s
8	Then User enters OG "OGDis1" Description in search box ORDER GUIDE DOESNOT EXISTS java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.userEntersOGDescriptionInSearchBox(OrderGuidePageStep.java:439) at ?.User enters OG "OGDis1" Description in search box(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:45) * Not displayable characters are replaced by '?'.	FAILED	1.679 s
9	Then User clicks on print button	SKIPPED	0.000 s
	AFTER - stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.267 s
	Test scenario for printing OG		

#	Step / Hook Details	Status	Duration
	 +		


(S)- Edit the existing OG by adding some more products

FAILED	DURATION - 4.980 s		Steps Total - 11 Pass - 7 Fail - 1 Skip - 3	
/ 1:17:01.040 PM // 1:17:06.020 PM /				
Order Guide				
@EditOrderGuide				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG NAVIGATED TO ORDER GUIDE	PASSED	3.128 s
8	Then User enters OG "OGDis1" Description in search box ORDER GUIDE DOESNOT EXISTS java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.userEntersOGDescriptionInSearchBox(OrderGuidePageStep.java:439)	FAILED	1.554 s

#	Step / Hook Details	Status	Duration
	at ?.User enters OG "OGDis1" Description in search box(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:55) * Not displayable characters are replaced by '?'.		
9	And User enters multiple Quick Product number and Sequence number 4 6 8	SKIPPED	0.000 s
10	Then User click on Save button	SKIPPED	0.000 s
11	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Edit the existing OG by adding some more products 	PASSED	0.251 s


(S)- Test scenario for verifying the seq numbers are displaying properly or not




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	PASSED	3.108 s

#	Step / Hook Details	Status	Duration
	NAVIGATED TO ORDER GUIDE		
8	<p>Then User enters OG "SampleOG" Description in search box</p> <p>ORDER GUIDE ENTERED IN SEARCH BOX IS SampleOG</p> <p>NAVIGATED TO OG DETAILS PAGE</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG 00000001</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG 00000002</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG 00000003</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG 00000004</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG 00000005</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG</p> <p>PRODUCT FOUND IN OG 00000008</p>	PASSED	7.166 s
9	<p>Then User should click on arrow symbol for sorting sequence numbers</p> <p>VALUE FOUND FOR SEQUENCE</p> <p>SEQUENCE FOUND BEFORE [, , , ,] SEQUENCE FOUND AFTER CLICKING ARROW [, , , ,]</p>	PASSED	3.283 s



(S)- Test scenario for dragging and droping feature in create order guide page




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG NAVIGATED TO ORDER GUIDE	PASSED	3.089 s
8	Then User enters OG "OGDis1" Description in search box ORDER GUIDE DOESNOT EXISTS java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.userEntersOGDescriptionInSearchBox(OrderGuidePageStep.java:439) at ?.User enters OG "OGDis1" Description in search box(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:80) * Not displayable characters are replaced by '?'.	FAILED	1.513 s
9	And User must be on create OG page and "UnitOfMeasure" the grid header	SKIPPED	0.000 s
	AFTER - stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.229 s
	Test scenario for dragging and droping feature in create order guide page		

#	Step / Hook Details	Status	Duration
	 +		


(S)- Searching for product in new OG page

FAILED	DURATION - 4.769 s		Steps Total - 9 Pass - 7 Fail - 1 Skip - 1	
/ 1:17:24.868 PM // 1:17:29.637 PM /				
Order Guide				
@SearchForProduct				


#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG NAVIGATED TO ORDER GUIDE	PASSED	3.036 s
8	Then User enters OG Description in search box OGDis1 ORDER GUIDE DOESNOT EXISTS java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010)	FAILED	1.558 s

#	Step / Hook Details	Status	Duration
	at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_enters_og_description_in_search_box(OrderGuidePageStep.java:250) at ?.User enters OG Description in search box(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:90) * Not displayable characters are replaced by '?'.		
9	And User search for Product# in New OG page	SKIPPED	0.000 s
	AFTER - stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Searching for product in new OG page 	PASSED	0.159 s


(S)- Deleting product from OG




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG NAVIGATED TO ORDER GUIDE	PASSED	2.743 s
8	Then User enters OG "OGDis1" Description in search box ORDER GUIDE DOESNOT EXISTS	FAILED	1.359 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.userEntersOGDescriptionInSearchBox(OrderGuidePageStep.java:439) at ?.User enters OG "OGDis1" Description in search box(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:98) * Not displayable characters are replaced by '?'.</pre>		
9	And User search for Product# in New OG page	SKIPPED	0.000 s
10	And User click on Delete button to remove product from OG	SKIPPED	0.000 s
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <p>Deleting product from OG</p> 	PASSED	0.162 s


(S)- Clear sequence number and selecting option No from popup




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG NAVIGATED TO ORDER GUIDE	PASSED	2.681 s
8	Then User enters OG Description in search box OGDis1 ORDER GUIDE DOESNOT EXISTS java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_enters_og_description_in_search_box(OrderGuidePageStep.java:250) at ?.User enters OG Description in search box(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:111) * Not displayable characters are replaced by '?'.	FAILED	1.335 s
9	Then User click on More button	SKIPPED	0.000 s
10	And User selects Clear Sequence from drop down	SKIPPED	0.000 s
11	And User handles popup for clearing sequence number by selecting No	SKIPPED	0.000 s
	AFTER - stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Clear sequence number and selecting option No from popup 	PASSED	0.172 s


(S)- Clear sequence number and selecting option Yes from popup




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG NAVIGATED TO ORDER GUIDE	PASSED	2.584 s
8	Then User enters OG Description in search box OGDis1 ORDER GUIDE DOESNOT EXISTS java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep. user_enters_og_description_in_search_box(OrderGuidePageStep.java:250) at ?.User enters OG Description in search box(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:121) * Not displayable characters are replaced by '?'.	FAILED	1.506 s
9	Then User click on More button	SKIPPED	0.000 s
10	And User selects Clear Sequence from drop down	SKIPPED	0.000 s
11	And User handles popup for clearing sequence number by selecting Yes	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then User click on Save button AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Clear sequence number and selecting option Yes from popup	SKIPPED	0.000 s
		PASSED	0.157 s


(S)- Edit sequence number of any of the product in product grid



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG NAVIGATED TO ORDER GUIDE	PASSED	2.681 s
8	Then User enters OG "OGDis1" Description in search box ORDER GUIDE DOESNOT EXISTS java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131)	FAILED	1.333 s

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.userEntersOGDescriptionInSearchBox(OrderGuidePageStep.java:439) at ?.User enters OG "OGDis1" Description in search box(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:132) * Not displayable characters are replaced by '?'.</pre>		
9	<p>And User changes sequence number in product grid of OG</p> <p>24</p>	SKIPPED	0.000 s
10	Then User click on Save button	SKIPPED	0.000 s
11	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <p>Edit sequence number of any of the product in product grid</p> 	PASSED	0.138 s


(S)- Test scenario to convert active OG to expired OG



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	PASSED	2.406 s
8	Then User enters OG "OGDis1" Description in search box java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.userEntersOGDescriptionInSearchBox(OrderGuidePageStep.java:439) at ?.User enters OG "OGDis1" Description in search box(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:145) * Not displayable characters are replaced by '?'. 	FAILED	0.000 s
9	And User selects end date as past date	SKIPPED	0.000 s
10	Then User should navigate back to OG page and verify OG "OGDis1" by selecting status as expired	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)	FAILED	0.000 s

(S)- Test scenario to test drag and drop functionality in OG page



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature.feature:157) * Not displayable characters are replaced by '?'</pre>		
8	Then User should select header in OG grid for "Status" functionality	SKIPPED	0.000 s
9	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
10	Then User enters OG Description "OGDis1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>	FAILED	0.016 s


(F)- Order Guide1**(S)- Creating OG using multiple products, from Quick product and Catalog**

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:14) * Not displayable characters are replaced by '?'.		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis14" Start date 2 and End date 3 day from current date	SKIPPED	0.000 s
10	And User enters multiple Product# Quick Product entry and catalog and Sequence number	SKIPPED	0.000 s
	12 Catalog		
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis14" existence	SKIPPED	0.000 s
13	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
14	Then User enters OG Description "OGDis14" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.016 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Creating OG using OG




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:30) * Not displayable characters are replaced by '?'. </pre>		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis16" Start date 4 and End date 5 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select OG from drop down Order guides	SKIPPED	0.000 s
11	And User should select "SampleOG" from popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis16" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGDis16" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) </pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Creating OG using Order




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.016 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\Local\Temp\scoped_dir3208_15104}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},</pre>		

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:47)</p> <p>* Not displayable characters are replaced by '?'.</p>		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis17" Start date 6 and End date 7 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Order from drop down Orders	SKIPPED	0.000 s
11	And User should select Order# from Order popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis17" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGDis17" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)		

(S)- Creating OG using Catalog




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.015 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir:		

#	Step / Hook Details	Status	Duration
	<pre>C:\Users\DIVYA~1.RAM\AppData..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:64) * Not displayable characters are replaced by '?'.</pre>		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis18" Start date 8 and End date 9 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
11	And User should select products from catalog popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis18" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGDis18" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.000 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true,</pre>		

#	Step / Hook Details	Status	Duration
	<pre>strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		


(S)- Creating OG using Catalog, by adding multiple product to OG, through search box



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch:		

#	Step / Hook Details	Status	Duration
	'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:81) * Not displayable characters are replaced by '?'.		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis20" Start date 14 and End date 15 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
11	And User should select products from catalog popup to add multiple products	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis20" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGDis20" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		


(S)- Export OG

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153...}, userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:98) * Not displayable characters are replaced by '?'.</pre>		
8	Then User enters OG "SampleOG" Description in search box	SKIPPED	0.000 s
9	And User verifies New OG page and clicks on export button	SKIPPED	0.000 s
10	Then User click on Save button	SKIPPED	0.000 s
11	And User should navigate back to OG page and verify OG "SampleOG" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.000 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153...}, userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77) </pre>		

(S)- Importing OG




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.000 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: </pre>		

#	Step / Hook Details	Status	Duration
	C:\Users\DIVYA~1.RAM\AppData\Local\Temp\com.google.Chrome\131.0.6778.267\Automation\OMS_Automation\src\test\resources\features_DSD_OMS\OrderGuideFeature_DSD\orderGuideFeature1.feature:110 * Not displayable characters are replaced by '?'. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqaqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:110)		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis19" Start date 10 and End date 11 day from current date	SKIPPED	0.000 s
10	And User verifies New OG page and clicks on import button	SKIPPED	0.000 s
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis19" existence	SKIPPED	0.000 s
13	And Clear filter to display both active and inactive OG	SKIPPED	0.015 s
14	Then User enters OG Description "OGDis19" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqaqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqaqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\Local\Temp\com.google.Chrome\131.0.6778.267\Automation\OMS_Automation\src\test\resources\features_DSD_OMS\OrderGuideFeature_DSD\orderGuideFeature1.feature:110}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77) </pre>		

(S)- Test scenario for changing Day of week and create OG




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.000 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: </pre>		

#	Step / Hook Details	Status	Duration
	C:\Users\DIVYA~1.RAM\AppData\Local\Temp\1559f4b0f72984e84\, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:125) * Not displayable characters are replaced by '?'. at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "DayOfWeek" Start date 12 and End date 13 day from current date	SKIPPED	0.000 s
10	And User selects Day of week from drop down	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page, verify OG "DayOfWeek" existence and verify that Week of day is selected	SKIPPED	0.000 s
14	Then User deletes "DayOfWeek" created for day of week	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\Local\Temp\1559f4b0f72984e84\, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario for deleting customer allocation to Local chain




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.000 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=}] Capabilities {acceptInsecureCerts: false,		

#	Step / Hook Details	Status	Duration
	<p>browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:141)</p> <p>* Not displayable characters are replaced by '?'.</p>		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "ChangeNational"	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.000 s
	Catalog		
11	And User should select products from catalog popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate to OG	SKIPPED	0.000 s
14	Then User enters OG "ChangeNational" Description in search box	SKIPPED	0.000 s
15	And User should navigate to CustomerAllocation tab	SKIPPED	0.000 s
16	Then Select CustomerAllocation check box and click on Delete button	SKIPPED	0.000 s
17	Then User Clicks on Plus button and select "Local chain" from drop down	SKIPPED	0.000 s
18	Then User should navigate back to Product tab in OG	SKIPPED	0.000 s
19	And User validates that previously added products are removed from product grid	SKIPPED	0.000 s
20	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.000 s
	Catalog		

#	Step / Hook Details	Status	Duration
21	And User should select products from catalog popup	SKIPPED	0.000 s
22	Then User click on Save button	SKIPPED	0.000 s
23	And User should navigate back to OG page and verify OG "ChangeNational" existence	SKIPPED	0.000 s
24	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
25	Then User enters OG Description "ChangeNational" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.008 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario for creating Historical order guide




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:169) * Not displayable characters are replaced by '?'		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGHist" and End date	SKIPPED	0.000 s
10	Then User selects type of OG from drop down to select historical OG Historical	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGHist" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "OGHist" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)		

(S)- Test scenario for changing Customer Account# and create OG




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:187) * Not displayable characters are replaced by '?'. </pre>		
8	Then User Clicks on Customer Account_No button and select other Customer Account_No	SKIPPED	0.000 s
9	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
10	Then Then User enters Description "OGDis21"	SKIPPED	0.000 s
11	And User selects Day of week from drop down	SKIPPED	0.000 s
12	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
4			
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "OGDis21" existence	SKIPPED	0.000 s
15	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
16	Then User enters OG Description "OGDis21" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
17	And User changes the Customer Account# to the previous Account#	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) </pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario for deleting Customer allowance




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.000 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\Local\Temp\scoped_dir31515\chromedriver_tmp\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:206) * Not displayable characters are replaced by '?'. </pre>		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGProdVerification"	SKIPPED	0.000 s
10	And User selects Day of week from drop down	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
4			
12	Then User click on Save button	SKIPPED	0.000 s
13	Then User enters OG "OGProdVerification" Description in search box	SKIPPED	0.000 s
14	And User should navigate to CustomerAllocation tab	SKIPPED	0.000 s
15	Then Select CustomerAllocation check box and click on Delete button	SKIPPED	0.000 s
16	Then User Clicks on Plus button and select value from drop down	SKIPPED	0.000 s
	Customers		
17	And User verify popup appears and enter account# in search box	SKIPPED	0.000 s
18	Then Select customer account# and verify that account# is added	SKIPPED	0.000 s
19	Then User should navigate back to Product tab in OG	SKIPPED	0.000 s
20	And User validates that previously added products are removed from product grid	SKIPPED	0.000 s
21	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.000 s
	Catalog		
22	And User should select products from catalog popup	SKIPPED	0.000 s
23	Then User click on Save button	SKIPPED	0.000 s
24	And User should navigate back to OG page and verify OG "OGProdVerification" existence	SKIPPED	0.000 s
25	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
26	Then User enters OG Description "OGProdVerification" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>	FAILED	0.017 s



(S)- For creating OG using local chain



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature1.feature:237) * Not displayable characters are replaced by '?'. Local chain	FAILED	0.016 s
8	Then User should click on Customer Reference drop down and select type of OG Local chain	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for local chain WENDYS #0212 COLLEGE DR 85 C	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference input box to verify the OG created Local chain	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then Then User enters Description "LocalChain1" and End date	SKIPPED	0.000 s
13	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
14	And User should select products from catalog popup for Local chain	SKIPPED	0.000 s
15	Then User click on Save button	SKIPPED	0.000 s
16	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
17	Then User enters OG Description "LocalChain1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)	FAILED	0.000 s


(F)- Order Guide2**(S)- Test scenario for creating push order guide**

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuideStep.user_should_navigate_to_og(OrderGuideStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:14) * Not displayable characters are replaced by '?'.		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "Push OG" Start date 16 and End date 17 day from current date	SKIPPED	0.000 s
10	Then Then User enters Description "Push OG" and End date	SKIPPED	0.000 s
11	Then User selects type of OG from drop down Push	SKIPPED	0.000 s
12	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "Push OG" existence	SKIPPED	0.000 s
15	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
16	Then User enters OG Description "Push OGPush OG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)		

(S)- Test scenario for creating Par order guide




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.000 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365},		

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:33) * Not displayable characters are replaced by '?'.</pre>		
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "Par OG" Start date 18 and End date 19 day from current date	SKIPPED	0.000 s
10	Then Then User enters Description "Par OG" and End date	SKIPPED	0.011 s
11	Then User selects type of OG from drop down Par Orders	SKIPPED	0.000 s
12	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "Par OG" existence	SKIPPED	0.000 s
15	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
16	Then User enters OG Description "Par OGPar OG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.000 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...},		

#	Step / Hook Details	Status	Duration
	<pre>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario for OG creation using Market segment




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefinatoin_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:52) * Not displayable characters are replaced by '?'.</pre>		
8	Then User should click on Customer Reference drop down and select type of OG "Market segment"	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for market segment	SKIPPED	0.000 s
	Market Area One AMERINET		
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference "Market segment" to verify the OG created and select pricing customer value from dropdown "MILOS #452"	SKIPPED	0.000 s
12	Then Then User enters Description "MarketOG" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "Market segment" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down for Market segment OG	SKIPPED	0.000 s
	Catalog		
15	And User should select products from catalog popup for Market segment	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
17	And User should navigate back to OG page and navigate back to "Market segment" and verify OG "MarketOG" existence	SKIPPED	0.000 s
18	Then User enters OG Description "MarketOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	<p>AFTER - stepDefinatio_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefinatio_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>	FAILED	0.016 s

(S)- Test scenario for creating OG for all customers




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:73) * Not displayable characters are replaced by '?'.	FAILED	0.016 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "AllOrder" Start date 20 and End date 21 day from current date	SKIPPED	0.000 s
10	Then Then User enters Description "AllOrder" and clicks on All order check box	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
13	And User should navigate back to OG page and verify OG "AllOrder" existence	SKIPPED	0.000 s
14	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
15	Then User enters OG Description "AllOrderAllOrder" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [{"d184d4b0135d0441559f4b0f72984e84, screenshot: {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)	FAILED	0.000 s


(S)- Test scenario for creating push order guide without any valid to date



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	<p>And User should navigate to OG</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:90) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "Push OG1" Start date 7 and No selection of end date	SKIPPED	0.000 s
10	Then Then User enters Description "Push OG1" and End date	SKIPPED	0.000 s
11	Then User selects type of OG from drop down	SKIPPED	0.000 s
	Push		

#	Step / Hook Details	Status	Duration
12	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "Push OG1" existence	SKIPPED	0.000 s
15	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
16	Then User enters OG Description "Push OG1Push OG1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefinatoin_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)	FAILED	0.000 s

(S)- Test scenario for creating customer Reference Price group default Scheduled




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:109) * Not displayable characters are replaced by '?'.</pre>		
8	Then User should click on Customer Reference drop down and select type of OG "Price group - default schedule"	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for Price group default schedule 000001, Default Price 1	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference "Price group - default schedule" to verify the OG created and select pricing customer value from dropdown "MILOS #452"	SKIPPED	0.000 s
12	Then Then User enters Description "PriceBaseDefaultOG" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "Price group - default schedule" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down for price Base OG Catalog	SKIPPED	0.000 s
15	And User should select products from catalog popup for Price base	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.000 s
17	And User should navigate back to OG page and verify OG "PriceBaseDefaultOG" existence	SKIPPED	0.000 s
18	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
19	Then User enters OG Description "PriceBaseDefaultOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.015 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</pre>		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- For creating OG using National chain




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuideStep.user_should_navigate_to_og(OrderGuideStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:131) * Not displayable characters are replaced by '?'. </pre>		
8	Then User should click on Customer Reference drop down and select type of OG "National chain"	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for National chain	SKIPPED	0.000 s
	Test National Chain ASSISTED LIVING LG		
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference "National chain" to verify the OG created and select pricing customer value from dropdown "MILOS #452"	SKIPPED	0.000 s
12	Then Then User enters Description "NationalChain1" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "National chain" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.000 s
	Catalog		
15	And User should select products from catalog popup for National chain	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.000 s
17	And User should navigate back to OG page and navigate back to "National chain" and verify OG "NationalChain1" existence	SKIPPED	0.000 s
18	Then User enters OG Description "NationalChain1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.000 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, </pre>		

#	Step / Hook Details	Status	Duration
	<pre>strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- For creating OG using All Customer Account# from customer reference drop down




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch:		

#	Step / Hook Details	Status	Duration
	'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:152) * Not displayable characters are replaced by '?'.		
8	Then User should click on Customer Reference drop down and select type of OG "All customer accounts #"	SKIPPED	0.000 s
9	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
10	Then User enters Description "AllCustomer1" Start date 22 and End date 23 day from current date and validate all customer check box	SKIPPED	0.000 s
11	And User should make sure that customer reference "All customer accounts #" is same as of selected in OG page	SKIPPED	0.000 s
12	Then User clicks on Add product button and select Catalog from drop down Catalog	SKIPPED	0.000 s
13	And User should select products from catalog popup	SKIPPED	0.000 s
14	Then User click on Save button	SKIPPED	0.000 s
15	And User should navigate back to OG page and verify OG "AllCustomer1" existence	SKIPPED	0.000 s
16	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
17	Then User enters OG Description "AllCustomer1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario to test Sorting using arrow symbol




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:172) * Not displayable characters are replaced by '?'. All customer accounts #	FAILED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG All customer accounts #	SKIPPED	0.000 s
9	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
10	Then User should use arrow symbol to sort the value in the grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...},	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Will help to search Order guide using Add filter button




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.011 s


#	Step / Hook Details	Status	Duration		
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153...}, userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature2.feature:181) * Not displayable characters are replaced by '?'.</pre>				
8	<p>Then User click on AddFilter button and handle different popup</p> <table border="1"> <tr> <td>Type</td> <td>Regular</td> </tr> </table>	Type	Regular	SKIPPED	0.000 s
Type	Regular				
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153...}, userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</pre>	FAILED	0.000 s		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefinition_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77) </pre>		

(F)- Order Guide3



(S)- Test scenario for cancel deleting of OG




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature3.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.005 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGDeleteCancel"	SKIPPED	0.000 s
10	And User selects Day of week from drop down	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number 4	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	Then User enters OG Description "OGDeleteCancel" in search box and Delete cancel the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.000 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

#	Step / Hook Details	Status	Duration
	<pre>(Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Deleting Order guide and verifying it in OG grid




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	<p>And User should navigate to OG</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo... se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeature3.feature:30) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.016 s
8	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
9	Then User enters OG Description "OGDeleteCancel" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.000 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppDat...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</pre>		

#	Step / Hook Details	Status	Duration
1	<pre>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(F)- Order GuideDSD



(S)- Test scenario for creating customer Reference Price group base Scheduled




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	<p>And User should navigate to OG</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefinatoin_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeatureDSD.feature:14)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG "Price group - base schedule"	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for Price group base schedule 000017, Florida Food Service	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference "Price group - base schedule" to verify the OG created and select pricing customer value from dropdown "MILOS #452"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then Then User enters Description "PriceBaseOG" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "Price group - base schedule" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down for price Base OG Catalog	SKIPPED	0.000 s
15	And User should select products from catalog popup for Price base	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.000 s
17	And User should navigate back to OG page and verify OG "PriceBaseOG" existence	SKIPPED	0.000 s
18	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
19	Then User enters OG Description "PriceBaseOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)	FAILED	0.000 s

(S)- Test scenario for creating customer Reference Price group-Promo group Scheduled




#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\Local\Temp\scoped_dir3108_15101, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefination_DSD_OMS.OrderGuidePageSteps.OrderGuidePageStep.user_should_navigate_to_og(OrderGuidePageStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeatureDSD.feature:36) * Not displayable characters are replaced by '?'.		
8	Then User should click on Customer Reference drop down and select type of OG "Price group - promo group/schedule"	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for Price group base schedule Promotion 1	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference "Price group - promo group/schedule" to verify the OG created and select pricing customer value from dropdown "MILOS #452"	SKIPPED	0.000 s
12	Then Then User enters Description "PricePromoOG" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "Price group - promo group/schedule" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down for price Base OG Catalog	SKIPPED	0.000 s
15	And User should select products from catalog popup for Price base	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.000 s
17	And User should navigate back to OG page and verify OG "PricePromoOG" existence	SKIPPED	0.000 s
18	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
19	Then User enters OG Description "PricePromoOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</pre>		

(S)- Test scenario for creating customer Reference Price group-Deal group Scheduled



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.015 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	PASSED	0.000 s
6	Given User must be on Order Entry Page to select OG	PASSED	0.000 s
7	And User should navigate to OG	FAILED	0.000 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:731) at pages_DSD_OMS.orderGuide.OrderGuidePage.Refresh_Page(OrderGuidePage.java:100) at stepDefinition_DSD_OMS.OrderGuidePageSteps.OrderGuideStep.user_should_navigate_to_og(OrderGuideStep.java:164) at ?.User should navigate to OG(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature_DSD/orderGuideFeatureDSD.feature:58) * Not displayable characters are replaced by '?'. </pre>		
8	Then User should click on Customer Reference drop down and select type of OG "Price group - deal group"	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference for Price group base schedule Promotion 1	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference "Price group - deal group" to verify the OG created and select pricing customer value from dropdown "MILOS #452"	SKIPPED	0.000 s
12	Then Then User enters Description "PriceDealOG" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "Price group - deal group" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down for price Base OG Catalog	SKIPPED	0.000 s
15	And User should select products from catalog popup for Price base	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.000 s
17	And User should navigate back to OG page and verify OG "PriceDealOG" existence	SKIPPED	0.000 s
18	And Clear filter to display both active and inactive OG	SKIPPED	0.000 s
19	Then User enters OG Description "PriceDealOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.267) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d184d4b0135d0441559f4b0f72984e84, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.267, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153..., userDataDir: C:\Users\DIVYA~1.RAM\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55365}, networkConnectionEnabled: false, pageLoadStrategy: </pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55365/devtoo..., se:cdpVersion: 131.0.6778.267, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d184d4b0135d0441559f4b0f72984e84</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:77)</p>		

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) For creation of OG using single product, sequence number and Customer reference

(F) Order Guide

Sequence	Product #	Category	Description	UnitOfMeasure
1	00000008	Carbonated Soft Drinks	DR PEPPER 24 CANS	Cases, Units

© TELUS Consumer Goods 2025 - Privacy policy

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Test scenario for printing OG

(F) Order Guide

Description	Valid from	Valid to	Type	Status
SamplePar	Oct 04, 2022		Regular	Active
SampleOG	Oct 04, 2022	Oct 07, 2022	Regular	Active

© TELUS Consumer Goods 2025 - Privacy policy

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Edit the existing OG by adding some more products

(F) Order Guide

Description	Valid from	Valid to	Type	Status
SamplePar	Oct 04, 2022		Regular	Active
SampleOG	Oct 07, 2022		Regular	Active

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Test sceanrio for dragging and drooping feature in create order guide page

(F) Order Guide

Description	Valid from	Valid to	Type	Status
SamplePar	Oct 04, 2022		Regular	Active
SampleOG	Oct 07, 2022		Regular	Active

(Step) AFTER - stepDefinaction_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Searching for product in new OG page

(F) Order Guide

Description	Valid from	Valid to	Type	Status
SamplePar	Oct 04, 2022		Regular	Active
SampleOG	Oct 07, 2022		Regular	Active

(Step) AFTER - stepDefinaction_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Deleting product from OG

(F) Order Guide

Description	Valid from	Valid to	Type	Status
SamplePar	Oct 04, 2022		Regular	Active
SampleOG	Oct 07, 2022		Regular	Active

(Step) AFTER - stepDefinaction_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Clear sequence number and selecting option No from popup

(F) Order Guide

The screenshot shows the Order Entry application's Order guide list. The interface includes a left sidebar with various icons and a top navigation bar with links like Orders, Order control list, Order Guides, Standing Orders, All Orders, Inventory, Catalog, and Reports. The Order Guides tab is currently selected. A search bar at the top right allows for filtering by customer account number. The main content area displays a table of order guides with columns for Description, Valid from, Valid to, Type, and Status. Two entries are listed: "SamplePar" and "SampleOG". Both entries have their "Valid from" field set to "Oct 04, 2022" and their "Valid to" field set to "Oct 07, 2022". Under the "Type" column, both are labeled "Regular". Under the "Status" column, both are labeled "Active". A note at the bottom of the table area says "Drag a column header and drop it here to group by that column". A copyright notice at the very bottom reads "© TELUS Consumer Goods 2025 - Privacy policy".

(Step) AFTER - stepDefinaction_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Clear sequence number and selecting option Yes from popup

(F) Order Guide

This screenshot is identical to the one above, showing the Order Entry application's Order guide list. It displays the same two order guides, SamplePar and SampleOG, with the same details: valid from Oct 04, 2022, valid to Oct 07, 2022, regular type, and active status. The interface and layout are consistent with the first screenshot.

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)

(S) Edit sequence number of any of the product in product grid

(F) Order Guide

Customer reference
Customer account # 0040035978-000000-003029 - MILOS #452

+ Create new Status: Active X Add filter

Items found: 2

Search

Description Valid from Valid to Type Status

Description	Valid from	Valid to	Type	Status
SamplePar	Oct 04, 2022		Regular	Active
SampleOG	Oct 07, 2022		Regular	Active

© TELUS Consumer Goods 2025 - Privacy policy