

Cucumber Report

Sep 20, 2024, 11:55:30 PM

Start : Sep 20, 11:09:44.465 PM

End : Sep 20, 11:55:27.125 PM

Duration : 45 m 42.660 s

Features


Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 7
FAILED - 1
SKIPPED - 0

PASSED - 87
FAILED - 1
SKIPPED - 2






#	Feature Name	T	P	F	S	Duration
1	<u>scenarios for User and Accounts admin feature, for Grid related settings</u>	8	7	1	0	45 m 42.660 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>scenarios for User and Accounts admin feature, for Grid related settings</u>	<u>Test scenario to verifying avaiablity of grid from Available grid to Grid configuration</u>	7	7	0	0	2 m 37.620 s
2	<u>scenarios for User and Accounts admin feature, for Grid related settings</u>	<u>Test scenario for verifying availablity of same grid under Configuration tab and Available grids tab</u>	11	11	0	0	4 m 27.743 s
3	<u>scenarios for User and Accounts admin feature, for Grid related settings</u>	<u>Test scenario for disable one of the grid column and verifying same in Grid Configuration</u>	12	12	0	0	4 m 30.820 s
4	<u>scenarios for User and Accounts admin feature, for Grid related settings</u>	<u>Test scenario for adding new grid</u>	9	9	0	0	4 m 19.758 s
5	<u>scenarios for User and Accounts admin feature, for Grid related settings</u>	<u>Test scenario for crating copy of the grid</u>	9	9	0	0	4 m 20.276 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
6	<u>scenarios for User and Accounts admin feature, for Grid related settings</u>	<u>Test scenario to set any grid as default(in Admin), and verify the same in client</u>	16	16	0	0	9 m 16.142 s
7	<u>scenarios for User and Accounts admin feature, for Grid related settings</u>	<u>Test scenario for Deleting grid</u>	10	7	1	2	3 m 37.737 s
8	<u>scenarios for User and Accounts admin feature, for Grid related settings</u>	<u>Test scenarion to change lable of grid header and verify in client side</u>	16	16	0	0	9 m 43.315 s

(F)- scenarios for User and Accounts admin feature, for Grid related settings



FAILED	DURATION - 45 m 42.660 s	Scenarios		Steps	
/ 11:09:44.465 PM // 11:55:27.125 PM /		Total - 8		Total - 90	
		Pass - 7		Pass - 87	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Test scenario to verifying avaiability of grid from Available grid to Grid configuration

<div>PASSED</div> <div>DURATION - 2 m 37.620 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:09:44.473 PM // 11:12:22.093 PM /				
scenarios for User and Accounts admin feature, for Grid related settings				
@AvailableGrid				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for Admin setting for grid	PASSED	45.380 s
	SIGNIN BUTTON CLICKED		
2	When User is on Home Page for Admin setting for grid	PASSED	4.190 s
	ADMIN PAGE HAS BEEN FOUND		
3	Given User is on Home Page for Admin setting to select Admin option for grid	PASSED	4.175 s
	ADMIN PAGE HAS BEEN FOUND		
4	Then User Clicks on Permissions by drop down to select Customer Account# grid	PASSED	1 m 34.596 s
	COMPANY HAS BEEN SELECTED		
5	And User should enter menu "Grids" in search bar and select "Configuration"	PASSED	6.724 s
	IN ADMIN PAGE		
6	Then User navigates to Available Grid and selects one of the grid type	PASSED	1.204 s
	GRID SELECTED IN AVAILABLE GRID IS Order Entry		
7	And User navigates to "Grid Configuration" and the selected grid type should be loaded	PASSED	1.186 s

(S)- Test scenario for verifying availability of same grid under Configuration tab and Available grids tab



<div>PASSED</div> <div>DURATION - 4 m 27.743 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 11:12:46.793 PM // 11:17:14.536 PM /				
scenarios for User and Accounts admin feature, for Grid related settings				
@CheckAvailabilityOfGrid				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for Admin setting for grid SIGNIN BUTTON CLICKED	PASSED	42.661 s
2	When User is on Home Page for Admin setting for grid ADMIN PAGE HAS BEEN FOUND	PASSED	4.171 s
3	Given User is on Home Page for Admin setting to select Admin option ADMIN PAGE HAS BEEN FOUND	PASSED	28.643 s
4	Then User refreshes page Clicks on Permissions by drop down to select Customer Account# grid YOU WILL BE SELECTING COMPANY NOW COMPANY HAS BEEN SELECTED	PASSED	1 m 58.876 s
5	And User should enter menu "Grids" in search bar and select "Configuration" IN ADMIN PAGE	PASSED	6.623 s
6	Then User should validate that it is Grid Configuration page, then click on Grid type Drop Down GRID TYPE DROP DOWN HAS BEEN CLICKED	PASSED	11.084 s
7	Then User reads all the grid names DROP DOWN GRID 18 GRID TYPE FOUND IN DROP DOWN: Order Entry GRID TYPE FOUND IN DROP DOWN: Order Summary GRID TYPE FOUND IN DROP DOWN: Product Catalog Search GRID TYPE FOUND IN DROP DOWN: Quick Product Search GRID TYPE FOUND IN DROP DOWN: Customer Selection GRID TYPE FOUND IN DROP DOWN: Quote Entry GRID TYPE FOUND IN DROP DOWN: Quote Summary GRID TYPE FOUND IN DROP DOWN: Price Inquiry GRID TYPE FOUND IN DROP DOWN: Price Markup GRID TYPE FOUND IN DROP DOWN: Sales Base Cost GRID TYPE FOUND IN DROP DOWN: Order Line Detail	PASSED	3.030 s

#	Step / Hook Details	Status	Duration
	GRID TYPE FOUND IN DROP DOWN: Order Guide Details GRID TYPE FOUND IN DROP DOWN: Order Control List GRID TYPE FOUND IN DROP DOWN: Order History GRID TYPE FOUND IN DROP DOWN: All Orders GRID TYPE FOUND IN DROP DOWN: Customer Product Reference GRID TYPE FOUND IN DROP DOWN: Product Lead Hours Product Search GRID TYPE FOUND IN DROP DOWN: Inventory		
8	And User navigate to Available grid tab and finds all the grids available and disable any grid USER IS IN AVAILABLE GRID CARD GRID SELECTED FOR DISABLING IN GRID TYPE DROP DOWN IS Order Entry SELECTED GRID HAS BEEN DISABLED IN AVAILABLE GRID ADMIN SIDE CHANGES SAVE POPUP HAS APPEARED	PASSED	10.573 s
9	Then User navigates back to Grid configuration tab and checks for available grid type in drop down GRID TYPE DROP DOWN HAS BEEN CLICKED DROP DOWN GRID 17 GRID TYPE FOUND IN DROP DOWN: Order Summary GRID TYPE FOUND IN DROP DOWN: Product Catalog Search GRID TYPE FOUND IN DROP DOWN: Quick Product Search GRID TYPE FOUND IN DROP DOWN: Customer Selection GRID TYPE FOUND IN DROP DOWN: Quote Entry GRID TYPE FOUND IN DROP DOWN: Quote Summary GRID TYPE FOUND IN DROP DOWN: Price Inquiry GRID TYPE FOUND IN DROP DOWN: Price Markup GRID TYPE FOUND IN DROP DOWN: Sales Base Cost GRID TYPE FOUND IN DROP DOWN: Order Line Detail GRID TYPE FOUND IN DROP DOWN: Order Guide Details GRID TYPE FOUND IN DROP DOWN: Order Control List GRID TYPE FOUND IN DROP DOWN: Order History GRID TYPE FOUND IN DROP DOWN: All Orders GRID TYPE FOUND IN DROP DOWN: Customer Product Reference GRID TYPE FOUND IN DROP DOWN: Product Lead Hours Product Search GRID TYPE FOUND IN DROP DOWN: Inventory NUMBER OF GRIDS FOUND IN DROP DOWN BEFORE DISABLING GRID 18 NUMBER OF GRIDS FOUND IN DROP DOWN AFTER DISABLING GRID 17 CONTENT OF GRID TYPE DROP DOWN ARE NOT SAME	PASSED	14.622 s
10	And User should enable disabled grid in Available grid tab USER IS IN AVAILABLE GRID CARD GRID SELECTED FOR DISABLING IN GRID TYPE DROP DOWN IS Order Entry SELECTED GRID HAS BEEN ENABLED IN AVAILABLE GRID ADMIN SIDE CHANGES SAVE POPUP HAS APPEARED	PASSED	12.411 s

#	Step / Hook Details	Status	Duration
11	<p>Then User navigates back to Grid configuration tab and checks for available grid type in drop down after enabling tab</p> <p>NUMBER OF GRIDS FOUND IN DROP DOWN BEFORE DISABLING GRID 18</p> <p>GRID TYPE DROP DOWN HAS BEEN CLICKED</p> <p>DROP DOWN GRID 18</p> <p>GRID TYPE FOUND IN DROP DOWN: Order Entry</p> <p>GRID TYPE FOUND IN DROP DOWN: Order Summary</p> <p>GRID TYPE FOUND IN DROP DOWN: Product Catalog Search</p> <p>GRID TYPE FOUND IN DROP DOWN: Quick Product Search</p> <p>GRID TYPE FOUND IN DROP DOWN: Customer Selection</p> <p>GRID TYPE FOUND IN DROP DOWN: Quote Entry</p> <p>GRID TYPE FOUND IN DROP DOWN: Quote Summary</p> <p>GRID TYPE FOUND IN DROP DOWN: Price Inquiry</p> <p>GRID TYPE FOUND IN DROP DOWN: Price Markup</p> <p>GRID TYPE FOUND IN DROP DOWN: Sales Base Cost</p> <p>GRID TYPE FOUND IN DROP DOWN: Order Line Detail</p> <p>GRID TYPE FOUND IN DROP DOWN: Order Guide Details</p> <p>GRID TYPE FOUND IN DROP DOWN: Order Control List</p> <p>GRID TYPE FOUND IN DROP DOWN: Order History</p> <p>GRID TYPE FOUND IN DROP DOWN: All Orders</p> <p>GRID TYPE FOUND IN DROP DOWN: Customer Product Reference</p> <p>GRID TYPE FOUND IN DROP DOWN: Product Lead Hours Product Search</p> <p>GRID TYPE FOUND IN DROP DOWN: Inventory</p> <p>NUMBER OF GRIDS FOUND IN DROP DOWN AFTER DISABLING GRID 18</p> <p>CONTENT OF GRID TYPE DROP DOWN ARE SAME</p>	PASSED	15.002 s



(S)- Test scenario for disable one of the grid column and verifying same in Grid Configuration

PASSED DURATION - 4 m 30.820 s / 11:17:42.186 PM // 11:22:13.006 PM / scenarios for User and Accounts admin feature, for Grid related settings @CheckAvailabilityOfGridheader		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>Given User enters URL and is on login page and entered credentials for Admin setting for grid</p> <p>SIGNIN BUTTON CLICKED</p>	PASSED	43.480 s
2	When User is on Home Page for Admin setting for grid	PASSED	4.163 s



#	Step / Hook Details	Status	Duration
	ADMIN PAGE HAS BEEN FOUND		
3	Given User is on Home Page for Admin setting to select Admin option	PASSED	29.499 s
	ADMIN PAGE HAS BEEN FOUND		
4	Then User refreshes page Clicks on Permissions by drop down to select Customer Account# grid	PASSED	1 m 56.648 s
	YOU WILL BE SELECTING COMPANY NOW COMPANY HAS BEEN SELECTED		
5	And User should enter menu "Grids" in search bar and select "Configuration"	PASSED	6.633 s
	IN ADMIN PAGE		
6	And User navigate to Available grid tab and select one of the grid and read all the column header available for selected grid	PASSED	3.690 s
	USER IS IN AVAILABLE GRID CARD GRID SELECTED FOR DISABLING IN GRID TYPE DROP DOWN IS Order Entry		
7	Then User should validate that it is Grid Configuration page, then click on Grid type Drop Down	PASSED	11.878 s
	GRID TYPE DROP DOWN HAS BEEN CLICKED		
8	And User should select Grid type "Order Entry" from the drop down	PASSED	1.635 s
	GRID TYPE SELECTED IS Order Entry GRID TYPE SELECTED IS Order Entry		
9	And User clicks on save button to save Grid configuration	PASSED	8.295 s
	ADMIN SIDE CHANGES SAVE POPUP HAS APPEARED		
10	Then User validates availability of disabled column in grid "Order Entry"	PASSED	16.781 s
	GRID TYPE DROP DOWN HAS BEEN CLICKED GRID TYPE SELECTED IS Order Entry GRID TYPE SELECTED IS Order Entry COLUMN HAS BEEN REMOVED FROM THE GRID		
11	And User again enables column availability in Available grid	PASSED	10.258 s
	USER IS IN AVAILABLE GRID CARD GRID SELECTED FOR DISABLING IN GRID TYPE DROP DOWN IS Order Entry ADMIN SIDE CHANGES SAVE POPUP HAS APPEARED		
12	Then User should navigate back to Grid configuration "Order Entry" and check for enabled column click on Save button	PASSED	17.811 s
	GRID TYPE DROP DOWN HAS BEEN CLICKED GRID TYPE SELECTED IS Order Entry GRID TYPE SELECTED IS Order Entry COLUMN HAS BEEN FOUND IN THE GRID		

(S)- Test scenario for adding new grid

<div>PASSED</div> <div>DURATION - 4 m 19.758 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:22:36.343 PM // 11:26:56.101 PM /</div>			
<div>scenarios for User and Accounts admin feature, for Grid related settings</div>			
<div>@AddGrid</div>			



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for Admin setting for grid SIGNIN BUTTON CLICKED	PASSED	41.536 s
2	When User is on Home Page for Admin setting for grid ADMIN PAGE HAS BEEN FOUND	PASSED	4.157 s
3	Given User is on Home Page for Admin setting to select Admin option ADMIN PAGE HAS BEEN FOUND	PASSED	30.849 s
4	Then User refreshes page Clicks on Permissions by drop down to select Customer Account# grid YOU WILL BE SELECTING COMPANY NOW COMPANY HAS BEEN SELECTED	PASSED	1 m 54.183 s
5	And User should enter menu "Grids" in search bar and select "Configuration" IN ADMIN PAGE	PASSED	6.599 s
6	Then User should validate that it is Grid Configuration page, then click on Grid type Drop Down GRID TYPE DROP DOWN HAS BEEN CLICKED	PASSED	10.937 s
7	And User should select Grid type "Order Entry" from the drop down GRID TYPE SELECTED IS Order Entry GRID TYPE SELECTED IS Order Entry	PASSED	1.781 s
8	And User clicks on Grid option "Add" and select add option from drop down GRID OPTION DROPDOWN CLICKED	PASSED	42.271 s
9	Then User enters "New" in grid name input box and saves it NEW GRID NAME SELECTED IS New ADMIN SIDE CHANGES SAVE POPUP HAS APPEARED	PASSED	7.420 s

(S)- Test scenario for crating copy of the grid

<div>PASSED</div> <div>DURATION - 4 m 20.276 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>45</td></tr><tr><td>2</td><td>5</td></tr><tr><td>3</td><td>30</td></tr><tr><td>4</td><td>100</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>10</td></tr><tr><td>7</td><td>2</td></tr><tr><td>8</td><td>3</td></tr><tr><td>9</td><td>48</td></tr></tbody></table></div>	Step	Duration (s)	1	45	2	5	3	30	4	100	5	5	6	10	7	2	8	3	9	48	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
Step		Duration (s)																				
1		45																				
2		5																				
3	30																					
4	100																					
5	5																					
6	10																					
7	2																					
8	3																					
9	48																					
<div>/ 11:27:22.377 PM // 11:31:42.653 PM /</div>																						
<div>scenarios for User and Accounts admin feature, for Grid related settings</div>																						
<div>@CopyGrid</div>																						

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for Admin setting for grid SIGNIN BUTTON CLICKED	PASSED	44.977 s
2	When User is on Home Page for Admin setting for grid ADMIN PAGE HAS BEEN FOUND	PASSED	4.151 s
3	Given User is on Home Page for Admin setting to select Admin option ADMIN PAGE HAS BEEN FOUND	PASSED	28.276 s
4	Then User refreshes page Clicks on Permissions by drop down to select Customer Account# grid YOU WILL BE SELECTING COMPANY NOW COMPANY HAS BEEN SELECTED	PASSED	1 m 54.029 s
5	And User should enter menu "Grids" in search bar and select "Configuration" IN ADMIN PAGE	PASSED	6.094 s
6	Then User should validate that it is Grid Configuration page, then click on Grid type Drop Down GRID TYPE DROP DOWN HAS BEEN CLICKED	PASSED	11.253 s
7	And User should select Grid type "Order Entry" from the drop down GRID TYPE SELECTED IS Order Entry GRID TYPE SELECTED IS Order Entry	PASSED	1.402 s
8	And User should Click and select "New" from grids dropdown GRID NAME SELECTED IS Order Entry	PASSED	2.494 s
9	And User clicks on Grid option"Copy" to copy and selects option from drop down GRID OPTION DROPDOWN CLICKED ADMIN SIDE CHANGES SAVE POPUP HAS APPEARED	PASSED	47.554 s



(S)- Test scenario to set any grid as default(in Admin), and verify the same in client

<div>PASSED</div> <div>DURATION - 9 m 16.142 s</div>	<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 16</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:32:03.908 PM // 11:41:20.050 PM /</div>			
<div>scenarios for User and Accounts admin feature, for Grid related settings</div>			
<div>@DefaultGridInClient</div>			


#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for Admin setting for grid SIGNIN BUTTON CLICKED	PASSED	43.577 s
2	When User is on Home Page for Admin setting for grid ADMIN PAGE HAS BEEN FOUND	PASSED	4.128 s
3	Given User is on Home Page for Admin setting to select Admin option ADMIN PAGE HAS BEEN FOUND	PASSED	27.222 s
4	Then User refreshes page Clicks on Permissions by drop down to select Customer Account# grid YOU WILL BE SELECTING COMPANY NOW COMPANY HAS BEEN SELECTED	PASSED	1 m 53.451 s
5	And User should enter menu "Grids" in search bar and select "Configuration" IN ADMIN PAGE	PASSED	7.003 s
6	Then User should validate that it is Grid Configuration page, then click on Grid type Drop Down GRID TYPE DROP DOWN HAS BEEN CLICKED	PASSED	11.047 s
7	And User should select Grid type "Order Entry" from the drop down GRID TYPE SELECTED IS Order Entry GRID TYPE SELECTED IS Order Entry	PASSED	2.060 s
8	And User should Click and select "New" from grids dropdown GRID NAME SELECTED IS Order Entry	PASSED	3.487 s
9	Then User clicks on Default grid toggle button GRID HAS BEEN SET AS DEFAULT ADMIN SIDE CHANGES SAVE POPUP HAS APPEARED	PASSED	7.445 s
10	Then User logout from Admin page and log in with client credentials SIGNIN BUTTON CLICKED	PASSED	1 m 4.200 s
11	Then User navigates to Order entry page and in new order entry page finds same grid as default grid "New"	PASSED	2 m 31.910 s

#	Step / Hook Details	Status	Duration
	<div>PO123</div> <div> USER ICON FOUND IN ADMIN PAGE https://autoerp.afsi.com/omsi/clientportal/apps/cpOrderEntry.html?p=QJFsTz5JBfVNODvKd%2b4hK56SreO0vwVwYSCjo3j9p6A%3d NAVIGATED TO ORDER ENTRY PAGE CUSTOMER ACCOUNT# SELECTED IS K11985 NAVIGATED TO ORDER ENTRY PAGE START BUTTON HAS BEEN CLICKED ORDER GUIDE POPUP HAS BEEN FOUND GRID NAME FOUND IN NEW OE IS New grid SIGNIN BUTTON CLICKED </div>		
12	Then User Clicks on Permissions by drop down to select Customer Account# for grids	PASSED	1 m 32.280 s
	COMPANY HAS BEEN SELECTED		
13	And User should navigate back to "Grids" via search bar and select "Configuration"	PASSED	4.598 s
	IN ADMIN PAGE		
14	Then User should validate that it is Grid Configuration page, then click on Grid type Drop Down	PASSED	10.850 s
	GRID TYPE DROP DOWN HAS BEEN CLICKED		
15	And User should select Grid type "Order Entry" from the drop down	PASSED	1.216 s
	GRID TYPE SELECTED IS Order Entry GRID TYPE SELECTED IS Order Entry		
16	Then User should reset Default grid toggle button "Main"	PASSED	11.644 s
	CLICKED ON COPY OPTION GRID HAS BEEN SET AS DEFAULT ADMIN SIDE CHANGES SAVE POPUP HAS APPEARED		



(S)- Test scenario for Deleting grid

<div>FAILED</div> <div>DURATION - 3 m 37.737 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 11:41:46.457 PM // 11:45:24.194 PM /				
scenarios for User and Accounts admin feature, for Grid related settings				
@DeleteGrid				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for Admin setting for grid SIGNIN BUTTON CLICKED	PASSED	46.154 s
2	When User is on Home Page for Admin setting for grid ADMIN PAGE HAS BEEN FOUND	PASSED	4.207 s
3	Given User is on Home Page for Admin setting to select Admin option ADMIN PAGE HAS BEEN FOUND	PASSED	28.331 s
4	Then User refreshes page Clicks on Permissions by drop down to select Customer Account# grid YOU WILL BE SELECTING COMPANY NOW COMPANY HAS BEEN SELECTED	PASSED	1 m 57.742 s
5	And User should enter menu "Grids" in search bar and select "Configuration" IN ADMIN PAGE	PASSED	6.411 s
6	Then User should validate that it is Grid Configuration page, then click on Grid type Drop Down GRID TYPE DROP DOWN HAS BEEN CLICKED	PASSED	11.319 s
7	And User should select Grid type "Order Entry" from the drop down GRID TYPE SELECTED IS Order Entry GRID TYPE SELECTED IS Order Entry	PASSED	1.357 s
8	And User should select "New" from grids dropdown and selects "Delete" to delete grid GRIDS AVAILABLE ARE:: Pricing Regression pricing Main New New - Copy java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at pages_DSD_OMS.adminGrids.GridConfigurationPage.readGridNamesDropdown(GridConfigurationPage.java:554) at stepDefination_DSD_OMS.AdminGridsPageSteps.GridConfigurationPageStep. userShouldSelectFromGridsDropdownAndSelectsToDeleteGrid(GridConfigurationPageStep.java:510) at ?.User should select "New" from grids dropdown and selects "Delete" to delete grid(file:///C:/Users/Divya.Ramadas/IdeaProjects/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/AdminGridFeature/adminGridFeature.feature:107) * Not displayable characters are replaced by '?'. 	FAILED	1.970 s

#	Step / Hook Details	Status	Duration
9	And User should select "New - Copy" from grids dropdown and selects "Delete" to delete grid	SKIPPED	0.005 s
10	And User clicks on save button to save Grid configuration	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.232 s
	Test scenario for Deleting grid		
			

(S)- Test scenarion to change lable of grid header and verify in client side

PASSED		DURATION - 9 m 43.315 s			Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 11:45:43.810 PM // 11:55:27.125 PM /						
scenarios for User and Accounts admin feature, for Grid related settings						
@ChangeLabelOfGridHeader						

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for Admin setting for grid	PASSED	46.033 s
	SIGNIN BUTTON CLICKED		
2	When User is on Home Page for Admin setting for grid	PASSED	4.124 s
	ADMIN PAGE HAS BEEN FOUND		
3	Given User is on Home Page for Admin setting to select Admin option	PASSED	27.743 s
	ADMIN PAGE HAS BEEN FOUND		
4	Then User refreshes page Clicks on Permissions by drop down to select Customer Account# grid	PASSED	1 m 58.155 s
	YOU WILL BE SELECTING COMPANY NOW		
	COMPANY HAS BEEN SELECTED		

#	Step / Hook Details	Status	Duration
5	And User should enter menu "Grids" in search bar and select "Configuration" IN ADMIN PAGE	PASSED	6.565 s
6	Then User should validate that it is Grid Configuration page, then click on Grid type Drop Down GRID TYPE DROP DOWN HAS BEEN CLICKED	PASSED	10.972 s
7	And User should select Grid type "Order Entry" from the drop down GRID TYPE SELECTED IS Order Entry GRID TYPE SELECTED IS Order Entry	PASSED	1.748 s
8	And User should Click and select "Main" from grids dropdown GRID NAME SELECTED IS Order Entry	PASSED	2.073 s
9	Then User changes label of header available in grid OLD LABEL VALUE IS Sequence NEW LABEL VALUE IS Sequence123	PASSED	16.773 s
10	Then User logout from Admin page and log in with client credentials SIGNIN BUTTON CLICKED	PASSED	1 m 7.110 s
11	Then User navigates to Order entry page and in new order entry page enter PO and Quick entry product details PO123 1 2 USER ICON FOUND IN ADMIN PAGE https://autoerp.afsi.com/omsi/clientportal/apps/cpOrderEntry.html?p=QJFsTz5JBfVNODvKd%2b4hK56SreO0vwVwYSCjo3j9p6A%3d NAVIGATED TO ORDER ENTRY PAGE CUSTOMER ACCOUNT# SELECTED IS K11985 NAVIGATED TO ORDER ENTRY PAGE START BUTTON HAS BEEN CLICKED ORDER GUIDE POPUP HAS BEEN FOUND NEW ORDER ENTRY PAGE HAS BEEN FOUND PO# ENTERED IS PO123 PRODUCT ADDED TO THE ORDER Via QUICK PRODUCT ENTRY 4088 UOM IS ENABLED AND IT CONTAINS CS VALUE IN IT CASE ENTERED FOR QUICK PRODUCT IS 1 NEW ORDER ENTRY PAGE HAS BEEN FOUND TITLE FOUND IN PRODUCT GRID TITLE FOUND IN PRODUCT GRID Sequence123 TITLE FOUND IN PRODUCT GRID Product # TITLE FOUND IN PRODUCT GRID Description TITLE FOUND IN PRODUCT GRID Image TITLE FOUND IN PRODUCT GRID Brand TITLE FOUND IN PRODUCT GRID Category	PASSED	2 m 38.326 s

#	Step / Hook Details	Status	Duration
	TITLE FOUND IN PRODUCT GRID Units per case TITLE FOUND IN PRODUCT GRID Units (quantity) TITLE FOUND IN PRODUCT GRID Price TITLE FOUND IN PRODUCT GRID Unit of measure TITLE FOUND IN PRODUCT GRID Next PO date TITLE FOUND IN PRODUCT GRID Price per unit TITLE FOUND IN PRODUCT GRID Total units (quantity) TITLE FOUND IN PRODUCT GRID Price/serving TITLE FOUND IN PRODUCT GRID Quantity on Hand TITLE FOUND IN PRODUCT GRID Foreign language/description TITLE FOUND IN PRODUCT GRID Goal TITLE FOUND IN PRODUCT GRID Sold/weight price TITLE FOUND IN PRODUCT GRID Available Quantity TITLE FOUND IN PRODUCT GRID Ti TITLE FOUND IN PRODUCT GRID Hi TITLE FOUND IN PRODUCT GRID Country of Origin TITLE FOUND IN PRODUCT GRID Price source TITLE FOUND IN PRODUCT GRID Reward points TITLE FOUND IN PRODUCT GRID Customer class CHANGES TO TITLE HAS BEEN REFLECTED SIGNIN BUTTON CLICKED		
12	Then User Clicks on Permissions by drop down to select Customer Account# for grids	PASSED	1 m 34.047 s
	COMPANY HAS BEEN SELECTED		
13	And User should navigate back to "Grids" via search bar and select "Configuration"	PASSED	4.610 s
	IN ADMIN PAGE		
14	Then User should validate that it is Grid Configuration page, then click on Grid type Drop Down	PASSED	11.000 s
	GRID TYPE DROP DOWN HAS BEEN CLICKED		
15	And User should select Grid type "Order Entry" from the drop down	PASSED	1.484 s
	GRID TYPE SELECTED IS Order Entry		
	GRID TYPE SELECTED IS Order Entry		
16	Then User resets the label name to previous label, in grid setting	PASSED	12.533 s
	OLD LABEL VALUE IS Sequence		

(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.
cucumber.java.Scenario)

(S) Test scenario for Deleting grid

(F) scenarios for User and Accounts
admin feature, for Grid related settings

The screenshot shows the Cucumber IDE interface. At the top, there's a header with 'Cucumber' and 'Grid configuration'. Below that, a table lists various test scenarios. The scenario 'DeleteGrid' is highlighted. The scenario steps are: 'Given I am logged in as an admin', 'When I click on the 'Delete' button', and 'Then the grid is deleted'. The scenario is currently failing with an error message: 'org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//button[@type='button']\"}'.

ID	Scenario	Steps	Status	Errors	Logs	Attachments
1	Given I am logged in as an admin	1	Pass			
2	When I click on the 'Delete' button	2	Fail	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//button[@type='button']\"}		
3	Then the grid is deleted	3	Pass			