

Cucumber Report

Sep 30, 2023, 1:52:07 PM

Start : Sep 30, 1:50:50.750 PM

End : Sep 30, 1:51:55.783 PM

Duration : 1 m 5.033 s

Features



Scenarios


Steps

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 0
FAILED - 53
SKIPPED - 0

PASSED - 213
FAILED - 53
SKIPPED - 344







#	Feature Name	T	P	F	S	Duration
1	<u>Order Guide</u>	13	0	13	0	1 m 0.100 s
2	<u>Order Guide1</u>	13	0	13	0	1.476 s
3	<u>Order Guide2</u>	27	0	27	0	3.249 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Order Guide</u>	<u>Test scenario for Canceling order guide while creating</u>	12	5	1	6	57.816 s
2	<u>Order Guide</u>	<u>For creation of OG using single product, sequence number and Customer reference</u>	12	4	1	7	0.048 s
3	<u>Order Guide</u>	<u>Test scenario for printing OG</u>	9	4	1	4	0.033 s
4	<u>Order Guide</u>	<u>Edit the existing OG by adding some more products</u>	11	4	1	6	0.047 s
5	<u>Order Guide</u>	<u>Test sceanrio for dragging and dropping feature in create order guide page</u>	9	4	1	4	0.033 s
6	<u>Order Guide</u>	<u>Searching for product in new OG page</u>	9	4	1	4	0.043 s
7	<u>Order Guide</u>	<u>Deleting product from OG</u>	12	4	1	7	0.031 s
8	<u>Order Guide</u>	<u>Clear sequence number and selecting option No from popup</u>	11	4	1	6	0.024 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Order Guide</u>	<u>Clear sequence number and selecting option Yes from popup</u>	12	4	1	7	0.025 s
10	<u>Order Guide</u>	<u>Edit sequence number of any of the product in product grid</u>	11	4	1	6	0.031 s
11	<u>Order Guide</u>	<u>Creating OG using multiple products, from Quick product and Catalog</u>	12	4	1	7	0.021 s
12	<u>Order Guide</u>	<u>Creating OG using OG</u>	13	4	1	8	0.030 s
13	<u>Order Guide</u>	<u>Creating OG using Order</u>	13	4	1	8	0.027 s
14	<u>Order Guide1</u>	<u>Creating OG using Catalog</u>	13	4	1	8	0.024 s
15	<u>Order Guide1</u>	<u>Export OG</u>	11	4	1	6	0.020 s
16	<u>Order Guide1</u>	<u>Importing OG</u>	12	4	1	7	0.017 s
17	<u>Order Guide1</u>	<u>Test scenario for changing Day of week and create OG</u>	13	4	1	8	0.018 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Order Guide1</u>	<u>Creating OG using Catalog, by adding multiple product to OG, through search box</u>	13	4	1	8	0.020 s
19	<u>Order Guide1</u>	<u>Test scenario for creating Historical order guide</u>	13	4	1	8	0.017 s
20	<u>Order Guide1</u>	<u>Test scenario for deleting customer allocation to National chain</u>	15	4	1	10	0.015 s
21	<u>Order Guide1</u>	<u>Test scenario for changing Customer Account# and create OG</u>	12	4	1	7	0.018 s
22	<u>Order Guide1</u>	<u>Test scenario for deleting Customer allowcation</u>	17	4	1	12	0.018 s
23	<u>Order Guide1</u>	<u>Test scenario to convert active OG to expired OG</u>	10	4	1	5	0.015 s
24	<u>Order Guide1</u>	<u>For creating OG using local chain</u>	15	4	1	10	0.016 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>Order Guide1</u>	<u>Will help to search Order guide using Add filter button</u>	8	4	1	3	0.014 s
26	<u>Order Guide1</u>	<u>For creating OG by changing Customer Account#</u>	12	4	1	7	0.014 s
27	<u>Order Guide2</u>	<u>Test scenario for creating push order guide</u>	14	4	1	9	0.017 s
28	<u>Order Guide2</u>	<u>Test scenario for creating Par order guide</u>	14	4	1	9	0.015 s
29	<u>Order Guide2</u>	<u>Test scenario for OG creation using Market segment</u>	16	4	1	11	0.016 s
30	<u>Order Guide2</u>	<u>Test scenario for creating OG fo all customers</u>	13	4	1	8	0.016 s
31	<u>Order Guide2</u>	<u>Test scenario for creating push order guide without any valid to date</u>	14	4	1	9	0.015 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
32	<u>Order Guide2</u>	<u>Test scenario for creating customer Reference Price group base Scheduled</u>	15	4	1	10	0.016 s
33	<u>Order Guide2</u>	<u>For creating OG using National chain</u>	16	4	1	11	0.026 s
34	<u>Order Guide2</u>	<u>For creating OG using All Customer Account# from customer reference drop down</u>	14	4	1	9	0.017 s
35	<u>Order Guide2</u>	<u>Test scenario for cancel deleteing of OG</u>	8	4	1	3	0.015 s
36	<u>Order Guide2</u>	<u>Test scenario to test drag and drop functionality in OG page</u>	8	4	1	3	0.014 s
37	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.014 s
38	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.015 s
39	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.015 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.015 s
41	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.016 s
42	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.015 s
43	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.016 s
44	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.020 s
45	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.018 s
46	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.019 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
47	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.017 s
48	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.014 s
49	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.015 s
50	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.017 s
51	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.018 s
52	<u>Order Guide2</u>	<u>Deleting Order guide and verifying it in OG grid</u>	10	4	1	5	0.017 s
53	<u>Order Guide2</u>	<u>Logging out from the application</u>	8	4	1	3	0.016 s

(F)- Order Guide

FAILED	DURATION - 1 m 0.100 s	Scenarios		Steps	
/ 1:50:50.750 PM // 1:51:50.850 PM /		Total - 13		Total - 146	
		Pass - 0		Pass - 53	
		Fail - 13		Fail - 13	
		Skip - 0		Skip - 80	

(S)- Test scenario for Canceling order guide while creating



<div>FAILED</div> <div>DURATION - 57.816 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 1:50:50.760 PM // 1:51:48.576 PM /</div>				
<div>Order Guide</div>				
<div>@CancelOG</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	7.562 s
	SIGNIN BUTTON CLICKED		
2	When User is on Home Page for OG	PASSED	3.498 s
	ADMIN PAGE FOUND		
3	Then User navigate to Client side for OG	PASSED	7.021 s
	USER ICON FOUND IN ADMIN PAGE		
4	Then User should select Order Entry tab for OG	PASSED	3.806 s
	https://ignitionqad.sds.afsi.com/clientportal/apps/cpOrderEntry. html?p=Km530c8XSIYiXYABAQY6Y6JACHtTfYaSYca92kMk0eI9TOeNnC6%2bd9w%3d%3d NAVIGATED TO ORDER ENTRY PAGE		
5	Then User selects Account# for OG	PASSED	3.802 s
	CUSTOMER ACCOUNT# SELECTED IS 40035981-0-2958		
6	Given User must be on Order Entry Page to select OG	FAILED	32.020 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.		

#	Step / Hook Details	Status	Duration
	<p>arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at helper.HelpersMethod.navigate_Horizontal_Tab(HelpersMethod.java:574) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep. user_must_be_on_order_entry_page_to_select_og(OrderGuidePageStep.java:132) at ?.User must be on Order Entry Page to select OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/ OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:13) * Not displayable characters are replaced by '?'. </p>		
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGDis1"	SKIPPED	0.002 s
10	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
	4		
11	Then User click on Cancel button	SKIPPED	0.001 s
12	And User should navigate back to OG page and verify OG "OGDis1" existence when cancelled	SKIPPED	0.001 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy:</p>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<p>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)</p>		

(S)- For creation of OG using single product, sequence number and Customer reference



FAILED	DURATION - 0.048 s		Steps Total - 12 Pass - 4 Fail - 1 Skip - 7	
/ 1:51:48.830 PM // 1:51:48.878 PM /				
Order Guide				
@QuickProduct				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.005 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false,</p>		

#	Step / Hook Details	Status	Duration
	<p>browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'. </p>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.001 s
9	Then Then User enters Description "OGDis1"	SKIPPED	0.000 s
10	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
	4		
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.001 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- Test scenario for printing OG



<div>FAILED</div> <div>DURATION - 0.033 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 1:51:49.045 PM // 1:51:49.078 PM /</div>				
<div>Order Guide</div>				
<div>@PrintOG</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.001 s
5	Then User selects Account# for OG	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}},		

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'. </p>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	Then User clicks on print button	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </p>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63) </pre>		

(S)- Edit the existing OG by adding some more products



FAILED	DURATION - 0.047 s		Steps Total - 11 Pass - 4 Fail - 1 Skip - 6	
/ 1:51:49.215 PM // 1:51:49.262 PM /				
Order Guide				
@EditOrderGuide				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.006 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.001 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	And User enters multiple Quick Product number and Sequence number	SKIPPED	0.001 s
	<div>4</div> <div>6</div> <div>8</div>		
10	Then User click on Save button	SKIPPED	0.000 s
11	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.001 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63) </pre>		

(S)- Test seanrio for dragging and dropping feature in create order guide page



<div>FAILED</div> <div>DURATION - 0.033 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 1:51:49.420 PM // 1:51:49.453 PM /</div>				
<div>Order Guide</div>				
<div>@DragAndDropInCreateOG</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.006 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.001 s
9	And User must be on create OG page and "Category" the grid header	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		



(S)- Searching for product in new OG page

<div>FAILED</div> <div>DURATION - 0.043 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 1:51:49.603 PM // 1:51:49.646 PM /				
Order Guide				
@SearchForProduct				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User enters OG Description in search box	SKIPPED	0.000 s
	OGDis1		
9	And User search for Product# in New OG page	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.003 s



(S)- Deleting product from OG

<div>FAILED</div> <div>DURATION - 0.031 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 1:51:49.818 PM // 1:51:49.849 PM /</div>				
<div>Order Guide</div>				
<div>@DeleteProduct</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.001 s
5	Then User selects Account# for OG	FAILED	0.005 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	And User search for Product# in New OG page	SKIPPED	0.000 s
10	And User click on Delete button to remove product from OG	SKIPPED	0.000 s
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Clear sequence number and selecting option No from popup

<div>FAILED</div> <div>DURATION - 0.024 s</div>			<div>Steps</div> <div>Total - 11</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 1:51:49.965 PM // 1:51:49.989 PM /				
Order Guide				
@SequenceNo				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG Description in search box	SKIPPED	0.001 s
	OGDis1		
9	Then User click on More button	SKIPPED	0.000 s
10	And User selects Clear Sequence from drop down	SKIPPED	0.000 s
11	And User handles popup for clearing sequence number by selecting No	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- Clear sequence number and selecting option Yes from popup

<div>FAILED</div> <div>DURATION - 0.025 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 1:51:50.097 PM // 1:51:50.122 PM /				
Order Guide				
@SequenceYes				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.005 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.001 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG Description in search box	SKIPPED	0.000 s
	OGDis1		
9	Then User click on More button	SKIPPED	0.001 s
10	And User selects Clear Sequence from drop down	SKIPPED	0.000 s
11	And User handles popup for clearing sequence number by selecting Yes	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s

(S)- Edit sequence number of any of the product in product grid

FAILED	DURATION - 0.031 s		Steps Total - 11 Pass - 4 Fail - 1 Skip - 6	
/ 1:51:50.232 PM // 1:51:50.263 PM /				
Order Guide				
@SequenceEdit				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	And User changes sequence number in product grid of OG	SKIPPED	0.000 s
	24		
10	Then User click on Save button	SKIPPED	0.000 s
11	And User should navigate back to OG page and verify OG "OGDis1" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		



(S)- Creating OG using multiple products, from Quick product and Catalog

FAILED	DURATION - 0.021 s		Steps Total - 12 Pass - 4 Fail - 1 Skip - 7	
/ 1:51:50.363 PM // 1:51:50.384 PM /				
Order Guide				
@MultipleProdOG				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.001 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis14" Start date 1 and End date 2 day from current date	SKIPPED	0.000 s
10	And User enters multiple Product# Quick Product entry and catalog and Sequence number	SKIPPED	0.000 s
	12 Catalog		
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis14" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.003 s



(S)- Creating OG using OG

<div>FAILED</div> <div>DURATION - 0.030 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
<div>/ 1:51:50.506 PM // 1:51:50.536 PM /</div>			
<div>Order Guide</div>			
<div>@OGFromOG</div>			

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis16" Start date 2 and End date 3 day from current date	SKIPPED	0.001 s
10	Then User clicks on Add product button and select OG from drop down	SKIPPED	0.000 s
	Order guides		
11	And User should select "SampleOG" from popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis16" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.004 s



(S)- Creating OG using Order

<div>FAILED</div> <div>DURATION - 0.027 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 1:51:50.823 PM // 1:51:50.850 PM /				
Order Guide				
@OGFromOrder				



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis17" Start date 3 and End date 4 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Order from drop down	SKIPPED	0.000 s
	<div>Orders</div>		
11	And User should select Order# from Order popup	SKIPPED	0.001 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis17" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.003 s


(F)- Order Guide1

FAILED	DURATION - 1.476 s	Scenarios		Steps	
/ 1:51:50.953 PM // 1:51:52.429 PM /		Total - 13		Total - 164	
		Pass - 0		Pass - 52	
		Fail - 13		Fail - 13	
		Skip - 0		Skip - 99	

(S)- Creating OG using Catalog



<div>FAILED</div> <div>DURATION - 0.024 s</div>			Steps	
/ 1:51:50.953 PM // 1:51:50.977 PM /			Total - 13	
Order Guide1			Pass - 4	
@OGFromCatalog			Fail - 1	
			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.001 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.001 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.001 s
9	Then User enters Description "OGDis18" Start date 4 and End date 5 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.001 s
			
11	And User should select products from catalog popup	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis18" existence	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63) </pre>		

(S)- Export OG



FAILED	DURATION - 0.020 s		Steps Total - 11 Pass - 4 Fail - 1 Skip - 6	
/ 1:51:51.074 PM // 1:51:51.094 PM /				
Order Guide1				
@OGExport				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "SampleOG" Description in search box	SKIPPED	0.001 s
9	And User verifies New OG page and clicks on export button	SKIPPED	0.000 s
10	Then User click on Save button	SKIPPED	0.000 s
11	And User should navigate back to OG page and verify OG "SampleOG" existence	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- Importing OG



<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 1:51:51.189 PM // 1:51:51.206 PM /				
Order Guide1				
@OGImport				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.001 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis19" Start date 5 and End date 6 day from current date	SKIPPED	0.000 s
10	And User verifies New OG page and clicks on import button	SKIPPED	0.000 s
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page and verify OG "OGDis19" existence	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- Test scenario for changing Day of week and create OG



<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 1:51:51.299 PM // 1:51:51.317 PM /				
Order Guide1				
@OGDayOfWeek				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "DayOfWeek" Start date 6 and End date 7 day from current date	SKIPPED	0.000 s
10	And User selects Day of week from drop down	SKIPPED	0.001 s
11	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
	4		
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page, verify OG "DayOfWeek" existence and verify that Week of day is selected	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- Creating OG using Catalog, by adding multiple product to OG, through search box



<div><div>FAILED</div><div>DURATION - 0.020 s</div></div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 1:51:51.410 PM // 1:51:51.430 PM /				
Order Guide1				
@MultipleProdCatalog				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)			

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "OGDis20" Start date 7 and End date 8 day from current date	SKIPPED	0.000 s
10	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.000 s
	Catalog		
11	And User should select products from catalog popup to add muliple products	SKIPPED	0.000 s
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGDis20" existence	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)		

#	Step / Hook Details	Status	Duration
	at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- Test scenario for creating Historical order guide



<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 1:51:51.528 PM // 1:51:51.545 PM /				
Order Guide1				
@OGHistorical				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)			

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.001 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "OGHist" and End date	SKIPPED	0.001 s
10	Then User selects type of OG from drop down to select historical OG	SKIPPED	0.000 s
	Historical		
11	And User enters Quick Product number and Sequence number	SKIPPED	0.001 s
	4		
12	Then User click on Save button	SKIPPED	0.000 s
13	And User should navigate back to OG page and verify OG "OGHist" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- Test scenario for deleting customer allocation to National chain



<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 1:51:51.634 PM // 1:51:51.649 PM /				
Order Guide1				
@ChangeCustomerAllocationLocalChain				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "DayOfWeek" Description in search box	SKIPPED	0.000 s
9	And User should navigate to CustomerAllocation tab	SKIPPED	0.000 s
10	Then Select CustomerAllocation check box and click on Delete button	SKIPPED	0.000 s
11	Then User Clicks on Plus button and select "National chain" from drop down	SKIPPED	0.000 s
12	Then User should navigate back to Product tab in OG	SKIPPED	0.000 s
13	And User validates that previously added products are removed from product grid	SKIPPED	0.000 s
14	And User enters Quick Product number and Sequence number	SKIPPED	0.001 s
	4		
15	Then User click on Save button	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63) </pre>		

(S)- Test scenario for changing Customer Account# and create OG



<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 1:51:51.734 PM // 1:51:51.752 PM /				
Order Guide1				
@ChangeAccountAndCreateOG				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.001 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User Clicks on Customer Account_No button and select other Customer Account_No	SKIPPED	0.000 s
9	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
10	Then Then User enters Description "OGDis14"	SKIPPED	0.001 s
11	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
	4		
12	Then User click on Save button	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- Test scenario for deleting Customer allowcation



<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 17</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 12</div>	
/ 1:51:51.855 PM // 1:51:51.873 PM /				
Order Guide1				
@DeleteCustomerAllocation				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG "OGDis14" Description in search box	SKIPPED	0.000 s
9	And User should navigate to CustomerAllocation tab	SKIPPED	0.001 s
10	Then Select CustomerAllocation check box and click on Delete button	SKIPPED	0.000 s
11	Then User Clicks on Plus button and select value from drop down	SKIPPED	0.001 s
	Customers		
12	And User verify popup appears and enter account# in search box	SKIPPED	0.000 s
13	Then Select customer account# and verify that account# is added	SKIPPED	0.000 s
14	Then User should navigate back to Product tab in OG	SKIPPED	0.000 s
15	And User validates that previously added products are removed from product grid	SKIPPED	0.001 s
16	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
	4		
17	Then User click on Save button	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63) </pre>		

(S)- Test scenario to convert active OG to expired OG



FAILED	DURATION - 0.015 s		Steps Total - 10 Pass - 4 Fail - 1 Skip - 5	
/ 1:51:51.975 PM // 1:51:51.990 PM /				
Order Guide1				
@ActiveToExpired				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User enters OG "OGDis1" Description in search box	SKIPPED	0.000 s
9	And User selects end date as past date	SKIPPED	0.000 s
10	Then User should navigate back to OG page and verify OG "OGDis1" by selecting status as expired	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63) </pre>		

(S)- For creating OG using local chain



FAILED	DURATION - 0.016 s		Steps Total - 15 Pass - 4 Fail - 1 Skip - 10	
/ 1:51:52.210 PM // 1:51:52.226 PM /				
Order Guide1				
@OGLocalChain				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	Local chain		
9	And Check for popup to appear to select sub customer reference	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference input box to verify the OG created	SKIPPED	0.000 s
	Local chain		
12	Then Then User enters Description "LocalChain1" and End date	SKIPPED	0.000 s
13	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.001 s
	Catalog		
14	And User should select products from catalog popup	SKIPPED	0.000 s
15	Then User click on Save button	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63) </pre>		

(S)- Will help to search Order guide using Add filter button



FAILED	DURATION - 0.014 s		Steps Total - 8 Pass - 4 Fail - 1 Skip - 3	
/ 1:51:52.313 PM // 1:51:52.327 PM /				
Order Guide1				
@OGAddFilter				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: </pre>		

#	Step / Hook Details	Status	Duration
	<p>33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </p>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User click on AddFilter button and handle different popup	SKIPPED	0.000 s
	Type Regular		
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) </p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- For creating OG by changing Customer Account#



FAILED	DURATION - 0.014 s		Steps Total - 12 Pass - 4 Fail - 1 Skip - 7	
/ 1:51:52.415 PM // 1:51:52.429 PM /				
Order Guide1				
@VerifyOGExistence				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.002 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.001 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then Then User enters Description "CustChange" and End date	SKIPPED	0.000 s
10	And User enters Quick Product number and Sequence number	SKIPPED	0.001 s
	4		
11	Then User click on Save button	SKIPPED	0.000 s
12	And User should navigate back to OG page change account# and verify OG "CustChange" existence	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(F)- Order Guide2

FAILED	DURATION - 3.249 s	Scenarios		Steps	
/ 1:51:52.534 PM // 1:51:55.783 PM /		Total - 27		Total - 300	
		Pass - 0		Pass - 108	
		Fail - 27		Fail - 27	
		Skip - 0		Skip - 165	

(S)- Test scenario for creating push order guide



<div>FAILED</div> <div>DURATION - 0.017 s</div>			Steps	
/ 1:51:52.534 PM // 1:51:52.551 PM /			Total - 14	
Order Guide2			Pass - 4	
@OGPush			Fail - 1	
		Skip - 9		

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741},		

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'. </p>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "Push OG" Start date 8 and End date 9 day from current date	SKIPPED	0.000 s
10	Then Then User enters Description "Push OG" and End date	SKIPPED	0.001 s
11	Then User selects type of OG from drop down	SKIPPED	0.000 s
	Push		
12	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
	4		
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "Push OG" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.002 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData...,</p>		

#	Step / Hook Details	Status	Duration
	<p>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)</p>		

(S)- Test scenario for creating Par order guide



<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 1:51:52.639 PM // 1:51:52.654 PM /				
Order Guide2				
@OGPar				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:</p>		

#	Step / Hook Details	Status	Duration
	<p>[33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'. </p>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "Par OG" Start date 15 and End date 16 day from current date	SKIPPED	0.000 s
10	Then Then User enters Description "Par OG" and End date	SKIPPED	0.001 s
11	Then User selects type of OG from drop down	SKIPPED	0.000 s
	Par Orders		
12	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s
	4		
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "Par OG" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.		

#	Step / Hook Details	Status	Duration
	<p>arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)</p>		

(S)- Test scenario for OG creation using Market segment



<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 11</div>	
/ 1:51:52.743 PM // 1:51:52.759 PM /				
Order Guide2				
@MarketSegment				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'. </p>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.001 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	Market segment		
9	And Check for popup to appear to select sub customer reference for market segment	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference input box to verify the OG created	SKIPPED	0.000 s
	Market segment		
12	Then Then User enters Description "MarketOG" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "Market segment" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	Catalog		
15	And User should select products from catalog popup	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.002 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)</p>		



(S)- Test scenario for creating OG fo all customers

FAILED		DURATION - 0.016 s			<div>Steps</div> <div>Total - 13</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 8</div> <div></div>
/ 1:51:52.847 PM // 1:51:52.863 PM /					
Order Guide2					
@AllOG					

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'. 4	FAILED	0.003 s
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "AllOrder" Start date 10 and End date 11 day from current date	SKIPPED	0.000 s
10	Then Then User enters Description "AllOrder" and clicks on All order check box	SKIPPED	0.000 s
11	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then User click on Save button	SKIPPED	0.001 s
13	And User should navigate back to OG page and verify OG "AllOrder" existence	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)</p>	FAILED	0.002 s

(S)- Test scenario for creating push order guide without any valid to date



FAILED	DURATION - 0.015 s		Steps Total - 14 Pass - 4 Fail - 1 Skip - 9	
/ 1:51:52.950 PM // 1:51:52.965 PM /				
Order Guide2				
@PushOGWithoutValidToDate				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'. </p>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
9	Then User enters Description "Push OG1" Start date 12 and No selection of end date	SKIPPED	0.001 s
10	Then Then User enters Description "Push OG1" and End date	SKIPPED	0.000 s
11	Then User selects type of OG from drop down	SKIPPED	0.000 s
	<div>Push</div>		
12	And User enters Quick Product number and Sequence number	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	4		
13	Then User click on Save button	SKIPPED	0.000 s
14	And User should navigate back to OG page and verify OG "Push OG1" existence	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.002 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)</p>		



(S)- Test scenario for creating customer Reference Price group base Scheduled

FAILED		DURATION - 0.016 s			Steps Total - 15 Pass - 4 Fail - 1 Skip - 10	
/ 1:51:53.054 PM // 1:51:53.070 PM /						
Order Guide2						
@ReferencePriceGroup						

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG <div>Price group - base schedule</div>	SKIPPED	0.000 s
9	And Check for popup to appear to select sub customer reference	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	Then Then User enters Description "PriceBaseOG" and End date	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	And User should make sure that customer reference "Price group - base schedule" is same as of selected in OG page	SKIPPED	0.000 s
13	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.000 s
	Catalog		
14	And User should select products from catalog popup	SKIPPED	0.000 s
15	Then User click on Save button	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.002 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)</p>		

(S)- For creating OG using National chain



<div>FAILED</div> <div>DURATION - 0.026 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 11</div>	
/ 1:51:53.162 PM // 1:51:53.188 PM /				
Order Guide2				
@OGNationalChain				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	National chain		
9	And Check for popup to appear to select sub customer reference for National chain	SKIPPED	0.000 s
10	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.000 s
11	And User validates Customer reference input box to verify the OG created	SKIPPED	0.000 s
	National chain		
12	Then Then User enters Description "NationalChain1" and End date	SKIPPED	0.000 s
13	And User should make sure that customer reference "National chain" is same as of selected in OG page	SKIPPED	0.000 s
14	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.000 s
	Catalog		
15	And User should select products from catalog popup	SKIPPED	0.000 s
16	Then User click on Save button	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)		

(S)- For creating OG using All Customer Account# from customer reference drop down



<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 1:51:53.276 PM // 1:51:53.293 PM /				
Order Guide2				
@AllCustomerAccount#				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	Then User clicks on Create new button and should navigate to New OG page	SKIPPED	0.001 s
10	Then User enters Description "AllCustomer1" Start date 13 and End date 14 day from current date and validate all customer check box	SKIPPED	0.000 s
11	And User should make sure that customer reference "All customer accounts #" is same as of selected in OG page	SKIPPED	0.000 s
12	Then User clicks on Add product button and select Catalog from drop down	SKIPPED	0.000 s
	Catalog		
13	And User should select products from catalog popup	SKIPPED	0.000 s
14	Then User click on Save button	SKIPPED	0.001 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63) </pre>		



(S)- Test scenario for cancel deleteing of OG

<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 3</div>	
<div>/ 1:51:53.564 PM // 1:51:53.579 PM /</div>				
<div>Order Guide2</div>				
<div>@OGDeleteCancel</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115) at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'. </pre>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User enters OG Description "OGDis16" in search box and Delete cancel the OG verify same in OG grid	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63) </pre>	FAILED	0.002 s



(S)- Test scenario to test drag and drop functionality in OG page

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:51:53.671 PM // 1:51:53.685 PM /				
Order Guide2				
@DragAndDropInOGPage				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should select header in OG grid for "Status" functionality	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.001 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:53.773 PM // 1:51:53.787 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	<p>at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9)</p> <p>* Not displayable characters are replaced by '?'. </p>		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "OGDis14" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	<p>AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)</p>	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div>	<div>DURATION - 0.015 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:51:53.874 PM // 1:51:53.889 PM /</div>				
<div>Order Guide2</div>				
<div>@OGDelete</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "OGDis16" in search box and Delete the OG verify same in OG grid	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div>	<div>DURATION - 0.015 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:51:53.975 PM // 1:51:53.990 PM /</div>				
<div>Order Guide2</div>				
<div>@OGDelete</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.001 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "OGDis17" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:54.078 PM // 1:51:54.093 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.001 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "OGDis18" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.001 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:54.179 PM // 1:51:54.195 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.001 s
10	Then User enters OG Description "OGDis19" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div>	<div>DURATION - 0.015 s</div>		<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:54.283 PM // 1:51:54.298 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "OGDis20" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:54.413 PM // 1:51:54.429 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "OGHist" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.020 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:54.560 PM // 1:51:54.580 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.005 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "Par OGPar OG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:54.870 PM // 1:51:54.888 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.001 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.001 s
10	Then User enters OG Description "Push OGPush OG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div>	<div>DURATION - 0.019 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:51:54.977 PM // 1:51:54.996 PM /</div>				
<div>Order Guide2</div>				
<div>@OGDelete</div>				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "Push OG1Push OG1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.001 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.004 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:55.117 PM // 1:51:55.134 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "AllOrderAllOrder" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.003 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:55.220 PM // 1:51:55.234 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "AllCustomer1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.001 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:55.320 PM // 1:51:55.335 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.001 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "NationalChain1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:55.421 PM // 1:51:55.438 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.000 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.001 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.001 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "LocalChain1" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:55.544 PM // 1:51:55.562 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.001 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "MarketOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s



(S)- Deleting Order guide and verifying it in OG grid

<div>FAILED</div>	<div>DURATION - 0.017 s</div>		<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:55.657 PM // 1:51:55.674 PM /				
Order Guide2				
@OGDelete				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeature2.feature:9) * Not displayable characters are replaced by '?'.		
6	Given User must be on Order Entry Page to select OG	SKIPPED	0.000 s
7	And User should navigate to OG	SKIPPED	0.000 s
8	Then User should click on Customer Reference drop down and select type of OG	SKIPPED	0.000 s
	All customer accounts #		
9	And User removes filter from OG page	SKIPPED	0.000 s
10	Then User enters OG Description "PriceBaseOG" in search box and Delete the OG verify same in OG grid	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s

(S)- Logging out from the application

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 1:51:55.767 PM // 1:51:55.783 PM /				
Order Guide2				
@LogoutOG				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials for OG	PASSED	0.001 s
2	When User is on Home Page for OG	PASSED	0.000 s
3	Then User navigate to Client side for OG	PASSED	0.000 s
4	Then User should select Order Entry tab for OG	PASSED	0.000 s
5	Then User selects Account# for OG	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56741/devtoo..., se.cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at helper.HelpersMethod.returnDocumentStatus(HelpersMethod.java:712) at pages_DSD_OMS.orderEntry.OrderEntryPage.ChangeAccount(OrderEntryPage.java:253) at stepDefination_DSD_OMS.OrderGuidePage.OrderGuidePageStep.user_selects_accountForOG(OrderGuidePageStep.java:115)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User selects Account# for OG(file:///C:/Users/Divya.Ramadas/Documents/Git_repo/ignition-qa/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/OrderGuideFeature/orderGuideFeatureEnd.feature:8) * Not displayable characters are replaced by '?'.		
6	And Refresh the page if any dialog box is displayed	SKIPPED	0.001 s
7	Then Click on user Icon on Order Entry page	SKIPPED	0.000 s
8	And Click on Logout on Order Entry page	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.132) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33bbfe74cb0f089b7afe94e1242e83b2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\Divya.Ramadas\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56741/devtoo..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33bbfe74cb0f089b7afe94e1242e83b2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at stepDefination_DSD_OMS.LoginPageStep.afterScenario1(LoginPageStep.java:63)	FAILED	0.002 s