

# Cucumber Report

13-May-2024, 12:50:13 am

**Start : May 13, 12:45:00.809 am**

**End : May 13, 12:50:11.814 am**

**Duration : 5 m 11.005 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 12**



**FAILED - 7**


**SKIPPED - 0**

**PASSED - 132**


**FAILED - 7**

**SKIPPED - 28**







#	Feature Name	T	P	F	S	Duration
1	Customer Inq in ERP	19	12	7	0	5 m 11.005 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Customer Inq in ERP</u>	<u>Test scenario for creating new Main details, in Customer inq</u>	7	7	0	0	1 m 8.172 s
2	<u>Customer Inq in ERP</u>	<u>Test scenario for creating new AR Rule details, in Customer inq</u>	7	7	0	0	11.643 s
3	<u>Customer Inq in ERP</u>	<u>Test scenario for entering values for Credit, in Customer inq</u>	7	7	0	0	11.445 s
4	<u>Customer Inq in ERP</u>	<u>Test scenario for entering values for Billing info, in Customer inq</u>	7	7	0	0	9.690 s
5	<u>Customer Inq in ERP</u>	<u>Test scenario for entering values for Billing info, in Customer inq</u>	7	7	0	0	14.889 s
6	<u>Customer Inq in ERP</u>	<u>Test scenario for entering values for Billing info, in Customer inq</u>	7	7	0	0	7.489 s
7	<u>Customer Inq in ERP</u>	<u>Test scenario for entering values for Order Entry, in Customer inq</u>	7	7	0	0	9.465 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Customer Inq in ERP</u>	<u>Test scenario for entering values for Shipping, in Customer inq</u>	7	7	0	0	6.259 s
9	<u>Customer Inq in ERP</u>	<u>Test scenario for entering values for Ignition, before that save all the values entered under all tabs, in Customer inq</u>	14	14	0	0	2 m 7.411 s
10	<u>Customer Inq in ERP</u>	<u>Test scenario for creating multiple Standing PO</u>	12	8	1	3	9.052 s
11	<u>Customer Inq in ERP</u>	<u>Test scenario for editing Standing PO</u>	10	3	1	6	0.592 s
12	<u>Customer Inq in ERP</u>	<u>Test scenario for Deleting Standing PO</u>	7	7	0	0	0.050 s
13	<u>Customer Inq in ERP</u>	<u>Test scenario for creating copy of customer inq</u>	7	6	1	0	2.949 s
14	<u>Customer Inq in ERP</u>	<u>Test scenario for adding note to customer inq (ERP)</u>	9	6	1	2	0.287 s
15	<u>Customer Inq in ERP</u>	<u>Test scenario for canceling copy of Customer inq</u>	7	7	0	0	0.062 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Customer Inq in ERP</u>	<u>Test scenario for verifying System default real time changes in Payment processing drop down</u>	9	7	1	1	13.034 s
17	<u>Customer Inq in ERP</u>	<u>Test scenario for adding note to customer inq in DSD</u>	12	6	1	5	0.222 s
18	<u>Customer Inq in ERP</u>	<u>Test scenario for canceling Customer inq creation</u>	15	3	1	11	0.476 s
19	<u>Customer Inq in ERP</u>	<u>Test scenario for creating copy of customer inq for existing customer</u>	9	9	0	0	13.904 s

**(F)- Customer Inq in ERP**

<b>FAILED</b>	<b>DURATION - 5 m 11.005 s</b>	Scenarios		Steps	
/ 12:45:00.809 am // 12:50:11.814 am /		Total - 19		Total - 167	
		Pass - 12		Pass - 132	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 28	



**(S)- Test scenario for creating new Main details, in Customer inq**

<div><div>PASSED</div><div>DURATION - 1 m 8.172 s</div></div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:45:00.814 am // 12:46:08.986 am /</div>			
<div>Customer Inq in ERP</div>			
<div>@MainCustInq</div>			

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	34.404 s
	SIGNIN BUTTON CLICKED		
2	When User is on Home Page for Customer inq ERP	PASSED	0.110 s
	ADMIN PAGE OR ORDER ENTRY PAGE HAS BEEN FOUND		
3	Then User navigate to Client side for Customer inq ERP	PASSED	19.828 s
	USER ICON FOUND IN ADMIN PAGE		
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.034 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.033 s
6	Then User click on New button in ERP Customer Inq	PASSED	2.501 s
7	And User enters value to all the input box in Main page	PASSED	11.163 s
	FIRST NAME ENTERED IS TpcpwJClmsTpcpwJClms		
	LAST NAME ENTERED IS TUpXQEiUhgTUpXQEiUhg		
	STORE NUMBER ENTERED IS 94712720399471272039		
	LOOK UP INFORMATION ENTERED IS BYvEbnpFfvBYvEbnpFfv		
	ADDRESS1 ENTERED IS amAFiEfYIxRsaZDsZgMUamAFiEfYIxRsaZDsZgMU		

#	Step / Hook Details	Status	Duration
	ADDRESS2 ENTERED IS iSMrWTntYjFHSAPoWafWiSMrWTntYjFHSAPoWafW CITY NAME ENTERED IS NvftOhEvEqioHBBEpMtNNvftOhEvEqioHBBEpMtN VALUE SELECTED FROM COUNTY DROP DOWN IS WASHINGTON ZIP NUMBER ENTERED IS 710595569771 VALUE SELECTED FROM STATE DROP DOWN IS NEBRASKA TELEPHONE NUMBER ENTERED IS 520-928-4871 FAX NUMBER ENTERED IS 454-959-5556 WEB SITE NAME ENTERED IS https://www.6u4m4e49ksg.com VALUE SELECTED FROM LANGUAGE DROP DOWN IS ENGLISH VALUE SELECTED FROM VENDOR DROP DOWN IS MATT RODWELL PRIMARY CONTACT NAME ENTERED IS KysKKEiBBFjoSRJeYwjaKysKKEiBBFjoSRJeYwja PRIMARY CONTACT TITLE ENTERED IS ckmThgypnzrfaUQUnzwGckmThgypnzrfaUQUnzwG PRIMARY CONTACT NAME ENTERED IS 824-528-6903 EMAIL ADDRESS ENTERED IS B@gmail.com		



### (S)- Test scenario for creating new AR Rule details, in Customer inq

<div>PASSED</div> <div>DURATION - 11.643 s</div>		Steps	
/ 12:46:09.248 am // 12:46:20.891 am /		Total - 7	
Customer Inq in ERP		Pass - 7	
@ARRules		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.025 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.000 s
7	And User navigate to AR Rules tab and User enters value to all the input box in AR Rules page	PASSED	11.587 s
	VALUE SELECTED FROM MARKET SEGMENT DROP DOWN IS LAST PO VALUE SELECTED FROM CURRENCY CODE DROP DOWN IS UNITED STATES DOLLAR VALUE SELECTED FROM EXCHANGE RATE DROP DOWN IS UNITED STATES DOLLAR VALUE SELECTED FROM BILL TO CUSTOMER DROP DOWN IS BLAKE VALUE SELECTED FROM REMIT TO CODE DROP DOWN IS MEDOSWEET FARMS, INC.		

#	Step / Hook Details	Status	Duration
	VALUE SELECTED FROM CASH GROUP CODE DROP DOWN IS CCR-CUPCAKE ROYALE VALUE SELECTED FROM APPLICATION METHOD DROP DOWN IS Auto Apply without Disputed Invoice VALUE SELECTED FROM STATEMENT TO DROP DOWN IS BLAKE VALUE SELECTED FROM STATEMENT TO DROP DOWN IS Monthly VALUE SELECTED FROM STATEMENT TO DROP DOWN IS Thursday VALUE SELECTED FROM STATEMENT TO DROP DOWN IS Open Item Invoice with Balances Only		



### (S)- Test scenario for entering values for Credit, in Customer inq

<div>PASSED</div> <div>DURATION - 11.445 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:46:21.110 am // 12:46:32.555 am /</div>			
<div>Customer Inq in ERP</div>			
<div>@Credit</div>			

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.014 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.021 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.000 s
7	And User navigate to Credit tab and User enters value to all the input box in Credit page  VALUE SELECTED FROM STATUS DROP DOWN IS Inactive VALUE SELECTED FROM DEFAULT BRANCH DROP DOWN IS LAST PO VALUE SELECTED FROM DEFAULT WAREHOUSE DROP DOWN IS Kent Whs VALUE SELECTED FROM CREDIT TO COMPANY DROP DOWN IS AFSIgnitionqa01 Medosweet DB VALUE SELECTED FROM CREDIT TO COMPANY DROP DOWN IS BLAKE CREDIT ENTERED IS 279,822,177,627,982 MEMO LIMIT ENTERED IS 702,117,826,070,211 VALUE SELECTED FROM CREDIT TO COMPANY DROP DOWN IS INFORMATION HOLD VALUE SELECTED FROM CREDIT TO COMPANY DROP DOWN IS NET 30 Email VALUE SELECTED FROM SERVICE CHARGE DROP DOWN IS Another Charge VALUE SELECTED FROM SERVICE CHARGE DROP DOWN IS ROBIN THAMERT CURRENT DATE HAS BEEN SELECTED AS REVIEW DATE Friday, May 17, 2024 HAS BEEN SELECTED AS NEXT REVIEW DATE	PASSED	11.392 s





**(S)- Test scenario for entering values for Billing info, in Customer inq**

<div>PASSED</div> <div>DURATION - 9.690 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 12:46:32.787 am // 12:46:42.477 am /</div>			
<div>Customer Inq in ERP</div>			
<div>@BillingInfo</div>			



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.027 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.000 s
7	And User navigate to Billing Info tab and User enters value to all the input box in Billing Info page	PASSED	9.643 s
	INVOICE COPY ENTERED IS 72401 VALUE SELECTED FROM SALES TAX DROP DOWN IS RESALE CERT ON FILE TACOMA LEGAL NAME ENTERED IS yhXPAGyfmmyhXPAGyfm DB NAME ENTERED IS pzCTgXeNeRpzCTgXeNeR DUN AND BRAND STREET ENTERED IS EPFpACTjssEPFpACTjss DB RATING ENTERED IS 11 ADDRESS1 ENTERED IS ajOjwFqkTnTHkCHbOAbGajOjwFqkTnTHkCHbOAbG ADDRESS2 ENTERED IS ISQnWhOennarPxqcDrZQISQnWhOennarPxqcDrZQ ADDRESS3 ENTERED IS BTmkHhtuShGJReDKSaepBTmkHhtuShGJReDKSaep ADDRESS4 ENTERED IS RoVfnHWOyNluVbqlEpSaRoVfnHWOyNluVbqlEpSa ADDRESS2 ENTERED IS FXrdCWuGUvFXrdCWuGUv ADDRESS2 ENTERED IS mYvEFLnzZHwtGdJPMCPzmYvEFLnzZHwtGdJPMCPz VALUE SELECTED FROM BILL TO COUNTRY DROP DOWN IS WASHINGTON ZIP NUMBER ENTERED IS 379868844099 VALUE SELECTED FROM SALES TAX DROP DOWN IS NEBRASKA TELEPHONE NUMBER ENTERED IS 238-577-2346 FAX NUMBER ENTERED IS 389-352-0562		

**(S)- Test scenario for entering values for Billing info, in Customer inq**

<div>PASSED</div> <div>DURATION - 14.889 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:46:42.684 am // 12:46:57.573 am /</div>			
<div>Customer Inq in ERP</div>			
<div>@Marketing</div>			



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.027 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.001 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.000 s
7	And User navigate to Marketing tab and User enters value to all the input box in Marketing page  VALUE SELECTED FROM SALES REP DROP DOWN IS FLINTOFF VALUE SELECTED FROM SALES REP2 DROP DOWN IS FLINTOFF VALUE SELECTED FROM SALES REP3 DROP DOWN IS FLINTOFF VALUE SELECTED FROM BROKER DROP DOWN IS ANDREW SCOTT VALUE SELECTED FROM BROKER2 DROP DOWN IS ANDREW SCOTT VALUE SELECTED FROM BROKER3 DROP DOWN IS ANDREW SCOTT VALUE SELECTED FROM FOB Code DROP DOWN IS MEDOSWEET DOCK/DESTINATION THERE ARE NO OPTIONS OTHER THAN 'None' VALUE SELECTED FROM REGION CODE DROP DOWN IS None THERE ARE NO OPTIONS OTHER THAN 'None' VALUE SELECTED FROM TERRITORY DROP DOWN IS None THERE ARE NO OPTIONS OTHER THAN 'None' VALUE SELECTED FROM ORIGIN CODE DROP DOWN IS None VALUE SELECTED FROM SALES ANALYSIS CUST DROP DOWN IS BLAKE FIRST NAME ENTERED IS PfeydUUMnsPfeydUUMns VALUE SELECTED FROM LOCAL CHAIN DROP DOWN IS AN XUYEN VALUE SELECTED FROM NATIONAL CHAIN DROP DOWN IS COFFEE SM THERE ARE NO OPTIONS OTHER THAN 'None' VALUE SELECTED FROM PRICE GROUP DROP DOWN IS None	PASSED	14.828 s

**(S)- Test scenario for entering values for Billing info, in Customer inq**

<div>PASSED</div> <div>DURATION - 7.489 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:46:57.771 am // 12:47:05.260 am /</div>			
<div>Customer Inq in ERP</div>			
<div>@Pricing</div>			



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.001 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.019 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.000 s
7	And User navigate to Pricing tab and User enters value to all the input box in Pricing page	PASSED	7.444 s
	VALUE SELECTED FROM PRICING CUSTOMER DROP DOWN IS BLAKE VALUE SELECTED FROM SALES REP DROP DOWN IS PRICE LEVEL 01 VALUE SELECTED FROM SALES REP DROP DOWN IS PRICE LEVEL 01 CURRENT DATE HAS BEEN SELECTED AS LAST NOTIFICATION DATE VALUE SELECTED FROM AIM PRICING DROP DOWN IS No AIM, but track for future AIM THERE ARE NO OPTIONS OTHER THAN 'None' VALUE SELECTED FROM RETAIL PRICE DROP DOWN IS None VALUE SELECTED FROM SHELF TAGS DROP DOWN IS Retail Prices Included		

**(S)- Test scenario for entering values for Order Entry, in Customer inq**

<div>PASSED</div> <div>DURATION - 9.465 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:47:05.460 am // 12:47:14.925 am /</div>			
<div>Customer Inq in ERP</div>			
<div>@OrderEntry</div>			

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.020 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.000 s
7	And User navigate to Order entry tab and User enters value to all the input box in Order entry page	PASSED	9.419 s
	DELIVERY CONTACT ENTERED IS AJnpqftLvbAJnpqftLvb FIRST NAME ENTERED IS rpvDeaxbLxrpvDeaxbLx TELEPHONE NUMBER ENTERED IS 080-717-4798 EMAIL ADDRESS ENTERED IS T@gmail.com VALUE SELECTED FROM DEFAULT ORDER TYPE DROP DOWN IS ROUTE TRUCK INVENTORY VALUE SELECTED FROM AUTHORIZED PRODUCTS DROP DOWN IS Contract Items THERE ARE NO OPTIONS OTHER THAN 'None' VALUE SELECTED FROM DEFAULT CIG UOM DROP DOWN IS None THERE ARE NO OPTIONS OTHER THAN 'None' VALUE SELECTED FROM PRE PRICE DROP DOWN IS None ALLOCATION RANK ENTERED IS rpvDeaxbLxrpvDeaxbLx FIRST NAME ENTERED IS VKmwWLmqYGVKmwWLmqYG VALUE SELECTED FROM BACK ORDER CANCEL DROP DOWN IS BACK ORDER TO DATE VALUE SELECTED FROM SALES REP DROP DOWN IS ORDER MINIMUM 100		



### (S)- Test scenario for entering values for Shipping, in Customer inq

PASSED	DURATION - 6.259 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:47:15.131 am // 12:47:21.390 am /				
Customer Inq in ERP				
@Shipping				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.001 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.024 s

#	Step / Hook Details	Status	Duration
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.001 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.000 s
7	And User navigate to Shipping tab and User enters value to all the input box in Shipping page	PASSED	6.215 s
	DELIVERY CONTACT ENTERED IS 0 DELIVERY DISTANCE Mi ENTERED IS ZSxHWnnlbOZSxHWnnlbO DELIVERY DISTANCE Km ENTERED IS ZigYzIFYSIZigyZIFYSI GPS LONGITUDE ENTERED IS vKQrrIRynlvKQrrIRynl GPS LONGITUDE ENTERED IS zklrrxyVyoZklrrxyVyo THERE ARE NO OPTIONS OTHER THAN 'None' FREIGHT ZONE DROP DOWN IS None FREIGHT METHOD DROP DOWN IS No Freight FREIGHT BASE DROP DOWN IS Actual Shipped Weight/Volume		



### (S)- Test scenario for entering values for Ignition, before that save all the values entered under all tabs, in Customer inq

PASSED		DURATION - 2 m 7.411 s			Steps Total - 14 Pass - 14 Fail - 0 Skip - 0	
/ 12:47:21.570 am // 12:49:28.981 am /						
Customer Inq in ERP						
@Ignition						


#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.020 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.001 s
7	Then User clicks on Save button before adding values to ignition	PASSED	7.253 s
	VALUE ENTERED FOR BILLING# 0354080941 CUSTOMER DESCRIPTION ENTERED IS: TpcpwJCImS TUpXQEiUhg		
8	And User navigate to Ignition tab in ERP	PASSED	1.696 s
9	Then User clicks on Create new button and standing PO popup appeared	PASSED	0.529 s

#	Step / Hook Details	Status	Duration
10	And User selects 1 day from current date and 2 day from end date and Select Payment processing Tuesday, May 14, 2024 HAS BEEN SELECTED AS START DATE FOR STANDING ORDER Wednesday, May 15, 2024 HAS BEEN SELECTED AS END DATE FOR STANDING ORDER	PASSED	8.661 s
11	Then PO has been saved in ERP	PASSED	0.185 s
12	Then User selects time for order time for different days HOURS SELECTED IS 2 MINITS SELECTED IS 48 HOURS SELECTED IS 6 MINITS SELECTED IS 16 HOURS SELECTED IS 4 MINITS SELECTED IS 28 HOURS SELECTED IS 8 MINITS SELECTED IS 31 HOURS SELECTED IS 2 MINITS SELECTED IS 21 HOURS SELECTED IS 9 MINITS SELECTED IS 1 HOURS SELECTED IS 9 MINITS SELECTED IS 33	PASSED	1 m 16.090 s
13	And User selects Order taker from drop down	PASSED	15.231 s
14	Then User clicks on Save button SAVE BUTTON HAS BEEN CLICKED	PASSED	17.727 s



**(S)- Test scenario for creating multiple Standing PO**

<b>FAILED</b>	<b>DURATION - 9.052 s</b>		<b>Steps</b> Total - 12 Pass - 8 Fail - 1 Skip - 3	
/ 12:49:29.246 am // 12:49:38.298 am /				
Customer Inq in ERP				
@MultipleStandingPO				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.025 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.001 s
6	And User navigate to Ignition tab in ERP	PASSED	0.000 s
7	Then User clicks on Create new button and standing PO popup appeared	PASSED	0.475 s
8	And User selects 3 day from current date and 4 day from end date and Select Payment processing Thursday, May 16, 2024 HAS BEEN SELECTED AS START DATE FOR STANDING ORDER Friday, May 17, 2024 HAS BEEN SELECTED AS END DATE FOR STANDING ORDER	PASSED	8.202 s
9	Then PO has been saved in ERP  java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at pages_DSD_OMS.customerInquiry_ERP.CustomerInquiryPageERP.validateSaveConfirmationPopup(CustomerInquiryPageERP.java:351) at stepDefination_DSD_OMS.CustomerInqPage_ERPSteps.CustomerInqStep_ERP.poHasBeenSavedInERP(CustomerInqStep_ERP.java:475) at ?.PO has been saved in ERP(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/CustomerInqFeature_ERPFeature/customerInqfeatureErp.feature:86) * Not displayable characters are replaced by '?'.  	FAILED	0.034 s
10	Then User clicks on Create new button and standing PO popup appeared	SKIPPED	0.000 s
11	And User selects 5 day from current date and 6 day from end date and Select Payment processing	SKIPPED	0.000 s
12	Then PO has been saved in ERP	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.295 s
	Test scenario for creating multiple Standing PO		
			

**(S)- Test scenario for editing Standing PO**



<div>FAILED</div> <div>DURATION - 0.592 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 12:49:38.579 am // 12:49:39.171 am /				
Customer Inq in ERP				
@EditStandingPO				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP  org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b81d1a4d2e5859f61a9c6bb18ed653ed, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.201 (46cf136d27d..., userDataDir: C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60845}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60845/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b81d1a4d2e5859f61a9c6bb18ed653ed at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1163) at pages_DSD_OMS.customerInquiry_ERP.CustomerInquiryPageERP.removeDialogBoxIfAny(CustomerInquiryPageERP.java:89)	FAILED	0.407 s



#	Step / Hook Details	Status	Duration
	at stepDefination_DSD_OMS.CustomerInqPage_ERPSteps.CustomerInqStep_ERP. userMustBeOnClientSideAndSelectCustomerInqInERP(CustomerInqStep_ERP.java:104) at ?.User must be on Client side and select Customer Inq in ERP(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/ OMS_Automation/src/test/resources/features_DSD_OMS/CustomerInqFeature_ERPFeature/customerInqfeatureErp.feature:93) * Not displayable characters are replaced by '?'.		
5	When User should confirm that he is in Customer Inq in ERP	SKIPPED	0.000 s
6	And User navigate to Ignition tab in ERP	SKIPPED	0.000 s
7	Then User enters PO in search box and user should make sure that PO details displayed in grid	SKIPPED	0.000 s
8	And User should be able to select the PO details and edit end date as 16 days	SKIPPED	0.000 s
9	Then User changes PO value	SKIPPED	0.000 s
10	Then User clears search bar in ignition tab	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.167 s
	Test scenario for editing Standing PO		
			



**(S)- Test scenario for Deleting Standing PO**

<div><div>PASSED</div><div>DURATION - 0.050 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 7</div><div>Pass - 7</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 12:49:39.381 am // 12:49:39.431 am /				
Customer Inq in ERP				
@DeleteStandingPO				


#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.024 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	And User navigate to Ignition tab in ERP	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then User selects Standing PO# from the grid and click Delete in ERP	PASSED	0.011 s



### (S)- Test scenario for creating copy of customer inq

<div>FAILED</div> <div>DURATION - 2.949 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:49:39.580 am // 12:49:42.529 am /				
Customer Inq in ERP				
@CopyCustomerInq				


#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.017 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User clicks on Copy button and popup should display in ERP	PASSED	0.011 s
7	And User should enter required details in ERP Copy popup	FAILED	2.683 s
	<pre> java.lang.AssertionError: expected [true] but found [false]     at org.testng.Assert.fail(Assert.java:97)     at org.testng.Assert.assertEqualsImpl(Assert.java:136)     at org.testng.Assert.assertEquals(Assert.java:118)     at org.testng.Assert.assertEquals(Assert.java:751)     at org.testng.Assert.assertEquals(Assert.java:761)     at pages_DSD_OMS.customerInquiry_ERP.CustomerInquiryPageERP.validateSaveConfirmationPopup(CustomerInquiryPageERP.java:351)     at stepDefination_DSD_OMS.CustomerInqPage_ERPSteps.CustomerInqStep_ERP. userShouldEnterRequiredDetailsInERPCopyPopup(CustomerInqStep_ERP.java:317)     at ?.User should enter required details in ERP Copy popup(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/ OMS_Automation/src/test/resources/features_DSD_OMS/CustomerInqFeature_ERPFeature/customerInqfeatureErp.feature:113) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.228 s
	Test scenario for creating copy of customer inq		

#	Step / Hook Details	Status	Duration
			



**(S)- Test scenario for adding note to customer inq (ERP)**

<div>FAILED</div> <div>DURATION - 0.287 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 12:49:42.782 am // 12:49:43.069 am /				
Customer Inq in ERP				
@AddNote				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.012 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.021 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.000 s
7	Then Add note in popup in ERP cust inq	FAILED	0.020 s
	Testing for Notes at Customer inq		
	<pre>java.lang.AssertionError: expected [true] but found [false]     at org.testng.Assert.fail(Assert.java:97)     at org.testng.Assert.assertEqualsImpl(Assert.java:136)     at org.testng.Assert.assertEquals(Assert.java:118)     at org.testng.Assert.assertEquals(Assert.java:751)     at org.testng.Assert.assertEquals(Assert.java:761)     at pages_DSD_OMS.customerInquiry_ERP.CustomerInquiryPageERP.clickOnNote(CustomerInquiryPageERP.java:513)     at stepDefination_DSD_OMS.CustomerInqPage_ERPSteps.CustomerInqStep_ERP.addNoteInPopupInERPCustInq(CustomerInqStep_ERP.java:451)     at ?.Add note in popup in ERP cust inq(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/CustomerInqFeature_ERPFeature/customerInqfeatureErp.feature:120) * Not displayable characters are replaced by '?'. </pre>		

#	Step / Hook Details	Status	Duration
8	And User should select the Alert Type and Alert location to display notes in ERP cust inq Both Customer master Order entry	SKIPPED	0.000 s
9	Then Click on Save button in ERP cust inq	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario) Test scenario for adding note to customer inq (ERP)	PASSED	0.234 s
			

**(S)- Test scenario for canceling copy of Customer inq**


PASSED		DURATION - 0.062 s			Steps Total - 7 Pass - 7 Fail - 0 Skip - 0			
/ 12:49:43.314 am // 12:49:43.376 am /								
Customer Inq in ERP								
@CancelCopy								

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.025 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User clicks on Copy button and popup should display in ERP	PASSED	0.009 s
7	And User should enter required details in ERP Copy popup and user should cancel copy	PASSED	0.009 s



**(S)- Test scenario for verifying System default real time changes in Payment processing drop down**

<b>FAILED</b>	<b>DURATION - 13.034 s</b>		<b>Steps</b> Total - 9 Pass - 7 Fail - 1 Skip - 1	
/ 12:49:43.564 am // 12:49:56.598 am /				
Customer Inq in ERP				
@SystemDefaultRealTimeChanges				


#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.001 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.019 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User click on New button for copy of customer inq in ERP	PASSED	8.585 s
7	And User should select customer account# in customer inq in ERP	PASSED	2.326 s
	Customer		
	CUSTOMER ACCOUNT DIALOG BOX HAS BEEN FOUND		
8	Then User should navigate to Telus tab in ERP	FAILED	1.835 s
	<pre>java.lang.AssertionError: expected [true] but found [false]     at org.testng.Assert.fail(Assert.java:97)     at org.testng.Assert.assertEqualsImpl(Assert.java:136)     at org.testng.Assert.assertEquals(Assert.java:118)     at org.testng.Assert.assertEquals(Assert.java:751)     at org.testng.Assert.assertEquals(Assert.java:761)     at pages_DSD_OMS.customerInquiry_ERP.IgnitionPageERP.ValidateIgnition(IgnitionPageERP.java:78)     at stepDefination_DSD_OMS.CustomerInqPage_ERPSteps. CustomerInqStep_ERP1.userShouldNavigateToTelusTabInERP(CustomerInqStep_ERP1.java:117)     at ?.User should navigate to Telus tab in ERP(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/ resources/features_DSD_OMS/CustomerInqFeature_ERPFeature/customerInqfeatureErp1.feature:23) * Not displayable characters are replaced by '?'. </pre>		
9	And User click on Payment processing and verify visibility of System default Realtime charge option in ERP	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.215 s
	Test scenario for verifying System default real time changes in Payment processing drop down		

#	Step / Hook Details	Status	Duration
			



**(S)- Test scenario for adding note to customer inq in DSD**

<div>FAILED</div> <div>DURATION - 0.222 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:49:56.807 am // 12:49:57.029 am /				
Customer Inq in ERP				
@AddNote				

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.001 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq page	PASSED	0.014 s
5	When User should confirm that he is in Customer Inq page	PASSED	0.017 s
6	Then User click on New button in ERP Customer Inq	PASSED	0.000 s
7	Then Add note in popup in ERP cust inq	FAILED	0.009 s
	Testing for Notes at Customer inq		
	<pre>java.lang.AssertionError: expected [true] but found [false]     at org.testng.Assert.fail(Assert.java:97)     at org.testng.Assert.assertEqualsImpl(Assert.java:136)     at org.testng.Assert.assertEquals(Assert.java:118)     at org.testng.Assert.assertEquals(Assert.java:751)     at org.testng.Assert.assertEquals(Assert.java:761)     at pages_DSD_OMS.customerInquiry_ERP.CustomerInquiryPageERP.clickOnNote(CustomerInquiryPageERP.java:513)     at stepDefination_DSD_OMS.CustomerInqPage_ERPSteps.CustomerInqStep_ERP.addNoteInPopupInERPCustInq(CustomerInqStep_ERP.java:451)     at ?.Add note in popup in ERP cust inq(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/OMS_Automation/src/test/resources/features_DSD_OMS/CustomerInqFeature_ERPFeature/customerInqfeatureErp1.feature:31) * Not displayable characters are replaced by '?'. </pre>		

#	Step / Hook Details	Status	Duration
8	And User should select the Alert Type and Alert location to display notes in ERP cust inq Both Customer master Order entry	SKIPPED	0.000 s
9	Then Click on Save button in ERP cust inq	SKIPPED	0.000 s
10	Then User refreshes customer inq page in ERP	SKIPPED	0.000 s
11	And User should select customer account# in customer inq in ERP Customer	SKIPPED	0.000 s
12	Then User should click on customer note icon in customer inq in ERP page and validate that note added is existing in popup Testing for Notes at Customer inq	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.160 s
	Test scenario for adding note to customer inq in DSD		
			


**(S)- Test scenario for canceling Customer inq creation**

<div><div>FAILED</div><div>DURATION - 0.476 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 15</div><div>Pass - 3</div><div>Fail - 1</div><div>Skip - 11</div></div>	<div></div>
/ 12:49:57.244 am // 12:49:57.720 am /				
Customer Inq in ERP				
@CustomerNameRequiredPopup				



#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.000 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=124.0.6367.61) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b81d1a4d2e5859f61a9c6bb18ed653ed, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.201 (46cf136d27d..., userDataDir:	FAILED	0.266 s

#	Step / Hook Details	Status	Duration
	C:\Users\DIVYA~1.RAM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60845}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60845/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b81d1a4d2e5859f61a9c6bb18ed653ed at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1163) at pages_DSD_OMS.customerInquiry_ERP.CustomerInquiryPageERP.removeDialogBoxIfAny(CustomerInquiryPageERP.java:89) at stepDefination_DSD_OMS.CustomerInqPage_ERPSteps.CustomerInqStep_ERP. userMustBeOnClientSideAndSelectCustomerInqInERP(CustomerInqStep_ERP.java:104) at ?.User must be on Client side and select Customer Inq in ERP(file:///C:/Users/Divya.Ramadas/Documents/Ign/AFS_Automation/ OMS_Automation/src/test/resources/features_DSD_OMS/CustomerInqFeature_ERPFeature/customerInqfeatureErp1.feature:44) * Not displayable characters are replaced by '?'.		
5	When User should confirm that he is in Customer Inq in ERP	SKIPPED	0.000 s
6	Then User click on New button in ERP Customer Inq	SKIPPED	0.000 s
7	And User enters value to all the input box in Main page	SKIPPED	0.000 s
8	And User navigate to AR Rules tab and User enters value to all the input box in AR Rules page	SKIPPED	0.000 s
9	And User navigate to Credit tab and User enters value to all the input box in Credit page	SKIPPED	0.000 s
10	And User navigate to Billing Info tab and User enters value to all the input box in Billing Info page	SKIPPED	0.000 s
11	And User navigate to Marketing tab and User enters value to all the input box in Marketing page	SKIPPED	0.001 s
12	And User navigate to Pricing tab and User enters value to all the input box in Pricing page	SKIPPED	0.000 s
13	And User navigate to Order entry tab and User enters value to all the input box in Order entry page	SKIPPED	0.000 s
14	And User navigate to Shipping tab and User enters value to all the input box in Shipping page	SKIPPED	0.000 s
15	Then User clicks on Save button without entering customer name in ERP env	SKIPPED	0.000 s
	AFTER - stepDefination_DSD_OMS.LoginPageStep.afterScenario1(io.cucumber.java.Scenario)	PASSED	0.189 s
	Test scenario for canceling Customer inq creation		



#	Step / Hook Details	Status	Duration
			

### (S)- Test scenario for creating copy of customer inq for existing customer


<div><div>PASSED</div><div>DURATION - 13.904 s</div></div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.0</td></tr><tr><td>2</td><td>0.0</td></tr><tr><td>3</td><td>0.0</td></tr><tr><td>4</td><td>0.0</td></tr><tr><td>5</td><td>0.0</td></tr><tr><td>6</td><td>10.5</td></tr><tr><td>7</td><td>2.0</td></tr><tr><td>8</td><td>0.0</td></tr><tr><td>9</td><td>1.0</td></tr></tbody></table></div>	Step	Duration (s)	1	0.0	2	0.0	3	0.0	4	0.0	5	0.0	6	10.5	7	2.0	8	0.0	9	1.0	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div> <div><div>9</div></div>
Step		Duration (s)																				
1		0.0																				
2		0.0																				
3	0.0																					
4	0.0																					
5	0.0																					
6	10.5																					
7	2.0																					
8	0.0																					
9	1.0																					
<div>/ 12:49:57.910 am // 12:50:11.814 am /</div>																						
<div>Customer Inq in ERP</div>																						
<div>@CreateCopyForExistingCustomer</div>																						

#	Step / Hook Details	Status	Duration
1	Given User enters URL and is on login page and entered credentials Customer inq ERP	PASSED	0.001 s
2	When User is on Home Page for Customer inq ERP	PASSED	0.000 s
3	Then User navigate to Client side for Customer inq ERP	PASSED	0.000 s
4	Given User must be on Client side and select Customer Inq in ERP	PASSED	0.019 s
5	When User should confirm that he is in Customer Inq in ERP	PASSED	0.000 s
6	Then User click on New button in ERP Customer Inq for copy of customer inq	PASSED	10.641 s
7	And User should select customer account# in customer inq in ERP	PASSED	2.110 s
	Customer		
	CUSTOMER ACCOUNT DIALOG BOX HAS BEEN FOUND		
8	Then User clicks on Copy button and popup should display in ERP	PASSED	0.015 s
9	And User should click on save button to save copy of customer inq in ERP	PASSED	1.102 s

```
(Step) AFTER - stepDefination_DSD_OM
S.LoginPageStep.afterScenario1(io.
cucumber.java.Scenario)
```

### (S) Test scenario for creating multiple Standing PO

### (F) Customer Inq in ERP



```
(Step) AFTER - stepDefinition_DSD_OM
S.LoginPageStep.afterScenario1(io.
cucumber.java.Scenario)
```

(S) Test scenario for editing Standing PO

### (F) Customer Inq in ERP



(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for creating copy of  
customer inq

(F) Customer Inq in ERP

Customer Inquiry

TESTING-ERP DEV

+ New

Customer account #

Bill Description

Original #

Created on:

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for adding note to  
customer inq (ERP)

(F) Customer Inq in ERP

Customer Inquiry

TESTING-ERP DEV

+ New

Customer account #

Bill Description

Original #

Created on:

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for verifying System  
default real time changes in Payment  
processing drop down

(F) Customer Inq in ERP

**Customer account index**

Items found: 409

Customer: All

☐ Is empty

Drag a column header and drop it here to group by that column

Credit	Hold	Credit	Indicator	Hold	Flag	Primary	Sales	Rep	Customer #	Customer	First Address	City	State	Code	Contact	Phone	Market	Delivery	Last Pay	Bill-to	customer

Invalid: City Invalid:

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for adding note to  
customer inq in DSD

(F) Customer Inq in ERP

**Customer account index**

Items found: 409

Customer: All

Customer status  
Active

Drag a column header and drop it here to group by that column

Credit	Hold	Credit	Indicator	Hold	Flag	Primary	Sales	Rep	Customer #	Customer	First Address	City	State	Code	Contact	Phone	Market	Delivery	Last Pay	Bill-to	customer

Invalid: City Invalid:

(Step) AFTER - stepDefination\_DSD\_OM  
S.LoginPageStep.afterScenario1(io.  
cucumber.java.Scenario)

(S) Test scenario for canceling Customer  
inq creation

(F) Customer Inq in ERP

