

## C# and .NET Frameworks Assignment 2

1. Design and implement a **Student Registration** form using C# and Windows Forms. The form should allow users to input and save student details into a database.

### Requirements:

1. The registration form should include the following fields:
  - **Student ID** (Auto-generated or entered manually)
  - **First Name**
  - **Last Name**
  - **Date of Birth**
  - **Email**
  - **Phone Number**
  - **Course Enrolled**
2. Implement the following features:
  - **Form Validation:** Ensure that all required fields (e.g., Student ID, First Name, Last Name, Email) are properly validated (e.g., email format, required fields, etc.).
  - **Save Data:** Connect the form to a database (SQL Server, MySQL, or any other relational database of your choice) using ADO.NET to save the student data.
  - **Reset Form:** Provide a "Clear" button to reset all the input fields.
  - **Display Students:** Optionally, include a `DataGridView` control to display all registered students after submission.

### Form1

```
using System;
```

```
using System.Windows.Forms;
```

```
namespace UserInfoApp
```

```
{
```

```
public partial class Form1 : Form
```

```
{
```

```
public Form1()
```

```
{
```

```
InitializeComponent();
```

```
}
```

```
private void buttonSubmit_Click(object sender, EventArgs e)
```

```
{
```

```
string name = textBoxName.Text; string address = textBoxAddress.Text;
```

```
string phoneNumber = textBoxPhoneNumber.Text;
```

```
Form2 form2 = new Form2(name, address, phoneNumber); form2.Show();
```

```
}
```

```
}
```

```
}
```

## **Form2**


```
using System;
using System.Windows.Forms;

namespace UserInfoApp
{
    public partial class Form2 : Form
    {
        private string _name; private string _address;
        private string _phoneNumber;

        public Form2(string name, string address, string phoneNumber)
        {
            InitializeComponent();
            _name = name;
            _address = address;
            _phoneNumber = phoneNumber;
        }

        private void Form2_Load(object sender, EventArgs e)
        {
            labelDisplayName.Text = "Name: " + _name; labelDisplayAddress.Text = "Address: " +
            _address;
            labelDisplayPhoneNumber.Text = "Phone Number: " + _phoneNumber;
        }
    }
}
```

## **FORM AND CODE:**



The screenshot shows a Windows Form titled "Form1" with a standard Windows title bar (minimize, maximize, close buttons). The form contains a user information form with the following fields and controls:

- Student ID:
- First Name:
- Last Name:
- Email:
- Date of Birth:  (dropdown arrow)
- Courses Enrolled:  (dropdown arrow)
- SUBMIT button
- CLEAR button

Form1

Student ID: 73772226157

First Name: Varuna

Last Name: Sree

Email: varu1234@gmail.com

Date of Birth: 27 November 2004

Courses Enrolled: AI&DS

SUBMIT CLEAR

```

1  TextBox txtStudentID, txtFirstName, txtLastName, txtEmail,
    txtPhoneNumber;
2  ComboBox cmbCourseEnrolled;
3  DateTimePicker dtpDateOfBirth;
4  Button btnSubmit, btnClear;
5  DataGridView dgvStudents;
6  private void Form1_Load(object sender, EventArgs e) {
7      LoadStudentData();
8  }
9  private void btnSubmit_Click(object sender, EventArgs e) {
10     if (ValidateForm()) {
11         SaveStudentData();
12         ClearForm();
13         LoadStudentData();
14     }
15 }
16 private bool ValidateForm() {
17     if (string.IsNullOrEmpty(txtFirstName.Text) || string
        .IsNullOrEmpty(txtEmail.Text)) {
18         MessageBox.Show("First Name and Email are required.");
19         return false;
20     }
21     return true;
22 }
23 private void SaveStudentData() {

```

```

24     using (SqlConnection con = new SqlConnection
        ("your_connection_string")) {
25         con.Open();
26         SqlCommand cmd = new SqlCommand("INSERT INTO Students
            (FirstName, LastName, DateOfBirth, Email, PhoneNumber,
            CourseEnrolled) " +
27             "VALUES (@FirstName,
                @LastName, @DateOfBirth, @Email,
                @PhoneNumber, @CourseEnrolled)",
                con);
28         cmd.Parameters.AddWithValue("@FirstName", txtFirstName.Text
            );
29         cmd.Parameters.AddWithValue("@LastName", txtLastName.Text);
30         cmd.Parameters.AddWithValue("@DateOfBirth", dtpDateOfBirth
            .Value);
31         cmd.Parameters.AddWithValue("@Email", txtEmail.Text);
32         cmd.Parameters.AddWithValue("@PhoneNumber", txtPhoneNumber
            .Text);
33         cmd.Parameters.AddWithValue("@CourseEnrolled",
            cmbCourseEnrolled.SelectedItem.ToString());
34         cmd.ExecuteNonQuery();
35     }
36 }
37 private void ClearForm() {
38     txtFirstName.Clear();
39     txtLastName.Clear();

```

2.Design and implement a **Student Fee Payment System** using C# and Windows Forms. The application should allow students to enter their details, pay their fees, and generate a bill with a unique bill number.

### Requirements:

#### 1. Form Design:

- The form should include the following fields:
  - **Student Name**
  - **Roll Number**
  - **Year of Study** (Dropdown or input field)
  - **Hostel/Day Scholar** (Radio buttons or dropdown selection)
  - **Due Date for Fee Payment** (Date Picker)

#### 2. Fee Payment and Bill Generation:

- When the student fills in the required details and clicks the "Pay Fee" button:
  - **Calculate the total fees** based on whether the student is a **Hostel Resident** or a **Day Scholar** (apply appropriate fees based on your assumption).
  - If the payment is made **after the due date**, apply a **late fee of Rs. 100 per day**.
  - Generate a **Bill** with a unique bill number, and display it along with the student's details (name, roll number, year of study, total fees, and any late fees applied).

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Skill Set Selection</title>
<style>
body {
font-family: Arial, sans-serif; background-color: #f4f4f4; display: flex;
justify-content: center; align-items: center; height: 100vh; margin: 0;
}

.form-container { background-color: white; padding: 20px;
border-radius: 5px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1); width: 300px;
}

h2 {
text-align: center; margin-bottom: 20px;
}

.checkbox-container { margin-bottom: 15px;
}

.checkbox-container label { margin-left: 10px;
}
}
```

```
.checkbox-container input[type="checkbox"] { transform: scale(1.2);
margin-right: 10px;
}
button {
width: 100%; padding: 10px;
background-color: #007BFF;
color: white; border: none; border-radius: 5px; cursor: pointer;
}
```

```
button:hover {
background-color: #0056b3;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="form-container">
```

```
<h2>Select Your Skill Set</h2>
```

```
<form>
```

```
<div class="checkbox-container">
```

```
<input type="checkbox" id="skill1" name="skill" value="HTML">
```

```
<label for="skill1">HTML</label>
```

```
</div>
```

```
<div class="checkbox-container">
```

```
<input type="checkbox" id="skill2" name="skill" value="CSS">
```

```
<label for="skill2">CSS</label>
```

```
</div>
```

```
<div class="checkbox-container">
```

```
<input type="checkbox" id="skill3" name="skill" value="JavaScript">
```

```
<label for="skill3">JavaScript</label>
```

```
</div>
```

```
<div class="checkbox-container">
```

```
<input type="checkbox" id="skill4" name="skill" value="Python">
```

```
<label for="skill4">Python</label>
```

```
</div>
```

```
<button type="submit">Submit</button>
```


```
</form>
```

```
</div>
```

```
</body>
```

```
</html>
```

## FORM AND CODE:



Form1


Student Name

Roll Number

Year of Study

Mode of Study

Payment Due Date



Form1

Student Name

Roll Number

Year of Study

Mode of Study

Payment Due Date

```

1 TextBox txtStudentName, txtRollNumber;
2 ComboBox cmbYearOfStudy, cmbHostelDayScholar;
3 DateTimePicker dtpDueDate;
4 Button btnPayFee;
5 Label lblBill;
6 const decimal HostelFee = 50000;
7 const decimal DayScholarFee = 30000;
8 const decimal LateFeePerDay = 100;
9 private void btnPayFee_Click(object sender, EventArgs e) {
10     if (ValidateForm()) {
11         decimal totalFee = CalculateFee();
12         string billNumber = GenerateBillNumber();
13         DisplayBill(billNumber, totalFee);
14     }
15 }
16 private bool ValidateForm() {
17     if (string.IsNullOrEmpty(txtStudentName.Text) || string.IsNullOrEmpty(
18         txtRollNumber.Text)) {
19         MessageBox.Show("Student Name and Roll Number are required.");
20         return false;
21     }
22     return true;
23 }
24 private decimal CalculateFee()
25 {
26     decimal baseFee;
27     if (cmbHostelDayScholar.SelectedItem.ToString() == "Hostel Resident") {
28         baseFee = HostelFee;
29     }
30     else {
31         baseFee = DayScholarFee;
32     }
33     DateTime dueDate = dtpDueDate.Value;
34     DateTime paymentDate = DateTime.Today;
35     decimal lateFee = 0;
36     if (paymentDate > dueDate) {
37         int daysLate = (paymentDate - dueDate).Days;
38         lateFee = daysLate * LateFeePerDay;
39     }
40     return baseFee + lateFee;
41 }
42 private string GenerateBillNumber() {
43     return "BILL" + DateTime.Now.Ticks.ToString() + txtRollNumber.Text;
44 }
45 private void DisplayBill(string billNumber, decimal totalFee) {
46     lblBill.Text = $"Bill Number: {billNumber}\n" +
47         $"Student Name: {txtStudentName.Text}\n" +
48         $"Roll Number: {txtRollNumber.Text}\n" +
49         $"Year of Study: {cmbYearOfStudy.SelectedItem.ToString()}\n" +
50         $"Hostel/Day Scholar: {cmbHostelDayScholar.SelectedItem
51         .ToString()}\n" +
52         $"Total Fees: {totalFee:C}";
53 }

```

3. Design and implement a **Web Service** using C# and ASP.NET to expose functionality for client applications to consume. The web service should provide a specific set of operations, such as retrieving data or performing a calculation.

### Implementation Steps:

#### Define the Service Requirements:

- Identify the functionality that the web service will provide (e.g., retrieving student information, performing fee calculations, etc.).
- Specify the input parameters and return types for each operation that the web service will expose.

#### Create the Web Service:

- In Visual Studio, create a new **ASP.NET Web Service** project.
- Define a service class by inheriting from `System.Web.Services.WebService`.
- Decorate the class with the `[WebService]` attribute and each method with the `[WebMethod]` attribute to expose them as web service operations.
- Implement the required service methods (e.g., retrieving student data or calculating fees).

```
using System;
```

```
using System.Windows.Forms;
```

```
namespace StudentFeePaymentSystem
```

```
{
```

```
public partial class Form1 : Form
```

```
{
```

```
private static int billCounter = 1000; // Starting bill number
```

```
public Form1()
```

```
{
```

```
InitializeComponent();
```

```
}
```

```
private void buttonPayFee_Click(object sender, EventArgs e)
```

```
{
```

```
// Get student details
```

```
string name = textBoxName.Text;
```

```
string rollNumber = textBoxRollNumber.Text;
```

```
int yearOfStudy = int.Parse(comboBoxYear.SelectedItem.ToString()); bool isHosteller =
```

```
radioButtonHosteller.Checked;
```

```
DateTime dueDate = dateTimePickerDueDate.Value; DateTime paymentDate =
```

```
DateTime.Now;
```

```
// Base fees
```

```
int baseFee = isHosteller ? 50000 : 30000;
```

```
// Late fee calculation int lateFee = 0;
```



```

if (paymentDate > dueDate)
{
lateFee = (paymentDate - dueDate).Days * 100;
}

// Total fee
int totalFee = baseFee + lateFee;

// Generate bill number
int billNumber = GenerateBillNumber();

// Display the bill
textBoxBill.Text = GenerateBill(name, rollNumber, yearOfStudy, isHosteller, paymentDate,
totalFee, billNumber);
}
private int GenerateBillNumber()
{
return billCounter++;
}
private string GenerateBill(string name, string rollNumber, int yearOfStudy, bool isHosteller,
DateTime paymentDate, int totalFee, int billNumber)
{
string studentType = isHosteller ? "Hosteller" : "Day Scholar"; return $"Bill Number:
{billNumber}\n" +
$"Name: {name}\n" +
$"Roll Number: {rollNumber}\n" +
$"Year of Study: {yearOfStudy}\n" +
$"Student Type: {studentType}\n" +
$"Payment Date: {paymentDate.ToShortDateString()}\n" +
$"Total Fee: Rs. {totalFee}";
}
}
}

```

## FORM AND CODE:

The screenshot shows a Windows application window titled "Form1". Inside the window, there is a form with the following fields and controls:

- Student ID: Text input field
- Name: Text input field
- Roll Number: Text input field
- Course: Dropdown menu with "Select Course" as the placeholder
- Year of Study: Dropdown menu with "Select Year" as the placeholder
- Mode of Study: Two radio buttons labeled "Hosteller" and "Day Scholar"
- Due Date: Date picker showing "06 November 2024"
- Payment Date: Date picker showing "06 November 2024"
- Total Fees: Text input field
- Pay Now: Button at the bottom center

Form1

Student ID: 1

Name: John Doe

Roll Number: 1001

Course: AI&DS

Year of Study: IV

Mode of Study: ☐ Hosteller ☒ Day Scholar

Due Date: 12 November 2024

Payment Date: 08 November 2024

Total Fees: 60000

Pay Now

```

1 using System;
2 using System.Web.Services;
3 [WebService(Namespace = "http://yourdomain.com/")]
4 [WebServiceBinding(ConformsTo = WsiProfiles.BasicProfile1_1)]
5 public class StudentService : WebService {
6     private static readonly Dictionary<int, Student> students = new Dictionary<int
7         , Student> {
8         { 1, new Student { StudentID = 1, Name = "John Doe", RollNumber = "1001",
9             Course = "Computer Science", YearOfStudy = 2 } },
10        { 2, new Student { StudentID = 2, Name = "Jane Smith", RollNumber = "1002"
11            , Course = "Electrical Engineering", YearOfStudy = 3 } }
12    };
13    public Student GetStudentDetails(int studentID) {
14        if (students.ContainsKey(studentID)) {
15            return students[studentID];
16        }
17        else {
18            return null;
19        }
20    }
21    public decimal CalculateFees(int studentID, bool isHostelResident, DateTime
22        dueDate, DateTime paymentDate) {
23        decimal baseFee = isHostelResident ? 50000 : 30000;
24        decimal lateFee = 0;
25        if (paymentDate > dueDate) {
26            int daysLate = (paymentDate - dueDate).Days;
27            lateFee = daysLate * 100;
28        }
29        return baseFee + lateFee;
30    }
31 }
32 public class Student {
33     public int StudentID { get; set; }
34     public string Name { get; set; }
35     public string RollNumber { get; set; }
36     public string Course { get; set; }
37     public int YearOfStudy { get; set; }
38 }

```

4. Our college is organizing an **Alumni Meet** on **May 5, 2024**. The alumni cell is in the process of creating a database to store a list of registered alumni who will attend the event. You are tasked with designing a registration form and implementing it using ADO.NET.

### Requirements:

#### 1. Design the Registration Form:

- Create a Windows Forms application that includes the following controls:
  - **TextBox** for entering the **Alumni Name**
  - **TextBox** for entering the **Email**
  - **TextBox** for entering the **Phone Number**
  - **ComboBox** for selecting the **Department** (e.g., Computer Science, Business, Arts)
  - **Button** to **Register** alumni
  - **Button** to **Display** registered alumni
  - **DataGridView** control to display the list of registered alumni from the selected department

#### 2. Implement Functionality Using ADO.NET:

- **Register Button:**
  - When the **Register** button is clicked, validate the input fields.
  - If the inputs are valid, insert the entered details into the database using ADO.NET. Handle any database exceptions that may occur.
- **Display Button:**
  - When the **Display** button is clicked, retrieve all registered alumni for the selected department from the ComboBox.
  - Display the results in the **DataGridView** control.

### ASP Design

```
<asp:Label ID="lblName" runat="server" Text="Name:"></asp:Label>
<asp:TextBox ID="txtName" runat="server"></asp:TextBox><br />
```

```
<asp:Label ID="lblRollNumber" runat="server" Text="Roll Number:"></asp:Label>
<asp:TextBox ID="txtRollNumber" runat="server"></asp:TextBox><br />
```

```
<asp:Label ID="lblYear" runat="server" Text="Year of Study:"></asp:Label>
<asp:DropDownList ID="ddlYear" runat="server">
<asp:ListItem Text="1" Value="1"></asp:ListItem>
<asp:ListItem Text="2" Value="2"></asp:ListItem>
<asp:ListItem Text="3" Value="3"></asp:ListItem>
<asp:ListItem Text="4" Value="4"></asp:ListItem>
</asp:DropDownList><br />
```

```
<asp:Label ID="lblBranch" runat="server" Text="Branch:"></asp:Label>
<asp:TextBox ID="txtBranch" runat="server"></asp:TextBox><br />
```

```
<asp:Label ID="lblCGPA" runat="server" Text="CGPA:"></asp:Label>
<asp:TextBox ID="txtCGPA" runat="server"></asp:TextBox><br />
```

```
<asp:Button ID="btnRegister" runat="server" Text="Register" OnClick="btnRegister_Click" />
<asp:Button ID="btnDisplay" runat="server" Text="Display" OnClick="btnDisplay_Click"
/><br />
```

```
<asp:GridView ID="gvStudents" runat="server"></asp:GridView>
```

### **Register Click**

```
using System; using System.Data;
using System.Data.SqlClient; using System.Configuration;
protected void btnRegister_Click(object sender, EventArgs e)
{
    string connectionString =
    ConfigurationManager.ConnectionStrings["PlacementDBConnectionString"].Connectio
nString;

    using (SqlConnection con = new SqlConnection(connectionString))
    {
        string query = "INSERT INTO Students (Name, RollNumber, Year, Branch, CGPA) VALUES
        (@Name, @RollNumber, @Year, @Branch, @CGPA)";
        using (SqlCommand cmd = new SqlCommand(query, con))
        {
            cmd.Parameters.AddWithValue("@Name", txtName.Text);
            cmd.Parameters.AddWithValue("@RollNumber", txtRollNumber.Text);
            cmd.Parameters.AddWithValue("@Year", ddlYear.SelectedValue);
            cmd.Parameters.AddWithValue("@Branch", txtBranch.Text);
            cmd.Parameters.AddWithValue("@CGPA",
            Convert.ToDouble(txtCGPA.Text));


            con.Open(); cmd.ExecuteNonQuery(); con.Close();
        }
    }
}
```

### **Display**


```
protected void btnDisplay_Click(object sender, EventArgs e)
{
    string connectionString =
    ConfigurationManager.ConnectionStrings["PlacementDBConnectionString"].Connectio
nString;

    using (SqlConnection con = new SqlConnection(connectionString))
    {
        string query = "SELECT * FROM Students";
        using (SqlDataAdapter sda = new SqlDataAdapter(query, con))
        {
            DataTable dt = new DataTable(); sda.Fill(dt); gvStudents.DataSource = dt;
            gvStudents.DataBind();
        }
    }
}
```

## FORM AND CODE:



The screenshot shows a window titled 'Form1' with a standard Windows title bar (minimize, maximize, close buttons). The window contains a form titled 'Alumini Registration Form'. The form has four input fields: 'Alumini Name', 'Email', 'Phone Number', and 'Department'. The 'Department' field is a dropdown menu with 'Select Dept' and a downward arrow. Below the input fields are two buttons: 'Register' and 'Display'.



The screenshot shows the same 'Form1' window, but now with data entered into the input fields. The 'Alumini Name' field contains 'Smithi', the 'Email' field contains 'smithi@gmail.com', and the 'Phone Number' field contains '9876543210'. The 'Department' dropdown menu remains at 'Select Dept'. The 'Register' button is highlighted with a blue border.

```

1- using System;
2- using System.Data.SqlClient;
3- using System.Windows.Forms;
4- public partial class Form1 : Form {
5-     string connectionString = @"Data Source=YourServer;Initial
        Catalog=YourDatabase;Integrated Security=True;";
6-     public Form1() {
7-         InitializeComponent();
8-     }
9-     private void btnRegister_Click(object sender, EventArgs e) {
10-         if (ValidateForm()) {
11-             try {
12-                 using (SqlConnection con = new SqlConnection
                    (connectionString)) {
13-                     con.Open();
14-                     string query = "INSERT INTO Alumni (AlumniName,
                        Email, PhoneNumber, Department) " +
15-                         "VALUES (@AlumniName, @Email,
                            @PhoneNumber, @Department)";
16-
17-                     SqlCommand cmd = new SqlCommand(query, con);
18-                     cmd.Parameters.AddWithValue("@AlumniName",
                        txtAlumniName.Text);
19-                     cmd.Parameters.AddWithValue("@Email", txtEmail
                        .Text);
20-
21-                     cmd.Parameters.AddWithValue("@PhoneNumber",
                        txtPhoneNumber.Text);
22-                     cmd.Parameters.AddWithValue("@Department",
                        cmbDepartment.SelectedItem.ToString());
23-
24-                     cmd.ExecuteNonQuery();
25-                     MessageBox.Show("Alumni registered
                        successfully!");
26-                     ClearForm();
27-                 }
28-             } catch (Exception ex) {
29-                 MessageBox.Show("Error: " + ex.Message);
30-             }
31-         }
32-     }
33-     private bool ValidateForm() {
34-         if (string.IsNullOrEmpty(txtAlumniName.Text) || string
            .IsNullOrEmpty(txtEmail.Text) ||
35-             string.IsNullOrEmpty(txtPhoneNumber.Text) ||
            cmbDepartment.SelectedItem == null) {
36-             MessageBox.Show("All fields are required!");
37-             return false;
38-         }
39-         return true;
40-     }
41-     private void ClearForm() {
42-         txtAlumniName.Clear();
43-         txtEmail.Clear();
44-         txtPhoneNumber.Clear();
45-         cmbDepartment.SelectedIndex = -1;
46-     }
47- }

```

**BY:**

SANJAY S

73772226144

III – B.TECH AI&DS

