

MINGW64/c/Users/k.s.sarath chandu

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~

\$ mkdir cognizance

mkdir: cannot create directory 'cognizance': File exists

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~

\$ ls

AppData/	NTUSER.DAT	Searches/
'Application Data'@	NTUSER.DAT{1c2b59c5-c5f5-11eb-bacb-000d3a96488e}.TxR.0.regtrans-ms	Sendto
Contacts/	NTUSER.DAT{1c2b59c5-c5f5-11eb-bacb-000d3a96488e}.TxR.1.regtrans-ms	'Start Menu'@
Cookies@	NTUSER.DAT{1c2b59c5-c5f5-11eb-bacb-000d3a96488e}.TxR.2.regtrans-ms	Templates@
Documents/	NTUSER.DAT{1c2b59c5-c5f5-11eb-bacb-000d3a96488e}.TxR.blf	Videos/
Downloads/	NTUSER.DAT{1c2b59c6-c5f5-11eb-bacb-000d3a96488e}.TM.blf	'VirtualBox VMs'/'
Dropbox/	NTUSER.DAT{1c2b59c6-c5f5-11eb-bacb-000d3a96488e}.TMContainer00000000000000000001.regtrans-ms	cognizance/
Favorites/	NTUSER.DAT{1c2b59c6-c5f5-11eb-bacb-000d3a96488e}.TMContainer00000000000000000002.regtrans-ms	'k.s.sarath chandu - Shortcut.lnk'*
IntelGraphicsProfiles/		ntuser.dat.LOG1
Links/	NetHood@	ntuser.dat.LOG2
'Local Settings'@	OneDrive/	ntuser.ini
Music/	PrintHood@	
'My Documents'@	Recent@	
	'Saved Games'/'	

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~

\$

Show desktop



ENG IN 19:19 15.02.2022 57

MINGW64/c:/Users/k.s.sarath chandu/cognizance/cognizance

```
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~  
$ cd cognizance  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ git init  
Reinitialized existing Git repository in C:/Users/k.s.sarath chandu/cognizance/.git/  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ git commit 'my commit'  
error: pathspec 'my commit' did not match any file(s) known to git  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ git commit -m 'my commit'  
[ram 4272700] my commit  
7 files changed, 2 insertions(+)  
create mode 160000 Cognizance  
create mode 160000 KSaiSarithChandu  
create mode 100644 cse.txt  
create mode 100644 cys.txt  
create mode 100644 ece.txt  
create mode 100644 mee.txt  
create mode 100644 task1.txt  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ git commit -m 'my first commit'  
On branch ram  
nothing to commit, working tree clean  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ git remote add origin https://github.com/KSaiSarithChandu/cognizance.git  
error: remote origin already exists.  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ git push -u origin master  
Everything up-to-date  
branch 'master' set up to track 'origin/master'.  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ git push origin master  
Everything up-to-date  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ touch task1.txt  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ touch cse.txt  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ touch ece.txt  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ touch mee.txt  
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)  
$ git status  
On branch ram  
nothing to commit, working tree clean
```



MINGW64/c/Users/k.s.sarath chandu/cognizance/cognizance

nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)

\$ git checkout -b master

Fatal: a branch named 'master' already exists

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)

\$ git checkout -b main

Switched to a new branch 'main'

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git status

On branch main

nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git clone https://github.com/KSaISarathChandu/Cognizance.git

Fatal: destination path 'Cognizance' already exists and is not an empty directory.

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ ls

Cognizance/ KSaISarathChandu/ README chandu/ cse.txt cys.txt ece.txt mee.txt task1.txt

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git add -A

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git status

On branch main

nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git commit -m "my another commit"

On branch main

nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git commit -m "my next commit"

On branch main

nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git push

Fatal: The current branch main has no upstream branch.

To push the current branch and set the remote as upstream, use

git push --set-upstream origin main

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git push --set-upstream origin main

Enumerating objects: 3, done.

Counting objects: 100% (3/3), done.

Delta compression using up to 8 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (2/2), 360 bytes | 360.00 KiB/s, done.

Total 2 (delta 0), reused 0 (delta 0), pack-reused 0



MINGW64/c/Users/ks.sarath chandu/cognizance/cognizance

```
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)
$ git push --set-upstream origin main

Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 360 bytes | 360.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'main' on GitHub by visiting:
remote:   https://github.com/KSaISarathChandu/KSaISarathChandu/pull/new/main
remote:
to https://github.com/KSaISarathChandu/KSaISarathChandu.git
 * [new branch]    main -> main
branch 'main' set up to track 'origin/main'.

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)
$ cd cognizance

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ ls
README.md  'task 1'

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ touch task1.txt

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ touch cse.txt

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        cse.txt
        task1.txt

nothing added to commit but untracked files present (use "git add" to track)

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git push
Everything up-to-date

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git pull
Already up to date.
```



MINGW64/c/Users/k.s.sarath chandu/cognizance/cognizance

```
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git branch
* main

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git fetch

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git diff README.md

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git diff --cached README.md
error: invalid option: --cached

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ get diff --cached README.md
bash: get: command not found

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git diff --cached README.md

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git diff main origin/main

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ ls
README.md  cse.txt  'task 1'  task1.txt

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git merge
Already up to date.

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git config --list --show-origin
file:C:/Program Files/Git/etc/gitconfig diff.astextplain.textconv=astextplain
file:C:/Program Files/Git/etc/gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Program Files/Git/etc/gitconfig filter.lfs.required=true
file:C:/Program Files/Git/etc/gitconfig http.sslbackend=openssl
file:C:/Program Files/Git/etc/gitconfig http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
file:C:/Program Files/Git/etc/gitconfig core.autocrlf=true
file:C:/Program Files/Git/etc/gitconfig core.fscache=true
file:C:/Program Files/Git/etc/gitconfig core.symbols=false
file:C:/Program Files/Git/etc/gitconfig pull.rebase=false
file:C:/Program Files/Git/etc/gitconfig credential.helper=manager-core
file:C:/Program Files/Git/etc/gitconfig credential.https://dev.azure.com.usehttppath=true
file:C:/Program Files/Git/etc/gitconfig init.defaultbranch=master
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.required=true
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Users/k.s.sarath chandu/.gitconfig user.name=KSaiSarithChandu
file:C:/Users/k.s.sarath chandu/.gitconfig user.email=99631216+KSaiSarithChandu@users.noreply.github.com
file:.git/config core.repositoryformatversion=0
file:.git/config core.filemode=false
file:.git/config core.bare=false
```



MINGW64/c/Users/k.s.sarath chandu/cognizance/cognizance

```
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git diff --cached README.md
error: invalid option: --cached

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ get diff --cached README.md
bash: get: command not found

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git diff --cached README.md

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git diff main origin/main

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ ls
README.md  cse.txt  'task 1'  task1.txt

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git merge
Already up to date.

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git config --list --show-origin
file:C:/Program Files/Git/etc/gitconfig diff.astextplain.textconv=astextplain
file:C:/Program Files/Git/etc/gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Program Files/Git/etc/gitconfig filter.lfs.required=true
file:C:/Program Files/Git/etc/gitconfig http.sslbackend=openssl
file:C:/Program Files/Git/etc/gitconfig http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
file:C:/Program Files/Git/etc/gitconfig core.autocrlf=true
file:C:/Program Files/Git/etc/gitconfig core.fscache=true
file:C:/Program Files/Git/etc/gitconfig core.symbols=false
file:C:/Program Files/Git/etc/gitconfig pull.rebase=false
file:C:/Program Files/Git/etc/gitconfig credential.helper=manager-core
file:C:/Program Files/Git/etc/gitconfig credential.https://dev.azure.com.usehttppath=true
file:C:/Program Files/Git/etc/gitconfig init.defaultbranch=master
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.required=true
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Users/k.s.sarath chandu/.gitconfig user.name=KSaiSarithChandu
file:C:/Users/k.s.sarath chandu/.gitconfig user.email=99631216@KSaiSarithChandu@users.noreply.github.com
file:.git/config core.repositoryformatversion=0
file:.git/config core.filemode=false
file:.git/config core.bare=false
file:.git/config core.logallrefupdates=true
file:.git/config core.symbols=false
file:.git/config core.ignorecase=true
file:.git/config remote.origin.url=https://github.com/KSaiSarithChandu/cognizance.git
file:.git/config remote.origin.fetch=+refs/heads/*:refs/remotes/origin/*
file:.git/config branch.main.remote-origin
file:.git/config branch.main.merge=refs/heads/main

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$
```



MINGW64/c:/Users/k.s.sarath chandu

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~

\$ mkdir cognizance

mkdir: cannot create directory 'cognizance': File exists

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~

\$ ls

AppData/	NTUSER.DAT	Searches/
'Application Data'@	NTUSER.DAT{1c2b59c5-c5f5-11eb-bacb-000d3a96488e}.TxR.0.regtrans-ms	Sendto@
Contacts/	NTUSER.DAT{1c2b59c5-c5f5-11eb-bacb-000d3a96488e}.TxR.1.regtrans-ms	'Start Menu'@
Cookies@	NTUSER.DAT{1c2b59c5-c5f5-11eb-bacb-000d3a96488e}.TxR.2.regtrans-ms	Templates@
Documents/	NTUSER.DAT{1c2b59c5-c5f5-11eb-bacb-000d3a96488e}.TxR.blf	Videos/
Downloads/	NTUSER.DAT{1c2b59c6-c5f5-11eb-bacb-000d3a96488e}.TM.blf	'VirtualBox VMs' /
Dropbox/	NTUSER.DAT{1c2b59c6-c5f5-11eb-bacb-000d3a96488e}.TMContainer00000000000000000001.regtrans-ms	cognizance/
Favorites/	NTUSER.DAT{1c2b59c6-c5f5-11eb-bacb-000d3a96488e}.TMContainer00000000000000000002.regtrans-ms	'k.s.sarath chandu - Shortcut.lnk'*
IntelGraphicsProfiles/	NetHood@	ntuser.dat.LOG1
Links/	OneDrive/	ntuser.dat.LOG2
'Local Settings'@	PrintHood@	ntuser.ini
Music/	Recent@	
'My Documents'@	'Saved Games' /	

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~

\$ |



Search or jump to...

[Pull requests](#) [Issues](#) [Marketplace](#) [Explore](#)



[KSaiSarthChandu / Cognizance](#) Public

[Pin](#) [Unwatch](#) 1 [Fork](#) 0 [Star](#) 0

[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Wiki](#) [Security](#) [Insights](#) [Settings](#)

[main](#) [1 branch](#) [0 tags](#)

[Go to file](#) [Add file](#) [Code](#)

KSaiSarthChandu Create task 1	1ec75d9 now	2 commits
README.md	Initial commit	3 hours ago
task 1	Create task 1	now

README.md



Cognizance

My First repository is Cognizance

About

My First repository is Cognizance

[Readme](#)

[0 stars](#)

[1 watching](#)

[0 forks](#)

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

MINGW64:/c/Users/k.s.sarath chandu/cognizance/cognizance

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~  
$ cd cognizance
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ git init  
Reinitialized existing Git repository in C:/Users/k.s.sarath chandu/cognizance/.git/
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ git commit 'my commit'  
error: pathspec 'my commit' did not match any file(s) known to git
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ git commit -m 'my commit'  
[ram 4272700] my commit  
7 files changed, 2 insertions(+)  
create mode 160000 Cognizance  
create mode 160000 KSaiSarathChandu  
create mode 100644 cse.txt  
create mode 100644 cys.txt  
create mode 100644 ece.txt  
create mode 100644 mee.txt  
create mode 100644 task1.txt
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ git commit -m 'my first commit'  
On branch ram  
nothing to commit, working tree clean
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ git remote add origin https://github.com/KSaiSarathChandu/Cognizance.git  
error: remote origin already exists.
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ git push -u origin master  
Everything up-to-date  
branch 'master' set up to track 'origin/master'.
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ git push origin master  
Everything up-to-date
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ touch task1.txt
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ touch cse.txt
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ touch ece.txt
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ touch mee.txt
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64: ~/cognizance (ram)  
$ git status  
On branch ram  
nothing to commit, working tree clean
```

MINGW64/c/Users/k.s.sarath chandu/cognizance/cognizance

nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)

\$ git checkout -b master

fatal: a branch named 'master' already exists

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (ram)

\$ git checkout -b main

Switched to a new branch 'main'

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git status

On branch main

nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ git clone https://github.com/KSaiSarathChandu/Cognizance.git

fatal: destination path 'Cognizance' already exists and is not an empty directory.

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

\$ ls

Cognizance/ KSaiSarathChandu/ README chandu/ cse.txt cys.txt ece.txt mee.txt task1.txt



Search or jump to...

[Pull requests](#) [Issues](#) [Marketplace](#) [Explore](#)



[KSaiSarathChandu / Cognizance](#) Public

[Pin](#) [Unwatch](#) 1 [Fork](#) 0 [Star](#) 0

[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Wiki](#) [Security](#) [Insights](#) [Settings](#)

[main](#) [1 branch](#) [0 tags](#)

[Go to file](#) [Add file](#) [Code](#)

	KSaiSarathChandu my next commit	c9b7c25 9 minutes ago	7 commits
	README.md	Initial commit	6 hours ago
	cse.txt	my next commit	11 minutes ago
	cys.txt	my next commit	10 minutes ago
	ece.txt	my next commit	11 minutes ago
	mee.txt	my next commit	9 minutes ago
	task 1	Create task 1	3 hours ago
	test.txt	Create test.txt	12 minutes ago

README.md



Cognizance

My First repository is Cognizance

About

My First repository is Cognizance

[Readme](#)

[0 stars](#)

[1 watching](#)

[0 forks](#)

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64 ~/cognizance (main)
$ git add -A

k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64 ~/cognizance (main)
$ git status
On branch main
nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64 ~/cognizance (main)
$ git commit -m "my another commit"
On branch main
nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64 ~/cognizance (main)
$ git commit -m "my next commit"
On branch main
nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64 ~/cognizance (main)
$ git push
fatal: The current branch main has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin main

k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64 ~/cognizance (main)
$ git push --set-upstream origin main

Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 360 bytes | 360.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0
```

 MINGW64:/c/Users/k.s.sarath chandu/cognizance/cognizance

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)

```
$ git push --set-upstream origin main
```

Enumerating objects: 3, done.

Counting objects: 100% (3/3), done.

Delta compression using up to 8 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (2/2), 360 bytes | 360.00 KiB/s, done.

Total 2 (delta 0), reused 0 (delta 0), pack-reused 0

remote:

remote: Create a pull request for 'main' on GitHub by visiting:

remote: <https://github.com/KSaiSarathChandu/KSaiSarathChandu/pull/new/main>

remote:

To <https://github.com/KSaiSarathChandu/KSaiSarathChandu.git>

* [new branch] main -> main

branch 'main' set up to track 'origin/main'.

```
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)  
$ cd c:
```

```
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 /c  
$ git clone https://github.com/KSaiSarathChandu/Cognizance.git  
Cloning into 'Cognizance'...  
remote: Enumerating objects: 16, done.  
remote: Counting objects: 100% (16/16), done.  
remote: Compressing objects: 100% (13/13), done.  
remote: Total 16 (delta 5), reused 0 (delta 0), pack-reused 0  
Receiving objects: 100% (16/16), 4.09 KiB | 4.09 MiB/s, done.  
Resolving deltas: 100% (5/5), done.
```

```
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance (main)
$ cd cognizance

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ ls
README.md  'task 1'

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ touch task1.txt

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ touch cse.txt

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    cse.txt
    task1.txt

nothing added to commit but untracked files present (use "git add" to track)
```

```
k.s.sarath chandu@LAPTOP-CD19K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git push
Everything up-to-date
```



```
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git pull
Already up to date.
```

 MINGW64:/c/Users/k.s.sarath chandu/cognizance/cognizance

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)

\$ git branch

* main

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)

\$ git fetch

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)

\$ git diff README.md

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)

\$ git diff --cached README.md

error: invalid option: --cached

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)

\$ git diff --cached README.md

bash: git: command not found

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)

\$ git diff --cached README.md

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)

\$ git diff main origin/main

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)

\$ ls

README.md cse.txt 'task 1' task1.txt

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)

\$ git merge

Already up to date.

```
k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
$ git config --list --show-origin
file:C:/Program Files/Git/etc/gitconfig diff.astextplain.textconv=astextplain
file:C:/Program Files/Git/etc/gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Program Files/Git/etc/gitconfig filter.lfs.required=true
file:C:/Program Files/Git/etc/gitconfig http.sslbackend=openssl
file:C:/Program Files/Git/etc/gitconfig http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
file:C:/Program Files/Git/etc/gitconfig core.autocrlf=true
file:C:/Program Files/Git/etc/gitconfig core.fscache=true
file:C:/Program Files/Git/etc/gitconfig core.symlinks=false
file:C:/Program Files/Git/etc/gitconfig pull.rebase=false
file:C:/Program Files/Git/etc/gitconfig credential.helper=manager-core
file:C:/Program Files/Git/etc/gitconfig credential.https://dev.azure.com.usehttppath=true
file:C:/Program Files/Git/etc/gitconfig init.defaultbranch=master
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.required=true
file:C:/Users/k.s.sarath chandu/.gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Users/k.s.sarath chandu/.gitconfig user.name=KSaiSarathChandu
file:C:/Users/k.s.sarath chandu/.gitconfig user.email=99631216+KSaiSarathChandu@users.noreply.github.com
file:.git/config core.repositoryformatversion=0
file:.git/config core.filemode=false
file:.git/config core.bare=false
file:.git/config core.logallrefupdates=true
file:.git/config core.symlinks=false
file:.git/config core.ignorecase=true
file:.git/config remote.origin.url=https://github.com/KSaiSarathChandu/Cognizance.git
file:.git/config remote.origin.fetch=+refs/heads/*:refs/remotes/origin/*
file:.git/config branch.main.remote=origin
file:.git/config branch.main.merge=refs/heads/main

k.s.sarath chandu@LAPTOP-CDJ9K6R0 MINGW64 ~/cognizance/cognizance (main)
```